

# **Movex® EXTRUSION CENTER**



## **We extrude for your business.**

**Movex®** is a dynamic and flexible business reality that have been active in the industrial production for over ten years and is reaching market leadership as a reliable and precise supplier, planning the future without losing sight of its history and the values that allow its growth.

In the dedicated extrusion center from our production plant in Castelli Calepio (Italy), **Movex®** provides a new generation of high-performing profiles, developed and produced with the most updated technologies. Experienced engineers work around the clock on more than 50 extrusion machines (horizontal and vertical) to perfect almost 2000 high quality products for our customer needs.

**Movex®** meets your needs for standard and custom made products in a dynamic and responsive way, ensuring the best performance to satisfy our customer requirements.

## **Choose the one that best suits you.**

Each of the hundreds **Movex®** profiles are produced from a first rate of **UHMW-PE** with the possibility to further enhance performance by using our patented materials **BluLub®** and **Titanium White®**.

Transportation is a delicate phase for your shipment; to ship your order we choose the correct protection: carton, coils, reinforced wooden crate, packaging varies depending on the article typology, its size and its weight.

## **Standard or customized extrusion...your choice.**

**Movex®** is driven by the will to design and manufacture top quality items, combining technical performance and design, in order to offer its customers a tailor made service.

Beside of the standard available profiles, **Movex®** is also developing together with the customer innovative special solutions to offer "the product you need when you need it" against an attractive price. We have organized a specific workflow, developed over the course of the last ten years, which aims to satisfy the requirements of even the most demanding buyer. Get in touch with us and ask a personalised quotation.



Choose the performance of innovative material.

**BluLub®** is the Movex super-performance compounded Ultra High Molecular Weight Polyethylene material, with the latest generation of solid lubricants, able to contribute improving PV-properties (limiting pressure velocity) compared to standard UHMW-PE, especially in applications with limited lubrication, higher speeds and/or higher loads.


**BluLub®** ensures high wear and abrasion resistance, requires less energy and with the lowest coefficient of friction, improves the product stability and wear life of sliding parts.

Thanks to the **BluLub®** characteristics, the extruded profiles can also offer a longer wear life, compared to traditional materials, and will help reducing marks over products or goods sliding on them; at the same time, **BluLub®** is also ideal for extreme conditions in terms of load and speed.


More material information and technical data sheet can be provided on request, get in touch with us for a quick support.

### The right choice for:

- Lowest coefficient of friction
- Reduced noise and squeaking
- Lowest wear and minimized energy consumption
- Minimal moisture absorption
- Extreme material performances
- Best lubricant distribution



PV LIMIT - Comparison table



RELATIVE WEARLIFE - Comparison table

**BluLub®** is available for any type of profile, standard or custom.

#### Properties:

- UHMW-PE Polyethylene with molecular density 9,200,000 g/mol.
- Operating temperature: -40 to + 80°C (-40 to 176°F)
- Linear expansion coefficient:  $2 \times 10^{-4}^{\circ}\text{C}-1$  ( $1.1 \times 10^{-4}^{\circ}\text{F}-1$ )



# Titanium White®

High quality, bright white extrusions.

**Titanium White®** is the latest addition in the Movex's extrusion compound family.

The name **Titanium White®** refers to the special metal because it has comparable unique properties, like high strength and optimum performance, generating low friction, absorbing heat and reducing energy consumption.

**Titanium White®** has a long lasting bright white color and keeps performances also after many hours of work. Thanks to the **Titanium White®** characteristics, the extruded profiles are made of an intense white UHMW-PE, resulting in a smoother surface and devoid of push marks, meaning in a minimized power consumption and possible goods defect. **Titanium White®** has also an improved UV and aging resistance and a high chemical resistance.

More material information and technical datasheets can be provided on request, get in touch with us for a quick support.

## The right choice for:

- Lower coefficient of friction
- Lower wear and less energy consumption
- Minimal moisture absorption
- UV & aging resistance
- High chemical resistance



**Ti-White®**

22



3d<sup>2</sup>4s<sup>2</sup>

Titanium

47.867

Strong metal with low density that is quite ductile, lustrous and metallic white in color.

All these features reflect our extruded profiles with **Ti-White** compound.



**Ti-White** (Example of application)

**Titanium White®** is available for any type of profile, standard or custom.

### Properties:

- UHMW-PE Polyethylene with molecular density 9,200,000 g/mol.
- Operating temperature: -40 to + 80°C (-40 to 176°F)
- Linear expansion coefficient: 2 x 10-4°C-1 (1.1 x 10-4 °F-1)



# **UHMW-PE**

## Standard extrusion polyethylene.

Standard profiles are all made with a first-rate **UHMW-PE** polyethylene, a thermoplastic polymer with a variable crystalline structure with a vast range of applications.

**UHMW-PE** is available in several colors and lengths. It's the perfect choice to reach your line-performance against an attractive price.



### The right choice for:

- Low coefficient of friction
- Good resistance to wear consumption
- Attractive market price
- Long durability

### Standard colors\*:



**Black**



**Blue**



**Green**



**Grey**

**UHMW-PE** is available for any type of profile, standard or custom.


#### Properties:

- UHMW-PE Polyethylene with molecular density 5,600,000 g/mol.
- Operating temperature: -40 to + 80°C (-40 to 176°F)
- Linear expansion coefficient:  $2 \times 10^{-4}^{\circ}\text{C}-1$  ( $1.1 \times 10^{-4}^{\circ}\text{F}-1$ )


\*Other colors are available on request.

# Material selection


Movex offers different materials and design solution for each customer requirements. These comparison tables help to better understand each material and take advantage of their strengths and features to suit your specific needs:



FRICITION EFFECT - Comparison table



DRAG FORCES EFFECT - Comparison table



COEFFICIENT OF SLIDING FRICTION - 0,1 m/s - 0,1 MPa with POM

## Ti-White® VS Traditional HMW-PE



IMPROVED  
RESISTANCE

This material can keep its color properties stable during the time. Moreover, titanium gives better sliding properties than traditional material.

## BluLub® VS Traditional HMW-PE



ENERGY  
SAVING

Thanks to the unique solid lubricant added into the material, the sliding properties are excellent and energy consumption will be reduced.

# RS SIDE GUIDE RAIL

Easy and modular replacement label saver system.

**RS Side guide profile** is a development which enable you to simplify your business!

Thanks to the replaceable wear-strip in **BluLub®**, **RS Side guide profile** can reduce total cost of ownership: in case of required maintenence, only **BluLub®** strips can be replaced, saving time at a lower cost.

Different profiles are available from stock and can be mounted in different ways to optimize the support of your product according to the specific needs.



**RS Side guide rail profiles** are available in various executions.



## Increased performance

**BluLub® wearstrips** contribute to a lower friction which results in less energy consumption.



## Fast and easy maintenance

Thanks to its innovative design, the easy replaceable **BluLub® wearstrips** meets the needs to reduce maintenance time.



## Interchangeable wearstrip

Every **BluLub® wearstrip** has the same fixing system, this makes all versions interchangeable. In case of required replacement, wearstrips can be ordered as coiled spare parts.



## No gap between connection

**BluLub® wearstrip** allows you to connect two or more different base profiles with no gap, by simply slide it in.

## The right choice for:

- Innovative equipment
- Total cost reduction
- Less energy consumption
- Improved product stability

### Materials:

- Base profile: **UHMW-PE** (see details).
- Label saver: **BluLub®** polyethylene UHMW-PE with molecular density 9,200,000 g/mo. with reduced coefficient of friction and higher wear resistance and its complies with the code of Federal Regulations of FDA (see details).



# Extruded profiles




## L-Profile

See product page for specific details and materials available.

1094

175

1038



Pag 350




150

1058

Pag 350

Pag 350

174



Pag 350

Pag 351

Pag 351



## Z-Profile

See product page for specific details and materials available.

101

102

102



Material Info:





pg. 336>340

176

1074

Pag 352



Pag 352

Pag 353

## Special shape

See product page for specific details and materials available.




107

108

105

106

A: 20/25/30/40/50/60/70/100  
B: 3,5




Pag 353

Pag 353

Pag 354


Pag 354

**103** Fit on 2,5 to 3,5 mm




Pag 355

**104** Fit on 2,5 to 3,5 mm




Pag 355

**179** Fit on 2,5 to 3,5 mm




Pag 355

**1014** Fit on 3 mm




Pag 356

**1015** Fit on 2,5 to 3,5 mm




Pag 356

**1016** Fit on 3 mm




Pag 356

**1017** Fit on 3 mm




Pag 357




Pag 357

**1019** Fit on 3 mm




Pag 357

**1020** Fit on 3 mm




Pag 358

**1068** Fit on 1,8 to 2 mm




Pag 358




Pag 358

**1021** Fit on 3 mm




Pag 359

**1022** Fit on 3 mm




Pag 359

**1023** Fit on 3 mm




Pag 359




Pag 358

**1025** Fit on 3 mm




Pag 360

**1026** Fit on 3 mm




Pag 360

**1027** Fit on 3 mm




Pag 361



Pag 360

**1046** Fit on 3 mm




Pag 361

**1029** Fit on 3 mm




Pag 360

**1030** Fit on 3 mm




Pag 361




Pag 361

**1032** Fit on 3 mm




Pag 361

**1035** Fit on 3 mm




Pag 362

**1033** Fit on 3 mm




Pag 362




Pag 362

**1034** Fit on 3 mm




Pag 362

**1036** Fit on 3 mm




Pag 363

**1037** Fit on 3 mm



Pag 363




Pag 364

# U-Profile


See product page for specific details and materials available.

**109**




Pag 364

**110**




Pag 365

**156**




Pag 365

**156**




Pag 365

**149**




Pag 366

**177**



Pag 366

**1059**



Pag 367

**178**




Pag 367

**111**




Pag 368



Pag 368




Pag 369




Pag 369


**199 Staggered**




Pag 369



Pag 370




Pag 370




Pag 371


**148**




Pag 371



Pag 372




Pag 372




Pag 373

**112** Stainless steel



Pag 373




Pag 373


# C-Profile

See product page for specific details and materials available.


**1041** Fit on 25 x 5 mm




Pag 374



Pag 374




Pag 374




Pag 375


**1054** Fit on 38,1 x 6,35 mm




Pag 375



Pag 375




Pag 376




Pag 376


**1042** Fit on 50 x 6 mm




Pag 376



Pag 377



Pag 377




Pag 378

**160** Used with Part. 164/165


**161** Used with Part. 164/165

**162** Used with Part. 164/165


**164** Aluminum




Pag 379



Pag 379




Pag 380




Pag 380


**165** Aluminum




Pag 380



Pag 381




Pag 381




**166**

ØA: 8/10/12/16  
ØB: 12/14/16/20


**154**



Pag 382



Pag 383




Pag 383


## Transfer plate and NoseBar

See product page for specific details and materials available.


**199** Fit on 3 mm




Pag 384



Pag 384



Pag 384




Pag 384

# Bar cap and cover


See product page for specific details and materials available.

**1000**  
Fit on 1,5 mm



Pag 385


**1001**  
Fit on 1,5 mm



6.8

Pag 385


**1002**  
Fit on 3 mm



6.35

Pag 385


**1003**  
Fit on 3 mm



8


Pag 385

**1004**  
Fit on 3 mm



Pag 385


**1084**  
Fit on 3 mm



10.9

Pag 386


**1085**  
Fit on 3 mm



15.9

Pag 386


**153**  
Fit on 4/5 mm



15.9


Pag 387

**1006**  
Fit on 5 mm



Pag 387


**1007**  
Fit on 5 mm



34.5

Pag 387


**1095**  
Fit on 4 mm



40

Pag 387


**1040**  
Fit on 3 mm



21.6


Pag 388

**1008**  
Fit on 5 mm



Pag 388


**1009**  
Fit on 6 mm



12.7

Pag 389


**1010**  
Fit on 6 mm



12.7

Pag 389


**1086**  
Fit on 8 mm



13.4


Pag 389

**1011**  
Fit on 10 mm



Pag 389


**1013**  
Fit on 10 mm



19.05

Pag 390


**1012**  
Fit on 12/13 mm



19.05

Pag 390


**181** Fit on 25,4 x 25,4 mm



32


Pag 390

**1052** Fit on 38,1 x 50,8 mm



Pag 391

**180** Fit on 30,5 x 46 mm




Pag 391

# Guide rail


See product page for specific details and materials available. | Assembled with stainless steel profile AISI 304.

**119**




Pag 411

**121**




Pag 412

**120**




Pag 413

**152**




Pag 413

**1067**




Pag 414

**143**




Pag 414

**122**




Pag 415

**123**




Pag 415


**140**




Pag 416



Pag 416




Pag 417




Pag 417

**142**




Pag 418


**125**



Pag 418




Pag 419




Pag 419

**145**




Pag 420

**1087**




Pag 420

**191**




Pag 421




Pag 421

**127**




Pag 421

**128**



Pag 422

**129**



Pag 422

# Bending machines and rollers

See product page for specific details.

**198**



**199**



**151**



Pag 423


Pag 423

Pag 424/425

# Neck guide


See product page for specific details and materials available.

**170** Fit on 2,5 mm




Pag 426

**168** Fit on 2,5 mm




Pag 426

**169** Fit on 2,5 mm




Pag 426

**167** Fit on 1,8/2 mm




Pag 427


**192** Fit on 1,8/2 mm




Pag 427



Pag 427




Pag 427




Pag 428


**1076** Fit on 1,8/2 mm




Pag 428



Pag 428




Pag 428




Pag 428


**131**  
TYPE A  
TYPE B




Pag 429



Pag 429



Pag 429



Pag 429

# Shoes and connecting elements

See product page for specific details and materials available.

**113**



Pag 430

**113**



Pag 431

**114**



Pag 431

**116**



Pag 432

**116**



Pag 433





Pag 433


**NEW**

## 1094

Profilo "L" / L-Profile / L-Profil



Article-Nr.	Material	Availability	Supply
109404	BluLub	On request	60 m coils
109403	Ti-White	On request	60 m coils
109401	Black	On request	60 m coils
109405	Blue	On request	60 m coils
109402	Green	On request	60 m coils





Example of application


## 175

Profilo "L" / L-Profile / L-Profil

Delivery: Easy Standard



Article-Nr.	Material	Availability	Supply
17504	BluLub	On request	60 m coils
17503	Ti-White	On request	60 m coils
17501	Black	Stock item	60 m coils
17505	Blue	On request	60 m coils
17502	Green	Stock item	60 m coils





Example of application


## 1038

Profilo "L" / L-Profile / L-Profil

Delivery: Easy Standard



Article-Nr.	Material	Availability	Supply
103804	BluLub	On request	60 m coils
103803	Ti-White	On request	60 m coils
103805	Blue	On request	60 m coils





Example of application


## 150

Profilo "L" / L-Profile / L-Profil

Delivery: Easy Standard





Article-Nr.	Material	Availability	Supply
15004	BluLub	On request	60 m coils
15003	Ti-White	On request	60 m coils
15001	Black	Stock item	60 m coils
15005	Blue	On request	60 m coils
15002	Green	Stock item	60 m coils




Example of application

**1058**

Profilo "L" / L-Profile / L-Profil

Delivery: **Easy** Standard



Article-Nr.	Material	Availability	Supply
105800BC	<b>BluLub</b>	On request	3 m bars
105800B	<b>BluLub</b>	On request	6 m bars
105803C	<b>Ti-White</b>	On request	3 m bars
105803	<b>Ti-White</b>	On request	6 m bars
105801C	Black	Stock item	3 m bars
105801	Black	On request	6 m bars
105805C	Blue	On request	3 m bars
105805	Blue	On request	6 m bars
105802C	Green	Stock item	3 m bars
105802	Green	On request	6 m bars




Example of application

**174**

Profilo "L" / L-Profile / L-Profil

Delivery: **Easy** Standard



Article-Nr.	Material	Availability	Supply
17404C	<b>BluLub</b>	On request	3 m bars
17404	<b>BluLub</b>	On request	6 m bars
17403C	<b>Ti-White</b>	On request	3 m bars
17403	<b>Ti-White</b>	On request	6 m bars
17401C	Black	Stock item	3 m bars
17401	Black	On request	6 m bars
17405C	Blue	On request	3 m bars
17405	Blue	On request	6 m bars
17402C	Green	Stock item	3 m bars
17402	Green	On request	6 m bars




Example of application

**101**

Profilo "Z" / Z-Profile / Z-Profil

Delivery: **Easy** Standard

Article-Nr.	Material	Availability	Supply
10104	<b>BluLub</b>	On request	60 m coils
10103	<b>Ti-White</b>	On request	60 m coils
10101	Black	Stock item	60 m coils
10105	Blue	On request	60 m coils
10102	Green	Stock item	60 m coils





Example of application


## 102

### Profilo "Z" / Z-Profile / Z-Profil

Delivery: **Easy** Standard



Article-Nr.	Material	Availability	Supply
10202B	BluLub	Stock item	60 m coils
10203	Ti-White	On request	60 m coils
10201	Black	Stock item	60 m coils
10205	Blue	On request	60 m coils
10202	Green	Stock item	60 m coils





Example of application


## 102

### Profilo "Z" / Z-Profile / Z-Profil

Delivery: **Easy** Standard



Article-Nr.	Material	Availability	Supply
10299B	BluLub	Stock item	60 m coils
10293	Ti-White	On request	60 m coils
10297	Black	On request	60 m coils
10295	Blue	On request	60 m coils
10298	Green	Stock item	60 m coils





Example of application


## 176

### Profilo "Z" / Z-Profile / Z-Profil

Delivery: **Easy** Standard





Article-Nr.	Material	Availability	Supply
17604	BluLub	On request	60 m coils
17603	Ti-White	On request	60 m coils
17601	Black	On request	60 m coils
17605	Blue	On request	60 m coils
17602	Green	Stock item	60 m coils




Example of application

**1074**

Profilo "Z" / Z-Profile / Z-Profil

Delivery: **Easy** Standard



Article-Nr.	Material	Availability	Supply
107404	<b>BluLub</b>	On request	60 m coils
107403	<b>Ti-White</b>	On request	60 m coils
107401	Black	Stock item	60 m coils
107405	Blue	On request	60 m coils



Example of application


**107**

Profilo guida catena / Wear strip / Rückführleiste

Delivery: **Easy** Standard

Supports available  
Part 230/231  
Pag 446



Article-Nr.	Material	Availability	Supply
10704	<b>BluLub</b>	On request	60 m coils
10703	<b>Ti-White</b>	Stock item	60 m coils
10701	Black	On request	60 m coils
10705	Blue	On request	60 m coils
10702	Green	Stock item	60 m coils




Example of application

**108**

Profilo T / T-profile / T-Profil

Delivery: **Easy** Standard

Article-Nr.	Material	Availability	Supply
10800BC	<b>BluLub</b>	On request	3 m bars
10800B	<b>BluLub</b>	Stock item	6 m bars
10803C	<b>Ti-White</b>	On request	3 m bars
10803	<b>Ti-White</b>	On request	6 m bars
10801C	Black	Stock item	3 m bars
10801	Black	On request	6 m bars
10805C	Blue	On request	3 m bars
10805	Blue	On request	6 m bars
10802C	Green	Stock item	3 m bars
10802	Green	Stock item	6 m bars






Ideal as intermediate plate support for wide chains.

Example of application

## 105

Profilo piatto / Flat profile / Flachprofil

Delivery: **Easy** Standard





Example of application

Article-Nr.	Material	A	B	Availability	Supply
<b>10502BL</b>	<b>BluLub</b>	20	3	On request	60 m coils
<b>10504BL</b>	<b>BluLub</b>	20	5	On request	60 m coils
<b>10595BL</b>	<b>BluLub</b>	25	3	On request	60 m coils
<b>10592BL</b>	<b>BluLub</b>	30	3	On request	60 m coils
<b>10594BL</b>	<b>BluLub</b>	30	5	On request	60 m coils
<b>10596BL</b>	<b>BluLub</b>	40	3	On request	60 m coils
<b>10597BL</b>	<b>BluLub</b>	50	3	On request	60 m coils
<b>10506BL</b>	<b>BluLub</b>	60	3	On request	60 m coils
<b>10508BL</b>	<b>BluLub</b>	70	3	On request	60 m coils
<b>10510BL</b>	<b>BluLub</b>	100	3	On request	60 m coils
<b>10502W</b>	<b>Ti-White</b>	20	3	On request	60 m coils
<b>10504W</b>	<b>Ti-White</b>	20	5	On request	60 m coils
<b>10595W</b>	<b>Ti-White</b>	25	3	On request	60 m coils
<b>10592W</b>	<b>Ti-White</b>	30	3	On request	60 m coils
<b>10594W</b>	<b>Ti-White</b>	30	5	On request	60 m coils
<b>10596W</b>	<b>Ti-White</b>	40	3	On request	60 m coils
<b>10597W</b>	<b>Ti-White</b>	50	3	On request	60 m coils
<b>10506W</b>	<b>Ti-White</b>	60	3	On request	60 m coils
<b>10508W</b>	<b>Ti-White</b>	70	3	On request	60 m coils
<b>10510W</b>	<b>Ti-White</b>	100	3	On request	60 m coils
<b>10501</b>	Black	20	3	Stock item	60 m coils
<b>10503</b>	Black	20	5	Stock item	60 m coils
<b>10505</b>	Black	60	3	Stock item	60 m coils
<b>10507</b>	Black	70	3	Stock item	60 m coils
<b>10509</b>	Black	100	3	On request	60 m coils
<b>10501B</b>	Blue	20	3	On request	60 m coils
<b>10503B</b>	Blue	20	5	On request	60 m coils
<b>10505B</b>	Blue	60	3	On request	60 m coils
<b>10507B</b>	Blue	70	3	On request	60 m coils
<b>10509B</b>	Blue	100	3	On request	60 m coils
<b>10502</b>	Green	20	3	Stock item	60 m coils
<b>10504</b>	Green	20	5	Stock item	60 m coils
<b>10595</b>	Green	25	3	Stock item	60 m coils
<b>10592</b>	Green	30	3	On request	60 m coils
<b>10594</b>	Green	30	5	Stock item	60 m coils
<b>10596</b>	Green	40	3	Stock item	60 m coils
<b>10597</b>	Green	50	3	On request	60 m coils
<b>10506</b>	Green	60	3	Stock item	60 m coils
<b>10508</b>	Green	70	3	Stock item	60 m coils
<b>10510</b>	Green	100	3	Stock item	60 m coils


## 106

Profilo guida catena / Flat profile with nose / Flachprofil mit Nase

Delivery: **Easy** Standard



Article-Nr.	Material	Availability	Supply
<b>10604</b>	<b>BluLub</b>	On request	60 m coils
<b>10601</b>	<b>Ti-White</b>	Stock item	60 m coils
<b>10605</b>	Blue	On request	60 m coils
<b>10602</b>	Green	Stock item	60 m coils





Example of application


**103**

## Profilo "J" / J-Profile / J-Profil

Delivery: Easy Standard Fit on 2,5 to 3,5 mm



Article-Nr.	Material	Availability	Supply
10300B-30	BluLub	Stock item	30 m coils
10303	Ti-White	Stock item	60 m coils
10301	Black	Stock item	60 m coils
10305	Blue	On request	60 m coils
10302	Green	Stock item	60 m coils





Example of application


**104**

## Profilo "J" / J-Profile / J-Profil

Delivery: Easy Standard Fit on 2,5 to 3,5 mm



Article-Nr.	Material	Availability	Supply
10400B	BluLub	Stock item	60 m coils
10403	Ti-White	On request	60 m coils
10401	Black	Stock item	60 m coils
10405	Blue	On request	60 m coils
10402	Green	Stock item	60 m coils





Example of application


**179**

## Profilo "J" / J-Profile / J-Profil

Delivery: Easy Standard Fit on 2,5 to 3,5 mm



Article-Nr.	Material	Availability	Supply
17902BC	BluLub	On request	3 m bars
17902B	BluLub	On request	6 m bars
17902B-60	BluLub	Stock item	60 m coils
17902WC	Ti-White	On request	3 m bars
17902W	Ti-White	On request	6 m bars
17902W-60	Ti-White	On request	60 m coils
17901C	Black	Stock item	3 m bars
17901	Black	On request	6 m bars
17901BC	Blue	On request	3 m bars
17901B	Blue	On request	6 m bars
17901B-60	Blue	On request	60 m coils
17902C	Green	Stock item	3 m bars
17902	Green	On request	6 m bars
17902-60	Green	Stock item	60 m coils



Example of application



# 1014-1015-1016

Guide estruse / Extruded profiles / Extrudiertes Profil

## 1014


Profilo "J" / J-Profile / J-Profil

Delivery: Easy Standard Fit on 3 mm (1/8")



**North America STANDARD**

Article-Nr.	Material	Availability	Supply
101400BC	BluLub	On request	3 m bars
101400B	BluLub	On request	6 m bars
101400B-30	BluLub	On request	30 m coils
101403C	Ti-White	Stock item	3 m bars
101403	Ti-White	On request	6 m bars
101403-30	Ti-White	Stock item	30 m coils
101405C	Blue	On request	3 m bars
101405	Blue	On request	6 m bars
101405-30	Blue	On request	30 m coils





Example of application

## 1015


Profilo "J" / J-Profile / J-Profil

Delivery: Easy Standard Fit on 2,5 to 3,5 mm (1/8")



**North America STANDARD**

Article-Nr.	Material	Availability	Supply
101500BC	BluLub	On request	3 m bars
101500B	BluLub	On request	6 m bars
101500B-30	BluLub	On request	30 m coils
101503C	Ti-White	On request	3 m bars
101503	Ti-White	On request	6 m bars
101503-30	Ti-White	On request	30 m coils
101505C	Blue	On request	3 m bars
101505	Blue	On request	6 m bars
101505-30	Blue	On request	30 m coils





Example of application

## 1016


Profilo "J" / J-Profile / J-Profil

Delivery: Easy Standard Fit on 3 mm (1/8")



**North America STANDARD**




Article-Nr.	Material	Availability	Supply
101600BC	BluLub	On request	3 m bars
101600B	BluLub	On request	6 m bars
101600B-30	BluLub	On request	30 m coils
101603C	Ti-White	Stock item	3 m bars
101603	Ti-White	On request	6 m bars
101603-30	Ti-White	Stock item	30 m coils
101601C	Black	On request	3 m bars
101601	Black	On request	6 m bars
101601-30	Black	On request	30 m coils
101605C	Blue	On request	3 m bars
101605	Blue	On request	6 m bars
101605-30	Blue	On request	30 m coils
101602C	Green	On request	3 m bars
101602	Green	On request	6 m bars
101602-30	Green	On request	30 m coils



Example of application

**1017**



## Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** Standard Fit on 3 mm (1/8")**North America STANDARD**


Article-Nr.	Material	Availability	Supply
101700BC	<b>BluLub</b>	On request	3 m bars
101700B	<b>BluLub</b>	On request	6 m bars
101700B-30	<b>BluLub</b>	On request	30 m coils
101703C	<b>Ti-White</b>	Stock item	3 m bars
101703	<b>Ti-White</b>	On request	6 m bars
101703-30	<b>Ti-White</b>	Stock item	30 m coils
101701C	Black	On request	3 m bars
101701	Black	On request	6 m bars
101701-30	Black	On request	30 m coils
101705C	Blue	On request	3 m bars
101705	Blue	On request	6 m bars
101705-30	Blue	On request	30 m coils
101702C	Green	On request	3 m bars
101702	Green	On request	6 m bars
101702-30	Green	On request	30 m coils

**1018**



## Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** Standard Fit on 3 mm (1/8")**North America STANDARD**


Article-Nr.	Material	Availability	Supply
101800BC	<b>BluLub</b>	On request	3 m bars
101800B	<b>BluLub</b>	On request	6 m bars
101800B-30	<b>BluLub</b>	On request	30 m coils
101803C	<b>Ti-White</b>	Stock item	3 m bars
101803	<b>Ti-White</b>	On request	6 m bars
101803-30	<b>Ti-White</b>	On request	30 m coils
101805C	Blue	On request	3 m bars
101805	Blue	On request	6 m bars
101805-30	Blue	On request	30 m coils

**1019**

## Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** Standard Fit on 3 mm (1/8")**North America STANDARD**



Article-Nr.	Material	Availability	Supply
101900BC	<b>BluLub</b>	On request	3 m bars
101900B	<b>BluLub</b>	On request	6 m bars
101900B-30	<b>BluLub</b>	On request	30 m coils
101903C	<b>Ti-White</b>	Stock item	3 m bars
101903	<b>Ti-White</b>	On request	6 m bars
101903-30	<b>Ti-White</b>	On request	30 m coils
101905C	Blue	On request	3 m bars
101905	Blue	On request	6 m bars
101905-30	Blue	On request	30 m coils



## 1020


Profilo "J" / J-Profile / J-Profil

Delivery: Easy Standard Fit on 3 mm (1/8")



### North America STANDARD

Article-Nr.	Material	Availability	Supply
102000BC	BluLub	On request	3 m bars
102000B	BluLub	On request	6 m bars
102003C	Ti-White	Stock item	3 m bars
102003	Ti-White	Stock item	6 m bars
102001C	Black	On request	3 m bars
102001	Black	On request	6 m bars
102005C	Blue	On request	3 m bars
102005	Blue	On request	6 m bars
102002C	Green	On request	3 m bars
102002	Green	On request	6 m bars





Example of application


## 1068

Profilo "J" / J-Profile / J-Profil

Delivery: Easy Standard Fit on 1,8 to 2 mm



Article-Nr.	Material	Availability	Supply
106800B	BluLub	Stock item	30 m coils
106802	Ti-White	On request	30 m coils
106805	Blue	On request	30 m coils





Example of application


## 1090

Profilo "J" / J-Profile / J-Profil

Delivery: Easy Standard Fit on 1,8 to 2 mm






Article-Nr.	Material	Availability	Supply
109000B	BluLub	On request	30 m coils
109002	Ti-White	On request	30 m coils
109005	Blue	On request	30 m coils



Example of application

**1021**



Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** Standard Fit on 3 mm (1/8")**North America STANDARD**


Article-Nr.	Material	Availability	Supply
102100BC	<b>BluLub</b>	On request	3 m bars
102100B	<b>BluLub</b>	On request	6 m bars
102100B-30	<b>BluLub</b>	On request	30 m coils
102103C	<b>Ti-White</b>	Stock item	3 m bars
102103	<b>Ti-White</b>	On request	6 m bars
102103-30	<b>Ti-White</b>	Stock item	30 m coils
102101C	Black	On request	3 m bars
102101	Black	On request	6 m bars
102101-30	Black	On request	30 m coils
102105C	Blue	On request	3 m bars
102105	Blue	On request	6 m bars
102105-30	Blue	On request	30 m coils
102102C	Green	On request	3 m bars
102102	Green	On request	6 m bars
102102-30	Green	On request	30 m coils

**1022**



Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** Standard Fit on 3 mm (1/8")


Article-Nr.	Material	Availability	Supply
102200BC	<b>BluLub</b>	On request	3 m bars
102200B	<b>BluLub</b>	On request	6 m bars
102200B-30	<b>BluLub</b>	On request	30 m coils
102203C	<b>Ti-White</b>	Stock item	3 m bars
102203	<b>Ti-White</b>	On request	6 m bars
102203-30	<b>Ti-White</b>	On request	30 m coils
102205C	Blue	On request	3 m bars
102205	Blue	On request	6 m bars
102205-30	Blue	On request	30 m coils

**1023**

Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** Standard Fit on 3 mm (1/8")**North America STANDARD**




Article-Nr.	Material	Availability	Supply
102300BC	<b>BluLub</b>	On request	3 m bars
102300B	<b>BluLub</b>	On request	6 m bars
102303C	<b>Ti-White</b>	Stock item	3 m bars
102303	<b>Ti-White</b>	On request	6 m bars
102305C	Blue	On request	3 m bars
102305	Blue	On request	6 m bars



## 1024

Profilo "J" / J-Profile / J-Profil

Delivery: Easy Standard Fit on 3 mm (1/8")



Example of application




**North America STANDARD**

Article-Nr.	Material	Availability	Supply
102400BC	BluLub	On request	3 m bars
102400B	BluLub	On request	6 m bars
102400B-30	BluLub	On request	30 m coils
102403C	Ti-White	Stock item	3 m bars
102403	Ti-White	On request	6 m bars
102403-30	Ti-White	Stock item	30 m coils
102401C	Black	On request	3 m bars
102401	Black	On request	6 m bars
102401-30	Black	On request	30 m coils
102405C	Blue	On request	3 m bars
102405	Blue	On request	6 m bars
102405-30	Blue	On request	30 m coils
102402C	Green	Stock item	3 m bars
102402	Green	Stock item	6 m bars
102402-30	Green	On request	30 m coils

## 1025

Profilo "J" / J-Profile / J-Profil

Delivery: Easy Standard Fit on 3 mm (1/8")



Example of application




**North America STANDARD**

Article-Nr.	Material	Availability	Supply
102500BC	BluLub	On request	3 m bars
102500B	BluLub	On request	6 m bars
102500B-30	BluLub	On request	30 m coils
102503C	Ti-White	Stock item	3 m bars
102503	Ti-White	On request	6 m bars
102503-30	Ti-White	Stock item	30 m coils
102501C	Black	On request	3 m bars
102501	Black	On request	6 m bars
102501-30	Black	On request	30 m coils
102505C	Blue	On request	3 m bars
102505	Blue	On request	6 m bars
102505-30	Blue	On request	30 m coils
102502C	Green	On request	3 m bars
102502	Green	On request	6 m bars
102502-30	Green	On request	30 m coils

## 1026

Profilo "J" / J-Profile / J-Profil

Delivery: Easy Standard Fit on 3 mm (1/8")





Example of application

**North America STANDARD**

Article-Nr.	Material	Availability	Supply
102600BC	BluLub	On request	3 m bars
102600B	BluLub	On request	6 m bars
102600B-30	BluLub	On request	30 m coils
102603C	Ti-White	Stock item	3 m bars
102603	Ti-White	On request	6 m bars
102603-30	Ti-White	On request	30 m coils
102605C	Blue	On request	3 m bars
102605	Blue	On request	6 m bars
102605-30	Blue	On request	30 m coils

**1027**

## Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** Standard Fit on 3 mm (1/8")**North America STANDARD**



Article-Nr.	Material	Availability	Supply
102700BC	<b>BluLub</b>	On request	3 m bars
102700B	<b>BluLub</b>	On request	6 m bars
102700B-30	<b>BluLub</b>	On request	30 m coils
102703C	<b>Ti-White</b>	Stock item	3 m bars
102703	<b>Ti-White</b>	On request	6 m bars
102703-30	<b>Ti-White</b>	On request	30 m coils
102705C	Blue	On request	3 m bars
102705	Blue	On request	6 m bars
102705-30	Blue	On request	30 m coils

114.3

Example of application

**1028**

## Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** Standard Fit on 3 mm (1/8")**North America STANDARD**



Article-Nr.	Material	Availability	Supply
102800BC	<b>BluLub</b>	On request	3 m bars
102800B	<b>BluLub</b>	On request	6 m bars
102800B-30	<b>BluLub</b>	On request	30 m coils
102803C	<b>Ti-White</b>	Stock item	3 m bars
102803	<b>Ti-White</b>	On request	6 m bars
102803-30	<b>Ti-White</b>	Stock item	30 m coils
102805C	Blue	On request	3 m bars
102805	Blue	On request	6 m bars
102805-30	Blue	On request	30 m coils

114.3

Example of application

**1046**


## Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** Standard Fit on 3 mm (1/8")**North America STANDARD**

Article-Nr.	Material	Availability	Supply
104600BC	<b>BluLub</b>	On request	3 m bars
104600B	<b>BluLub</b>	On request	6 m bars
104600B-30	<b>BluLub</b>	Stock item	30 m coils
104603C	<b>Ti-White</b>	Stock item	3 m bars
104603	<b>Ti-White</b>	On request	6 m bars
104603-30	<b>Ti-White</b>	Stock item	30 m coils
104601C	Black	On request	3 m bars
104601	Black	On request	6 m bars
104601-30	Black	On request	30 m coils
104605C	Blue	On request	3 m bars
104605	Blue	On request	6 m bars
104605-30	Blue	On request	30 m coils
104602C	Green	Stock item	3 m bars
104602	Green	On request	6 m bars
104602-30	Green	Stock item	30 m coils

114.3

Example of application





# 1029-1030-1031

Guide estruse / Extruded profiles / Extrudiertes Profil

## 1029

Profilo "J" / J-Profile / J-Profil


Delivery: **Easy** Standard Fit on 3 mm (1/8")



**North America STANDARD**

Article-Nr.	Material	Availability	Supply
102900BC	<b>BluLub</b>	On request	3 m bars
102900B	<b>BluLub</b>	On request	6 m bars
102900B-30	<b>BluLub</b>	On request	30 m coils
102903C	<b>Ti-White</b>	Stock item	3 m bars
102903	<b>Ti-White</b>	On request	6 m bars
102903-30	<b>Ti-White</b>	On request	30 m coils
102905C	Blue	On request	3 m bars
102905	Blue	On request	6 m bars
102905-30	Blue	On request	30 m coils

190.5





Example of application

## 1030

Profilo "J" / J-Profile / J-Profil


Delivery: **Easy** Standard Fit on 3 mm (1/8")



**North America STANDARD**

Article-Nr.	Material	Availability	Supply
103000BC	<b>BluLub</b>	On request	3 m bars
103000B	<b>BluLub</b>	On request	6 m bars
103003C	<b>Ti-White</b>	Stock item	3 m bars
103003	<b>Ti-White</b>	On request	6 m bars
103005C	Blue	On request	3 m bars
103005	Blue	On request	6 m bars

190.5





Example of application

## 1031

Profilo "J" / J-Profile / J-Profil


Delivery: **Easy** Standard Fit on 3 mm (1/8")



**North America STANDARD**

Article-Nr.	Material	Availability	Supply
103100BC	<b>BluLub</b>	Stock item	3 m bars
103100B	<b>BluLub</b>	On request	6 m bars
103103C	<b>Ti-White</b>	Stock item	3 m bars
103103	<b>Ti-White</b>	Stock item	6 m bars
103105C	Blue	On request	3 m bars
103105	Blue	On request	6 m bars

190.5





Example of application


**1032**

Profilo "J" / J-Profile / J-Profil

Delivery: Easy Standard Fit on 3 mm (1/8")

**North America STANDARD**

Article-Nr.	Material	Availability	Supply
103200BC	BluLub	On request	3 m bars
103200B	BluLub	On request	6 m bars
103203C	Ti-White	Stock item	3 m bars
103203	Ti-White	On request	6 m bars
103205C	Blue	On request	3 m bars
103205	Blue	On request	6 m bars





Example of application


**1035**

Profilo "J" / J-Profile / J-Profil

Delivery: Easy Standard Fit on 3 mm (1/8")

**North America STANDARD**

Article-Nr.	Material	Availability	Supply
103500BC	BluLub	On request	3 m bars
103500B	BluLub	On request	6 m bars
103503C	Ti-White	Stock item	3 m bars
103503	Ti-White	On request	6 m bars
103505C	Blue	On request	3 m bars
103505	Blue	On request	6 m bars





Example of application


**1033**

Profilo "J" / J-Profile / J-Profil

Delivery: Easy Standard Fit on 3 mm (1/8")

**North America STANDARD**

Article-Nr.	Material	Availability	Supply
103300BC	BluLub	Stock item	3 m bars
103300B	BluLub	On request	6 m bars
103303C	Ti-White	Stock item	3 m bars
103303	Ti-White	On request	6 m bars
103305C	Blue	On request	3 m bars
103305	Blue	On request	6 m bars





Example of application

## 1034

Profilo "J" / J-Profile / J-Profil



Delivery: Easy Standard Fit on 3 mm (1/8")



## 109


Profilo "U" / U-Profile / U-Profil

Delivery: Easy Standard




### North America STANDARD

Article-Nr.	Material	Availability	Supply
103400BC	BluLub	On request	3 m bars
103400B	BluLub	On request	6 m bars
103403C	Ti-White	Stock item	3 m bars
103403	Ti-White	On request	6 m bars
103405C	Blue	On request	3 m bars
103405	Blue	On request	6 m bars



Example of application

Article-Nr.	Material	Availability	Supply
10901BC	BluLub	Stock item	3 m bars
10901B	BluLub	On request	6 m bars
10901B-30	BluLub	On request	30 m coils
10903C	Ti-White	Stock item	3 m bars
10903	Ti-White	Stock item	6 m bars
10903-30	Ti-White	On request	30 m coils
10901C	Black	Stock item	3 m bars
10901	Black	Stock item	6 m bars
10901-30	Black	Stock item	30 m coils
10905C	Blue	On request	3 m bars
10905	Blue	On request	6 m bars
10905-30	Blue	On request	30 m coils
10902C	Green	Stock item	3 m bars
10902	Green	Stock item	6 m bars
10902-30	Green	On request	30 m coils





Example of application


## 110

## Profilo "U" / U-Profile / U-Profil

Delivery: Easy Standard





Article-Nr.	Material	Availability	Supply
11000BC	BluLub	On request	3 m bars
11000B	BluLub	On request	6 m bars
11000B-30	BluLub	On request	30 m coils
11003C	Ti-White	On request	3 m bars
11003	Ti-White	On request	6 m bars
11003-30	Ti-White	On request	30 m coils
11001C	Black	Stock item	3 m bars
11001	Black	On request	6 m bars
11001-30	Black	On request	30 m coils
11005C	Blue	On request	3 m bars
11005	Blue	On request	6 m bars
11005-30	Blue	On request	30 m coils
11002C	Green	Stock item	3 m bars
11002	Green	On request	6 m bars
11002-30	Green	On request	30 m coils

*Example of application*



## 156

## Profilo "U" / U-Profile / U-Profil


Delivery: Easy Standard



Article-Nr.	Material	Availability	Supply
15601BC	BluLub	On request	3 m bars
15601B	BluLub	On request	6 m bars
15603C	Ti-White	On request	3 m bars
15603	Ti-White	On request	6 m bars
15601C	Black	Stock item	3 m bars
15601	Black	On request	6 m bars
15605C	Blue	On request	3 m bars
15605	Blue	On request	6 m bars
15602C	Green	Stock item	3 m bars
15602	Green	On request	6 m bars





Article-Nr.	Material	Availability	Supply
15699BC	BluLub	Stock item	3 m bars
15699WC	Ti-White	On request	3 m bars
15699NC	Black	On request	3 m bars
15694C	Blue	On request	3 m bars
15699C	Green	Stock item	3 m bars

*Example of application*


## 149

### Profilo "U" / U-Profile / U-Profil

Delivery: **Easy** **Standard** Coils available



Article-Nr.	Material	Availability	Supply
<b>14950BC</b>	<b>BluLub</b>	On request	3 m bars
<b>14950B</b>	<b>BluLub</b>	On request	6 m bars
<b>14953C</b>	<b>Ti-White</b>	On request	3 m bars
<b>14953</b>	<b>Ti-White</b>	On request	6 m bars
<b>14950C</b>	Black	Stock item	3 m bars
<b>14950</b>	Black	On request	6 m bars
<b>14955C</b>	Blue	On request	3 m bars
<b>14955</b>	Blue	On request	6 m bars
<b>14952C</b>	Green	Stock item	3 m bars
<b>14952</b>	Green	On request	6 m bars





Example of application


## 177

### Profilo "U" / U-Profile / U-Profil

Delivery: **Easy** **Standard**





Article-Nr.	Material	Availability	Supply
<b>17701BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>17701B</b>	<b>BluLub</b>	On request	6 m bars
<b>17701B-30</b>	<b>BluLub</b>	On request	30 m coils
<b>17703C</b>	<b>Ti-White</b>	On request	3 m bars
<b>17703</b>	<b>Ti-White</b>	On request	6 m bars
<b>17703-30</b>	<b>Ti-White</b>	On request	30 m coils
<b>17701C</b>	Black	Stock item	3 m bars
<b>17701</b>	Black	Stock item	6 m bars
<b>17701-30</b>	Black	On request	30 m coils
<b>17705C</b>	Blue	On request	3 m bars
<b>17705</b>	Blue	On request	6 m bars
<b>17705-30</b>	Blue	On request	30 m coils
<b>17702C</b>	Green	Stock item	3 m bars
<b>17702</b>	Green	On request	6 m bars
<b>17702-30</b>	Green	On request	30 m coils




Example of application

**1059**

## Profilo "U" / U-Profile / U-Profil

Delivery: **Easy** Standard Coils available



Article-Nr.	Material	Availability	Supply
<b>105901BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>105901B</b>	<b>BluLub</b>	On request	6 m bars
<b>105901B-30</b>	<b>BluLub</b>	On request	30 m coils
<b>105903C</b>	<b>Ti-White</b>	On request	3 m bars
<b>105903</b>	<b>Ti-White</b>	On request	6 m bars
<b>105903-30</b>	<b>Ti-White</b>	On request	30 m coils
<b>105901C</b>	Black	Stock item	3 m bars
<b>105901</b>	Black	On request	6 m bars
<b>105901-30</b>	Black	On request	30 m coils
<b>105905C</b>	Blue	On request	3 m bars
<b>105905</b>	Blue	On request	6 m bars
<b>105905-30</b>	Blue	On request	30 m coils
<b>105902C</b>	Green	Stock item	3 m bars
<b>105902</b>	Green	On request	6 m bars
<b>105902-30</b>	Green	On request	30 m coils




Example of application

**178**

## Profilo "U" / U-Profile / U-Profil

Delivery: **Easy** Standard Coils available



Article-Nr.	Material	Availability	Supply
<b>17801BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>17801B</b>	<b>BluLub</b>	On request	6 m bars
<b>17801B-30</b>	<b>BluLub</b>	Stock item	30 m coils
<b>17803C</b>	<b>Ti-White</b>	On request	3 m bars
<b>17803</b>	<b>Ti-White</b>	On request	6 m bars
<b>17803-30</b>	<b>Ti-White</b>	Stock item	30 m coils
<b>17801C</b>	Black	Stock item	3 m bars
<b>17801</b>	Black	On request	6 m bars
<b>17801-30</b>	Black	On request	30 m coils
<b>17805C</b>	Blue	On request	3 m bars
<b>17805</b>	Blue	On request	6 m bars
<b>17805-30</b>	Blue	On request	30 m coils
<b>17802C</b>	Green	Stock item	3 m bars
<b>17802</b>	Green	On request	6 m bars
<b>17802-30</b>	Green	Stock item	30 m coils




## 111

### Profilo "U" / U-Profile / U-Profil

Delivery: Easy Standard Coils available



Article-Nr.	Material	Availability	Supply
11101BC	<i>BluLub</i>	Stock item	3 m bars
11101B	<i>BluLub</i>	On request	6 m bars
11101B-30	<i>BluLub</i>	On request	30 m coils
11103C	<i>Ti-White</i>	On request	3 m bars
11103	<i>Ti-White</i>	On request	6 m bars
11103-30	<i>Ti-White</i>	On request	30 m coils
11101C	Black	Stock item	3 m bars
11101	Black	Stock item	6 m bars
11101-30	Black	Stock item	30 m coils
11105C	Blue	On request	3 m bars
11105	Blue	On request	6 m bars
11105-30	Blue	On request	30 m coils
11102C	Green	Stock item	3 m bars
11102	Green	Stock item	6 m bars
11102-30	Green	On request	30 m coils





Example of application


## 1060

### Profilo "U" / U-Profile / U-Profil

Delivery: Easy Standard Coils available



Article-Nr.	Material	Availability	Supply
106000BC	<i>BluLub</i>	On request	3 m bars
106000B	<i>BluLub</i>	On request	6 m bars
106003C	<i>Ti-White</i>	On request	3 m bars
106003	<i>Ti-White</i>	On request	6 m bars
106001C	Black	Stock item	3 m bars
106001	Black	On request	6 m bars
106005C	Blue	On request	3 m bars
106005	Blue	On request	6 m bars
106002C	Green	Stock item	3 m bars
106002	Green	Stock item	6 m bars





Example of application


## 199

## Profilo "U" / U-Profile / U-Profil

Delivery: Easy Standard Coils available



Article-Nr.	Material	Availability	Supply
19976BC	BluLub	On request	3 m bars
19976B	BluLub	On request	6 m bars
19976C	Ti-White	Stock item	3 m bars
19976	Ti-White	On request	6 m bars
19976BLC	Blue	On request	3 m bars
19976BL	Blue	On request	6 m bars





Example of application

## 199




## Profilo "U" / U-Profile / U-Profil

Delivery: Easy Standard Coils available




Article-Nr.	Material	Availability	Supply
19944B-30	BluLub	Stock item	30 m coils
19944W-30	Ti-White	On request	30 m coils
19944-30	Black	On request	30 m coils
19944BL-30	Blue	On request	30 m coils
19940-30	Green	Stock item	30 m coils

## Staggered version



Article-Nr.	Material	Availability	Supply
19945B-30	BluLub	Stock item	30 m coils
19945W-30	Ti-White	On request	30 m coils
19945-30	Black	Stock item	30 m coils
19945BL-30	Blue	On request	30 m coils
19946-30	Green	Stock item	30 m coils





Example of application


**NEW**

# 1080

Profilo "U" / U-Profile / U-Profil



Article-Nr.	Material	Availability	Supply
108000C	<i>BluLub</i>	On request	3 m bars
108003C	<i>Ti-White</i>	On request	3 m bars
108001C	Black	On request	3 m bars
108005C	Blue	On request	3 m bars
108002C	Green	On request	3 m bars





Example of application


**NEW**

# 1081

Profilo "U" / U-Profile / U-Profil



Article-Nr.	Material	Availability	Supply
108100BC	<i>BluLub</i>	On request	3 m bars
108100B	<i>BluLub</i>	On request	6 m bars
108103C	<i>Ti-White</i>	On request	3 m bars
108103	<i>Ti-White</i>	On request	6 m bars
108101C	Black	On request	3 m bars
108101	Black	On request	6 m bars
108105C	Blue	On request	3 m bars
108105	Blue	On request	6 m bars
108102C	Green	On request	3 m bars
108102	Green	On request	6 m bars





Example of application

## 133


Profilo "U" assemblato clip-on / U-Profile assembled clip-on / U-Profil montiert clip-on

Delivery: Easy Standard



Article-Nr.	Material	Metal	Availability	Supply
13305BC	BluLub	AISI 304	Stock item	3 m bars
13305B	BluLub	AISI 304	On request	6 m bars
13307C	Ti-White	AISI 304	On request	3 m bars
13307	Ti-White	AISI 304	On request	6 m bars
13303C	Black	AISI 304	Stock item	3 m bars
13303	Black	AISI 304	On request	6 m bars
13303BLC	Blue	AISI 304	On request	3 m bars
13303BL	Blue	AISI 304	On request	6 m bars
13301C	Green	AISI 304	Stock item	3 m bars
13301	Green	AISI 304	On request	6 m bars

Article-Nr.	Material	Metal	Availability	Supply
13306BC	BluLub	AISI 430	Stock item	3 m bars
13306B	BluLub	AISI 430	On request	6 m bars
13308C	Ti-White	AISI 430	On request	3 m bars
13308	Ti-White	AISI 430	On request	6 m bars
13304C	Black	AISI 430	Stock item	3 m bars
13304	Black	AISI 430	On request	6 m bars
13304BLC	Blue	AISI 430	On request	3 m bars
13304BL	Blue	AISI 430	On request	6 m bars
13302C	Green	AISI 430	Stock item	3 m bars
13302	Green	AISI 430	On request	6 m bars





Assembled with  
Accessories:  
Pag 430>433

Example of application


## 148

Profilo "U" assemblato clip-on / U-Profile assembled clip-on / U-Profil montiert clip-on

Delivery: Easy Standard





Article-Nr.	Material	Availability	Supply
14801BC	BluLub	Stock item	3 m bars
14801B	BluLub	On request	6 m bars
14803C	Ti-White	Stock item	3 m bars
14803	Ti-White	On request	6 m bars
14802C	Black	Stock item	3 m bars
14802	Black	On request	6 m bars
14805C	Blue	On request	3 m bars
14805	Blue	On request	6 m bars
14801C	Green	Stock item	3 m bars
14801	Green	On request	6 m bars



Example of application


## 157

## Profilo "U" assemblato clip-on / U-Profile assembled clip-on / U-Profil montiert clip-on

Delivery: **Easy** Standard

Article-Nr.	Material	Metal	Availability	Supply
15700BC	<b>BluLub</b>	AISI 304	On request	3 m bars
15700B	<b>BluLub</b>	AISI 304	On request	6 m bars
15703C	<b>Ti-White</b>	AISI 304	On request	3 m bars
15703	<b>Ti-White</b>	AISI 304	On request	6 m bars
15704C	Black	AISI 304	On request	3 m bars
15704	Black	AISI 304	On request	6 m bars
15705C	Blue	AISI 304	On request	3 m bars
15705	Blue	AISI 304	On request	6 m bars
15701C	Green	AISI 304	Stock item	3 m bars
15701C	Green	AISI 304	On request	6 m bars

Article-Nr.	Material	Metal	Availability	Supply
15706BC	<b>BluLub</b>	AISI 430	On request	3 m bars
15706B	<b>BluLub</b>	AISI 430	On request	6 m bars
15707C	<b>Ti-White</b>	AISI 430	On request	3 m bars
15707	<b>Ti-White</b>	AISI 430	On request	6 m bars
15708C	Black	AISI 430	On request	3 m bars
15708	Black	AISI 430	On request	6 m bars
15706C	Blue	AISI 430	On request	3 m bars
15706	Blue	AISI 430	On request	6 m bars
15702C	Green	AISI 430	Stock item	3 m bars
15702	Green	AISI 430	On request	6 m bars





Assembled with  
Accessories:  
Pag 430>433


Example of application

## 157

## Profilo "U" assemblato clip-on / U-Profile assembled clip-on / U-Profil montiert clip-on



Article-Nr.	Material	Metal	Availability	Supply
15799BC	<b>BluLub</b>	AISI 304	On request	3 m bars
15799WC	<b>Ti-White</b>	AISI 304	On request	3 m bars
15799NC	Black	AISI 304	On request	3 m bars
15799BLC	Blue	AISI 304	On request	3 m bars
15799C	Green	AISI 304	On request	3 m bars





Assembled with  
Accessories:  
Pag 430>433

Example of application


**118**

Profilo in Acciaio inox / Stainless steel profile / Edelstahl-Profil

Delivery: Easy Standard



Article-Nr.	Material	Availability	Supply
11801C	AISI 304	Stock item	3 m bars
11801	AISI 304	Stock item	6 m bars
11802C	AISI 430	Stock item	3 m bars
11802	AISI 430	On request	6 m bars





Example of application

NEW


**112**

Profilo in Acciaio inox / Stainless steel profile / Edelstahl-Profil

Delivery: Easy Standard



Article-Nr.	Material	Availability	Supply	Profile cover
11201C	AISI 304	Stock item	3 m bars	301401
11201	AISI 304	Stock item	6 m bars	301401
11202C	AISI 430	Stock item	3 m bars	301401
11202	AISI 430	Stock item	6 m bars	301401





Example of application

NEW


**147**

Profilo in alluminio / Aluminum profile / Aluminium-Profil

Delivery: Easy Standard



Article-Nr.	Material	Availability	Supply	Profile cover
14701C	Aluminum	Stock item	3 m bars	301402
14701	Aluminum	Stock item	6 m bars	301402





Example of application

## 1041


Profilo "C" / C-Profile / C-Profil

Delivery: Easy Standard Fit on 25 x 5 mm



**North America STANDARD**

Article-Nr.	Material	Availability	Supply
104100BC	BluLub	On request	3 m bars
104100B	BluLub	On request	6 m bars
104103C	Ti-White	Stock item	3 m bars
104103	Ti-White	On request	6 m bars
104105C	Blue	On request	3 m bars
104105	Blue	On request	6 m bars
104102C	Green	On request	3 m bars
104102	Green	On request	6 m bars





Example of application


## 1082

Profilo "C" / C-Profile / C-Profil

Fit on 38.1 x 6.35 mm



Article-Nr.	Material	Availability	Supply
108200BC	BluLub	On request	3 m bars
108200B	BluLub	On request	6 m bars
108203C	Ti-White	On request	3 m bars
108203	Ti-White	On request	6 m bars
108205C	Blue	On request	3 m bars
108205	Blue	On request	6 m bars





Example of application

## 1044


Profilo "C" / C-Profile / C-Profil

Delivery: Easy Standard Fit on 38.1 x 12.7 mm



**North America STANDARD**



Article-Nr.	Material	Availability	Supply
104400BC	BluLub	On request	3 m bars
104400B	BluLub	On request	6 m bars
104403C	Ti-White	Stock item	3 m bars
104403	Ti-White	On request	6 m bars
104405C	Blue	On request	3 m bars
104405	Blue	On request	6 m bars




Example of application

**1053**

Profilo "C" / C-Profile / C-Profil

Delivery: **Easy** Standard Fit on 38.1 x 6.35 mm**North America STANDARD**



Article-Nr.	Material	Availability	Supply
105300BC	<b>BluLub</b>	On request	3 m bars
105300B	<b>BluLub</b>	On request	6 m bars
105303C	<b>Ti-White</b>	Stock item	3 m bars
105303	<b>Ti-White</b>	On request	6 m bars
105305C	Blue	On request	3 m bars
105305	Blue	On request	6 m bars




Example of application

**1054**

Profilo "C" / C-Profile / C-Profil

Delivery: **Easy** Standard Fit on 38.1 x 6.35 mm**North America STANDARD**



Article-Nr.	Material	Availability	Supply
105400BC	<b>BluLub</b>	On request	3 m bars
105400B	<b>BluLub</b>	On request	6 m bars
105403C	<b>Ti-White</b>	Stock item	3 m bars
105403	<b>Ti-White</b>	On request	6 m bars
105405C	Blue	On request	3 m bars
105405	Blue	On request	6 m bars




Example of application

**137**

Profilo "C" / C-Profile / C-Profil

Delivery: **Easy** Standard Fit on 40 x 8 mm / 40 x 10 mm

Article-Nr.	Material	Availability	Supply
13701BC	<b>BluLub</b>	Stock item	3 m bars
13701B	<b>BluLub</b>	On request	6 m bars
13703C	<b>Ti-White</b>	Stock item	3 m bars
13703	<b>Ti-White</b>	On request	6 m bars
13702C	Black	Stock item	3 m bars
13702	Black	On request	6 m bars
13705C	Blue	On request	3 m bars
13705	Blue	On request	6 m bars
13701C	Green	Stock item	3 m bars
13701	Green	Stock item	6 m bars





Example of application


# 137

## Profilo "C" / C-Profile / C-Profil



Delivery: **Easy** Standard Fit on 40 x 8 mm / 40 x 10 mm




Article-Nr.	Material	Availability	Supply
13711BC	<b>BluLub</b>	Stock item	3 m bars
13711B	<b>BluLub</b>	On request	6 m bars
13713C	<b>Ti-White</b>	On request	3 m bars
13713	<b>Ti-White</b>	On request	6 m bars
13712C	Black	On request	3 m bars
13712	Black	On request	6 m bars
13715C	Blue	On request	3 m bars
13715	Blue	On request	6 m bars
13711C	Green	Stock item	3 m bars
13711	Green	Stock item	6 m bars



Example of application



Article-Nr.	Material	Availability	Supply
13720BC	<b>BluLub</b>	On request	3 m bars
13720B	<b>BluLub</b>	On request	6 m bars
13720C	<b>Ti-White</b>	On request	3 m bars
13720	<b>Ti-White</b>	On request	6 m bars
13725C	Blue	On request	3 m bars
13725	Blue	On request	6 m bars





Example of application


# 1042

## Profilo "C" / C-Profile / C-Profil

Delivery: **Easy** Standard Fit on 50 x 6 mm



Article-Nr.	Material	Availability	Supply
104200BC	<b>BluLub</b>	On request	3 m bars
104200B	<b>BluLub</b>	On request	6 m bars
104203C	<b>Ti-White</b>	Stock item	3 m bars
104203	<b>Ti-White</b>	On request	6 m bars
104205C	Blue	On request	3 m bars
104205	Blue	On request	6 m bars
104201C	Green	On request	3 m bars
104201	Green	On request	6 m bars





Example of application


**1045**

Profilo "C" / C-Profile / C-Profil

Fit on 50,8 x 12,7 mm

**North America STANDARD**

Article-Nr.	Material	Availability	Supply
104500BC	BluLub	On request	3 m bars
104500B	BluLub	On request	6 m bars
104503C	Ti-White	On request	3 m bars
104503	Ti-White	On request	6 m bars
104505C	Blue	On request	3 m bars
104505	Blue	On request	6 m bars





Example of application


**158**

Profilo "C" / C-Profile / C-Profil

Delivery: Easy Standard Fit on 50 x 6 mm

**North America STANDARD**

Article-Nr.	Material	Availability	Supply
15800BC	BluLub	Stock item	3 m bars
15894C	Ti-White	On request	3 m bars
15898C	Black	Stock item	3 m bars
15894BLC	Blue	On request	3 m bars
15897C	Green	Stock item	3 m bars
15800C	Grey	Stock item	3 m bars










Example of application


## 163

## Profilo "C" / C-Profile / C-Profil

Delivery: Easy Standard Coils available





Article-Nr.	Material	A	Availability	Supply
16303BC	BluLub	25,4	Stock item	3 m bars
16303B	BluLub	25,4	On request	6 m bars
16303B-30	BluLub	25,4	Stock item	30 m coils
16313BC	BluLub	31,75	On request	3 m bars
16313B	BluLub	31,75	On request	6 m bars
16313B-30	BluLub	31,75	On request	30 m coils
16323BC	BluLub	35	On request	3 m bars
16323B	BluLub	35	On request	6 m bars
16323B-30	BluLub	35	On request	30 m coils
16324BC	BluLub	38,1	On request	3 m bars
16324B	BluLub	38,1	On request	6 m bars
16324B-30	BluLub	38,1	On request	30 m coils
16325BC	BluLub	54,1	On request	3 m bars
16325B	BluLub	54,1	On request	6 m bars
16325B-30	BluLub	54,1	On request	30 m coils
16303C	Ti-White	25,4	Stock item	3 m bars
16303	Ti-White	25,4	On request	6 m bars
16303-30	Ti-White	25,4	Stock item	30 m coils
16313C	Ti-White	31,75	Stock item	3 m bars
16313	Ti-White	31,75	On request	6 m bars
16313-30	Ti-White	31,75	On request	30 m coils
16323C	Ti-White	35	Stock item	3 m bars
16323	Ti-White	35	On request	6 m bars
16323-30	Ti-White	35	On request	30 m coils
16324C	Ti-White	38,1	Stock item	3 m bars
16324	Ti-White	38,1	Stock item	6 m bars
16324-30	Ti-White	38,1	On request	30 m coils
16325C	Ti-White	54,1	On request	3 m bars
16325	Ti-White	54,1	On request	6 m bars
16325-30	Ti-White	54,1	On request	30 m coils
16303BLC	Blue	25,4	On request	3 m bars
16303BL	Blue	25,4	On request	6 m bars
16303BL-30	Blue	25,4	On request	30 m coils
16313BLC	Blue	31,75	On request	3 m bars
16313BL	Blue	31,75	On request	6 m bars
16313BL-30	Blue	31,75	On request	30 m coils
16323BLC	Blue	35	On request	3 m bars
16323BL	Blue	35	On request	6 m bars
16323BL-30	Blue	35	On request	30 m coils
16324BLC	Blue	38,1	On request	3 m bars
16324BL	Blue	38,1	On request	6 m bars
16324BL-30	Blue	38,1	On request	30 m coils
16325BLC	Blue	54,1	On request	3 m bars
16325BL	Blue	54,1	On request	6 m bars
16325BL-30	Blue	54,1	On request	30 m coils




## 160

## Profilo "C" / C-Profile / C-Profil


Delivery: Easy Standard



Used with  
Part 164/165  
Pag 380





Article-Nr.	Material	Availability	Supply
16003BC	BluLub	Stock item	3 m bars
16003B	BluLub	On request	6 m bars
16003B-30	BluLub	Stock item	30 m coils
16003C	Ti-White	Stock item	3 m bars
16003	Ti-White	Stock item	6 m bars
16003-30	Ti-White	Stock item	30 m coils
16005C	Blue	On request	3 m bars
16005	Blue	On request	6 m bars
16005-30	Blue	On request	30 m coils




## 161

## Profilo "C" / C-Profile / C-Profil


Delivery: Easy Standard Coils available



Used with  
Part 164/165  
Pag 380



Article-Nr.	Material	Availability	Supply
16103BC	BluLub	On request	3 m bars
16103B	BluLub	On request	6 m bars
16103B-30	BluLub	Stock item	30 m coils
16103C	Ti-White	Stock item	3 m bars
16103	Ti-White	Stock item	6 m bars
16103-30	Ti-White	Stock item	30 m coils
16105C	Blue	On request	3 m bars
16105	Blue	On request	6 m bars
16105-30	Blue	On request	30 m coils





# 162-164-165

Guide estruse / Extruded profiles / Extrudiertes Profil


## 162

Profilo "C" / C-Profile / C-Profil


Delivery: Easy Standard Coils available



Used with  
Part 164/165  
Pag 380



Article-Nr.	Material	Availability	Supply
16202BC	BluLub	Stock item	3 m bars
16202B	BluLub	On request	6 m bars
16202B-30	BluLub	Stock item	30 m coils
16203C	Ti-White	Stock item	3 m bars
16203	Ti-White	On request	6 m bars
16203-30	Ti-White	Stock item	30 m coils
16205C	Blue	On request	3 m bars
16205	Blue	On request	6 m bars
16205-30	Blue	On request	30 m coils
16202C	Green	Stock item	3 m bars
16202	Green	On request	6 m bars
16202-30	Green	Stock item	30 m coils





Example of application

## 164

Guida in alluminio / Aluminum guide / Aluminium profil


Delivery: Easy Standard



Used with  
Part 362 Pag 493  
and Part 1097 Pag 510



Article-Nr.	Material	Availability	Supply	Profile cover
16401C	Aluminum	Stock item	3 m bars	301403
16401	Aluminum	Stock item	6 m bars	301403





Example of application

## 165

Guida in alluminio / Aluminum guide / Aluminium profil


Delivery: Easy Standard



Used with  
Part 362 Pag 493  
and Part 1097 Pag 510



Article-Nr.	Material	Availability	Supply	Profile cover
16501C	Aluminum	Stock item	3 m bars	301404
16501	Aluminum	Stock item	6 m bars	301404





Example of application


**1039**

Profilo per mezzitondi / Half round profile for steel rods / Halbmond Profil

Delivery: Easy Standard



Article-Nr.	Material	Availability	Supply
103923BC	<i>BluLub</i>	On request	3 m bars
103923B	<i>BluLub</i>	On request	6 m bars
103923B-30	<i>BluLub</i>	Stock item	30 m coils
103923B-60	<i>BluLub</i>	On request	60 m coils
103923C	<i>Ti-White</i>	Stock item	3 m bars
103923	<i>Ti-White</i>	On request	6 m bars
103923-30	<i>Ti-White</i>	Stock item	30 m coils
103923-60	<i>Ti-White</i>	Stock item	60 m coils
103925C	Blue	On request	3 m bars
103925	Blue	On request	6 m bars
103925-30	Blue	On request	30 m coils
103925-60	Blue	On request	60 m coils





Example of application


NEW

**1083**

Profilo per mezzitondi / Half round profile for steel rods / Halbmond Profil



Article-Nr.	Material	Availability	Supply
108300BC	<i>BluLub</i>	On request	3 m bars
108300B	<i>BluLub</i>	On request	6 m bars
108300B-30	<i>BluLub</i>	On request	30 m coils
108300B-60	<i>BluLub</i>	On request	60 m coils
108303C	<i>Ti-White</i>	On request	3 m bars
108303	<i>Ti-White</i>	On request	6 m bars
108303-30	<i>Ti-White</i>	On request	30 m coils
108303-60	<i>Ti-White</i>	On request	60 m coils
108305C	Blue	On request	3 m bars
108305	Blue	On request	6 m bars
108305-30	Blue	On request	30 m coils
108305-60	Blue	On request	60 m coils



Example of application



# 166-154

Guide estruse / Extruded profiles / Extrudiertes Profil


## 166

Profilo per tondini / Round profile for steel rods / Halbmond Profil

Delivery: **Easy** Standard Coils available





Article-Nr.	A	B	C	Material	Availability	Supply
<b>16601B</b>	8	12	0.5	<b>BluLub</b>	Stock item	30 m coils
<b>16602B</b>	10	14	0.5	<b>BluLub</b>	On request	30 m coils
<b>16603B</b>	12	16	1	<b>BluLub</b>	On request	30 m coils
<b>16604B</b>	16	20	1.5	<b>BluLub</b>	On request	30 m coils
<b>16601</b>	8	12	0.5	<b>Ti-White</b>	Stock item	30 m coils
<b>16602</b>	10	14	0.5	<b>Ti-White</b>	Stock item	30 m coils
<b>16603</b>	12	16	1	<b>Ti-White</b>	Stock item	30 m coils
<b>16604</b>	16	20	1.5	<b>Ti-White</b>	Stock item	30 m coils
<b>16601BL</b>	8	12	0.5	Blue	On request	30 m coils
<b>16602BL</b>	10	14	0.5	Blue	On request	30 m coils
<b>16603BL</b>	12	16	1	Blue	On request	30 m coils
<b>16604BL</b>	16	20	1.5	Blue	On request	30 m coils



## 154

Guida laterale / Side guide rail / Seitenführungen

Delivery: **Easy** Standard Metal profile: Aluminium




Article-Nr.	Material	Availability	Supply
<b>15401BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>15401B</b>	<b>BluLub</b>	On request	6 m bars
<b>15401C</b>	<b>Ti-White</b>	On request	3 m bars
<b>15401</b>	<b>Ti-White</b>	On request	6 m bars
<b>15405C</b>	Blue	On request	3 m bars
<b>15405</b>	Blue	On request	6 m bars
<b>15402C</b>	Green	On request	3 m bars
<b>15402</b>	Green	On request	6 m bars

Only plastic profile

Article-Nr.	Material	Availability	Supply
<b>15451B-30</b>	<b>BluLub</b>	On request	30 m coils
<b>15451-30</b>	<b>Ti-White</b>	On request	30 m coils
<b>15455-30</b>	Blue	On request	30 m coils
<b>15452-30</b>	Green	On request	30 m coils



Used with  
Hex head bolt



## 155

Guida laterale / Side guide rail / Seitenführungen

Delivery: Easy Standard Metal profile: Aluminium



Used with

Part 362 Pag 493


and Part 1097 Pag 510



Article-Nr.	Material	Availability	Supply
15500BC	BluLub	On request	3 m bars
15503C	Ti-White	On request	3 m bars
15505C	Blue	On request	3 m bars
15501C	Green	On request	3 m bars

Only plastic profile

Article-Nr.	Material	Availability	Supply
15550B-30	BluLub	On request	30 m coils
15553-30	Ti-White	On request	30 m coils
15555-30	Blue	On request	30 m coils
15551-30	Green	On request	30 m coils





Example of application

## 134

Guida laterale / Side guide rail / Seitenführungen


Delivery: Easy Standard Metal profile: Stainless steel AISI 304



Article-Nr.	Material	Availability	Supply
13400BC	BluLub	On request	3 m bars
13400B	BluLub	On request	6 m bars
13403C	Ti-White	On request	3 m bars
13403	Ti-White	On request	6 m bars
13405C	Blue	On request	3 m bars
13405	Blue	On request	6 m bars
13401C	Green	Stock item	3 m bars
13401	Green	On request	6 m bars

Only plastic profile

Article-Nr.	Material	Availability	Supply
13450B-30	BluLub	On request	30 m coils
13453-30	Ti-White	On request	30 m coils
13455-30	Blue	On request	30 m coils
13451-30	Green	On request	30 m coils





Example of application

# 199

Piastra di trasferimento / Transfer plate / Überschubprofil


Delivery: Easy Standard Fit on 3 mm



Article-Nr.	Material	Availability	Supply
-------------	----------	--------------	--------

19960B	<b>BluLub</b>	Stock item	1,5 m bars
--------	---------------	------------	------------



19960	Black	Stock item	1,5 m bars
-------	-------	------------	------------



Example of application


# 238-228-235

NoseBar / NoseBar / NoseBar




Article-Nr.	Material	Availability	Supply
-------------	----------	--------------	--------

2381500	<b>BluLub</b>	On request	1,5 m bars
---------	---------------	------------	------------



Article-Nr.	Material	Availability	Supply
-------------	----------	--------------	--------

2281500	<b>BluLub</b>	On request	1,5 m bars
---------	---------------	------------	------------



Article-Nr.	Material	Availability	Supply
-------------	----------	--------------	--------

2351500	<b>BluLub</b>	On request	1,5 m bars
---------	---------------	------------	------------

**NoseBars  
Standard**




**NoseBars  
with Bearings**



**NoseBars  
with Rollers**



Machined to width NoseBars are available in the section Modular belts.  
Find more details at Pag 272





Example of application

# 1000

Copri profilo / Bar cap / Abdeckprofil

Delivery: Easy Standard Fit on 1,5 mm (1/16")




Article-Nr. Material Availability Supply

100000B-30 BluLub On request 30 m coils

100003-30 Ti-White Stock item 30 m coils

100005-30 Blue On request 30 m coils



Applicable on metal profiles:  
1.5 mm (1/16") thickness

Example of application

# 1001

Copri profilo / Bar cap / Abdeckprofil

Delivery: Easy Standard Fit on 1,5 mm (1/16")




Article-Nr. Material Availability Supply

100103B-30 BluLub Stock item 30 m coils

100103-30 Ti-White Stock item 30 m coils

100105-30 Blue On request 30 m coils



Applicable on metal profiles:  
1.5 mm (1/16") thickness

Example of application

# 1002

Copri profilo / Bar cap / Abdeckprofil

Delivery: Easy Standard Fit on 3 mm (1/8")




Article-Nr. Material Availability Supply

100200B-30 BluLub Stock item 30 m coils

100203-30 Ti-White Stock item 30 m coils

100205-30 Blue On request 30 m coils



Applicable on metal profiles:  
3 mm (1/8") thickness

Example of application

# 1003

Copri profilo / Bar cap / Abdeckprofil

Delivery: Easy Standard Fit on 3 mm (1/8")




Article-Nr. Material Availability Supply

100300B-30 BluLub Stock item 30 m coils

100303-30 Ti-White Stock item 30 m coils

100305-30 Blue On request 30 m coils



Applicable on metal profiles:  
3 mm (1/8") thickness

Example of application

## 1004

Copri profilo / Bar cap / Abdeckprofil

Delivery: Easy Standard Fit on 3 mm (1/8")




Article-Nr.	Material	Availability	Supply
-------------	----------	--------------	--------

**100400B-30** **BluLub** On request 30 m coils

**100403-30** **Ti-White** Stock item 30 m coils

**100405-30** Blue On request 30 m coils





Applicable on metal profiles:  
3 mm (1/8") thickness

Example of application

## NEW 1084

Copri profilo / Bar cap / Abdeckprofil

Fit on 3 mm (1/8")



Article-Nr.	Material	Availability	Supply
-------------	----------	--------------	--------

**108400BC** **BluLub** On request 3 m bars

**108400B** **BluLub** On request 6 m bars

**108400B-30** **BluLub** On request 30 m coils

**108403C** **Ti-White** On request 3 m bars


**108403** **Ti-White** On request 6 m bars

**108403-30** **Ti-White** On request 30 m coils

**108405C** Blue On request 3 m bars

**108405** Blue On request 6 m bars

**108405-30** Blue On request 30 m coils





Applicable on metal profiles:  
3 mm (1/8") thickness

Example of application

## NEW 1085

Copri profilo / Bar cap / Abdeckprofil

Fit on 3 mm (1/8")



Article-Nr.	Material	Availability	Supply
-------------	----------	--------------	--------

**108500BC** **BluLub** On request 3 m bars

**108500B** **BluLub** On request 6 m bars

**108500B-30** **BluLub** On request 30 m coils

**108503C** **Ti-White** On request 3 m bars


**108503** **Ti-White** On request 6 m bars

**108503-30** **Ti-White** On request 30 m coils

**108505C** Blue On request 3 m bars

**108505** Blue On request 6 m bars

**108505-30** Blue On request 30 m coils





Applicable on metal profiles:  
3 mm (1/8") thickness

Example of application


**153**

Copri profilo / Bar cap / Abdeckprofil

Delivery: Easy Standard Fit on 4/5 mm (3/16")



Article-Nr.	Material	Availability	Supply
15300C	BluLub	Stock item	3 m bars
15300	BluLub	On request	6 m bars
15300-30	BluLub	Stock item	30 m coils
15303C	Ti-White	Stock item	3 m bars
15303	Ti-White	On request	6 m bars
15303-30	Ti-White	Stock item	30 m coils
15305C	Blue	On request	3 m bars
15305	Blue	On request	6 m bars
15305-30	Blue	On request	30 m coils
15302C	Green	Stock item	3 m bars
15302	Green	On request	6 m bars
15302-30	Green	On request	30 m coils





Example of application


**1006**

Copri profilo / Bar cap / Abdeckprofil

Delivery: Easy Standard Fit on 5 mm (3/16")



Article-Nr.	Material	Availability	Supply
100600B-30	BluLub	On request	30 m coils
100603-30	Ti-White	Stock item	30 m coils
100605-30	Blue	On request	30 m coils





Example of application


**1007**

Copri profilo / Bar cap / Abdeckprofil

Delivery: Easy Standard Fit on 5 mm (3/16")



Article-Nr.	Material	Availability	Supply
100703BC	BluLub	Stock item	3 m bars
100703B	BluLub	On request	6 m bars
100703C	Ti-White	Stock item	3 m bars
100703	Ti-White	On request	6 m bars
100705C	Blue	On request	3 m bars
100705	Blue	On request	6 m bars





Example of application

**NEW**


## 1095

Copri profilo / Bar cap / Abdeckprofil

Fit on 4 mm



Article-Nr.	Material	Availability	Supply
109504C	BluLub	On request	3 m bars
109503C	Ti-White	On request	3 m bars
109501C	Blue	On request	3 m bars





Applicable on metal profiles:  
4 mm thickness  
Can be also used with chains.

*Example of application*

## 1040


Copri profilo / Bar cap / Abdeckprofil

Delivery: **Easy** Standard Fit on 3 mm (1/8")



Article-Nr.	Material	Availability	Supply
104000BC	BluLub	On request	3 m bars
104000B	BluLub	On request	6 m bars
104003C	Ti-White	Stock item	3 m bars
104003	Ti-White	On request	6 m bars
104005C	Blue	On request	3 m bars
104005	Blue	On request	6 m bars

Generally used with sideflex belt.





*Example of application*


## 1008

Copri profilo / Bar cap / Abdeckprofil

Delivery: **Easy** Standard Fit on 5 mm (3/16")



Article-Nr.	Material	Availability	Supply
100803BC	BluLub	Stock item	3 m bars
100803B	BluLub	On request	6 m bars
100803C	Ti-White	Stock item	3 m bars
100803	Ti-White	Stock item	6 m bars
100805C	Blue	On request	3 m bars
100805	Blue	On request	6 m bars





Applicable on metal profiles:  
5 mm (3/16") thickness

*Example of application*

**1009**

Copri profilo / Bar cap / Abdeckprofil

Delivery: Easy Standard Fit on 6 mm (1/4")




Article-Nr. Material Availability Supply

100900B-30 BluLub On request 30 m coils

100903-30 Ti-White Stock item 30 m coils

100905-30 Blue On request 30 m coils





Example of application

**1010**

Copri profilo / Bar cap / Abdeckprofil

Delivery: Easy Standard Fit on 6 mm (1/4")




Article-Nr. Material Availability Supply

101000B-30 BluLub On request 30 m coils

101003-30 Ti-White Stock item 30 m coils

101005-30 Blue On request 30 m coils





Example of application

NEW

**1086**

Copri profilo / Bar cap / Abdeckprofil

Fit on 8 mm (5/16")




Article-Nr. Material Availability Supply

108600B-30 BluLub On request 30 m coils

108603-30 Ti-White On request 30 m coils

108605-30 Blue On request 30 m coils





Example of application

**1011**

Copri profilo / Bar cap / Abdeckprofil

Fit on 10 mm (3/8")




Article-Nr. Material Availability Supply

101100B-30 BluLub On request 30 m coils

101103-30 Ti-White On request 30 m coils

101105-30 Blue On request 30 m coils





Example of application


## 1013

Copri profilo / Bar cap / Abdeckprofil

Fit on 10 mm (3/8")



Article-Nr.	Material	Availability	Supply
101300BC	BluLub	On request	3 m bars
101300B	BluLub	On request	6 m bars
101303C	Ti-White	On request	3 m bars
101303	Ti-White	On request	6 m bars
101305C	Blue	On request	3 m bars
101305	Blue	On request	6 m bars





Applicable on metal profiles:  
10 mm (3/8") thickness

Example of application


## 1012

Copri profilo / Bar cap / Abdeckprofil

Delivery: Easy Standard Fit on 12/13 mm (1/2")



Article-Nr.	Material	Availability	Supply
101200B-30	BluLub	On request	30 m coils
101203-30	Ti-White	Stock item	30 m coils
101205-30	Blue	On request	30 m coils





Applicable on metal profiles:  
10 mm (3/8") thickness

Example of application


## 181

Copri profilo / Bar cover / Abdeckprofil

Delivery: Easy Standard Fit on 25.4 x 25.4 mm (1" x 1")



Article-Nr.	Material	Availability	Supply
18100BC	BluLub	On request	3 m bars
18100B	BluLub	On request	6 m bars
18103C	Ti-White	Stock item	3 m bars
18103	Ti-White	On request	6 m bars
18105C	Blue	On request	3 m bars
18105	Blue	On request	6 m bars





Example of application

**1052**

Copri profilo / Bar cover / Abdeckprofil

Delivery: Easy Standard Fit on 38,1 x 50,8 mm (1-1/2" x 2")



Article-Nr. Material Availability Supply

105200BC BluLub On request 3 m bars


105200B BluLub On request 6 m bars

105203C Ti-White Stock item 3 m bars

105203 Ti-White On request 6 m bars

105205C Blue On request 3 m bars

105205 Blue On request 6 m bars





Example of application

**180**

Copri profilo / Bar cover / Abdeckprofil

Fit on 30,5 x 46 mm



Article-Nr. Material Availability Supply

18000BC BluLub On request 3 m bars


18000B BluLub On request 6 m bars

18003C Ti-White On request 3 m bars

18003 Ti-White On request 6 m bars

18005C Blue On request 3 m bars

18005 Blue On request 6 m bars



Example of application

**Materiale / Material / Materialien:**



Profilo metallico: Acciaio inox AISI 304

Metal profile: Stainless steel AISI 304


Metallprofil: Edelstahl AISI 304

**119****Guida conica / Guide rail / Konische Führung**Delivery: **Easy** **Standard**



Stainless steel profile thickness: 1,5 mm






Article-Nr.	Material	Availability	Supply
<b>11901BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>11901B</b>	<b>BluLub</b>	On request	6 m bars
<b>11901C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>11901</b>	<b>Ti-White</b>	On request	6 m bars
<b>11905C</b>	Blue	On request	3 m bars
<b>11905</b>	Blue	On request	6 m bars

*Example of application*

Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
<b>11963B</b>	<b>BluLub</b>	On request	3 m bars
<b>11967B</b>	<b>BluLub</b>	On request	6 m bars
<b>11963</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>11967</b>	<b>Ti-White</b>	On request	6 m bars
<b>11964C</b>	Blue	On request	3 m bars
<b>11964</b>	Blue	On request	6 m bars

*Example of application*
  
Hygienic Version
**NEW**



Article-Nr.	Material	Availability	Supply
<b>11953B</b>	<b>BluLub</b>	On request	3 m bars
<b>11957B</b>	<b>BluLub</b>	On request	6 m bars
<b>11953</b>	<b>Ti-White</b>	On request	3 m bars
<b>11957</b>	<b>Ti-White</b>	Stock item	6 m bars
<b>11983C</b>	Blue	On request	3 m bars
<b>11987</b>	Blue	On request	6 m bars

## 121


Guida conica / Guide rail / Konische Führung

Delivery: Easy Standard

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
12101BC	BluLub	On request	3 m bars
12101B	BluLub	On request	6 m bars
12101C	Ti-White	Stock item	3 m bars
12101	Ti-White	On request	6 m bars
12105C	Blue	On request	3 m bars
12105	Blue	On request	6 m bars




Example of application

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
12163B	BluLub	On request	3 m bars
12167B	BluLub	On request	6 m bars
12163	Ti-White	Stock item	3 m bars
12167	Ti-White	On request	6 m bars
12173	Blue	On request	3 m bars
12177	Blue	On request	6 m bars



Example of application

  
 Hygienic  
Version  
**NEW**





Article-Nr.	Material	Availability	Supply
12153B	BluLub	On request	3 m bars
12157B	BluLub	On request	6 m bars
12153	Ti-White	Stock item	3 m bars
12157	Ti-White	On request	6 m bars
12183	Blue	On request	3 m bars
12187	Blue	On request	6 m bars



**Materiale / Material / Materialien:**  
 Profilo metallico: Acciaio inox AISI 304  
 Metal profile: Stainless steel AISI 304  
 Metallprofil: Edelstahl AISI 304

**120****Guida conica / Guide rail / Konische Führung**Delivery: **Easy** **Standard**


Stainless steel profile thickness: 1,5 mm



Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
12001BC	<b>BluLub</b>	On request	3 m bars
12001B	<b>BluLub</b>	On request	6 m bars
12001C	<b>Ti-White</b>	Stock item	3 m bars
12001	<b>Ti-White</b>	On request	6 m bars
12005C	Blue	On request	3 m bars
12005	Blue	On request	6 m bars





Example of application

**152****Guida conica / Guide rail / Konische Führung**Delivery: **Easy** **Standard**


Stainless steel profile thickness: 1,5 mm



Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
15200BC	<b>BluLub</b>	On request	3 m bars
15201C	<b>Ti-White</b>	Stock item	3 m bars
15205C	Blue	On request	3 m bars





Example of application

Article-Nr.	Material	Availability	Supply
15260BC	<b>BluLub</b>	On request	3 m bars
15263	<b>Ti-White</b>	On request	3 m bars
15265C	Blue	On request	3 m bars


## 1067

Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
106700BC	BluLub	On request	3 m bars
106701C	Ti-White	On request	3 m bars
106705C	Blue	On request	3 m bars



Example of application

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
106760BC	BluLub	On request	3 m bars
106763	Ti-White	On request	3 m bars
106765C	Blue	On request	3 m bars

## 143


Guida conica / Guide rail / Konische Führung

Delivery: Easy Standard

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
14300BC	BluLub	On request	3 m bars
14301C	Ti-White	On request	3 m bars
14305C	Blue	On request	3 m bars



Example of application

Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
14360BC	BluLub	On request	3 m bars
14363	Ti-White	Stock item	3 m bars
14365C	Blue	On request	3 m bars



**Materiale / Material / Materialien:**  
 Profilo metallico: Acciaio inox AISI 304  
 Metal profile: Stainless steel AISI 304  
 Metallprofil: Edelstahl AISI 304

**122**


Guida conica / Guide rail / Konische Führung

Delivery: Easy Standard

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
12200BC	BluLub	On request	3 m bars
12201C	Ti-White	Stock item	3 m bars
12205C	Blue	On request	3 m bars



Example of application

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
12260BC	BluLub	On request	3 m bars
12263	Ti-White	Stock item	3 m bars
12263BLC	Blue	On request	3 m bars

**123**


Guida conica / Guide rail / Konische Führung

Delivery: Easy Standard

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
12300BC	BluLub	On request	3 m bars
12301C	Ti-White	Stock item	3 m bars
12305C	Blue	On request	3 m bars



Example of application

Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
12360BC	BluLub	On request	3 m bars
12363	Ti-White	Stock item	3 m bars
12363BLC	Blue	On request	3 m bars

# 140-146

Guide estruse / Extruded profiles / Extrudiertes Profil

Materiale / Material / Materialien:

Profilo metallico: Acciaio inox AISI 304

Metal profile: Stainless steel AISI 304



Metallprofil: Edelstahl AISI 304

## 140


Guida conica / Guide rail / Konische Führung

Delivery: Easy Standard

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
14000BC	BluLub	On request	3 m bars
14001C	Ti-White	Stock item	3 m bars
14005C	Blue	On request	3 m bars



Example of application

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
14060BC	BluLub	On request	3 m bars
14063	Ti-White	Stock item	3 m bars
14063BLC	Blue	On request	3 m bars


## 146

Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
14600BC	BluLub	On request	3 m bars
14601C	Ti-White	On request	3 m bars
14605C	Blue	On request	3 m bars



Example of application

Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
14660BC	BluLub	On request	3 m bars
14663	Ti-White	On request	3 m bars
14663BLC	Blue	On request	3 m bars

**Materiale / Material / Materialien:**  
Profilo metallico: Acciaio inox AISI 304  
Metal profile: Stainless steel AISI 304  
Metallprofil: Edelstahl AISI 304

# 124-141



Guide estruse / Extruded profiles / Extrudiertes Profil

## 124


Guida conica / Guide rail / Konische Führung

Delivery: **Easy** Standard

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
12400BC	<b>BluLub</b>	On request	3 m bars
12401C	<b>Ti-White</b>	Stock item	3 m bars
12405C	Blue	On request	3 m bars



Example of application

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
12460BC	<b>BluLub</b>	On request	3 m bars
12463	<b>Ti-White</b>	Stock item	3 m bars
12463BLC	Blue	On request	3 m bars

## 141


Guida conica / Guide rail / Konische Führung

Delivery: **Easy** Standard

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
14100BC	<b>BluLub</b>	On request	3 m bars
14101C	<b>Ti-White</b>	Stock item	3 m bars
14105C	Blue	On request	3 m bars



Example of application

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
14160BC	<b>BluLub</b>	On request	3 m bars
14163	<b>Ti-White</b>	Stock item	3 m bars
14163BLC	Blue	On request	3 m bars


## 142

Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
14200BC	BluLub	On request	3 m bars
14201C	Ti-White	On request	3 m bars
14205C	Blue	On request	3 m bars



Example of application

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
14260BC	BluLub	On request	3 m bars
14263	Ti-White	On request	3 m bars
14263BLC	Blue	On request	3 m bars

## 125


Guida conica / Guide rail / Konische Führung

Delivery: Easy Standard

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
12500BC	BluLub	On request	3 m bars
12501C	Ti-White	On request	3 m bars
12505C	Blue	On request	3 m bars



Example of application

Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
12560BC	BluLub	On request	3 m bars
12563	Ti-White	Stock item	3 m bars
12563BLC	Blue	On request	3 m bars

## Materiale / Material / Materialien:

Profilo metallico: Acciaio inox AISI 304

Metal profile: Stainless steel AISI 304



Metallprofil: Edelstahl AISI 304

## 144


## Guida conica / Guide rail / Konische Führung

Delivery: Easy Standard

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
14400BC	BluLub	On request	3 m bars
14401C	Ti-White	Stock item	3 m bars
14405C	Blue	On request	3 m bars



Example of application

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
14460BC	BluLub	On request	3 m bars
14463	Ti-White	Stock item	3 m bars
14463BLC	Blue	On request	3 m bars


## 184

## Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
18400BC	BluLub	On request	3 m bars
18401C	Ti-White	On request	3 m bars
18405C	Blue	On request	3 m bars



Example of application

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
18460BC	BluLub	On request	3 m bars
18463	Ti-White	On request	3 m bars
18463BLC	Blue	On request	3 m bars


## 145

Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
14503C	BluLub	On request	3 m bars
14504C	Ti-White	On request	3 m bars
14505C	Blue	On request	3 m bars



Bendable profile, generally used with sideflexing belt 600 series.

Example of application

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
14563	BluLub	On request	3 m bars
14564	Ti-White	On request	3 m bars
14565	Blue	On request	3 m bars


## 1087

Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
108763	BluLub	On request	3 m bars
108764	Ti-White	On request	3 m bars
108765	Blue	On request	3 m bars



Bendable profile, generally used with modular belts with 8,7 mm height.

Example of application

**Materiale / Material / Materialien:**  
 Profilo metallico: Acciaio inox AISI 304  
 Metal profile: Stainless steel AISI 304  
 Metallprofil: Edelstahl AISI 304



# 191-126-127

Guide estruse / Extruded profiles / Extrudiertes Profil


## 191

Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
19100BC	BluLub	On request	3 m bars
19101C	Ti-White	Stock item	3 m bars
19105C	Blue	On request	3 m bars





Example of application

NEW

## 126


Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
12600BC	BluLub	On request	3 m bars
12601C	Ti-White	On request	3 m bars
12605C	Blue	On request	3 m bars

Generally used for accumulation system with 530 Pro LBP.





Example of application

NEW

## 127


Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
12700BC	BluLub	On request	3 m bars
12701C	Ti-White	On request	3 m bars
12705C	Blue	On request	3 m bars

Generally used for accumulation system with 530 Pro LBP.





Example of application

NEW


# 128

Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
12800BC	BluLub	On request	3 m bars
12801C	Ti-White	On request	3 m bars
12805C	Blue	On request	3 m bars





Example of application

NEW


# 129

Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
12900BC	BluLub	On request	3 m bars
12901C	Ti-White	On request	3 m bars
12905C	Blue	On request	3 m bars



Example of application

# 198-199

Macchina curvatrice / Bending machine / Biegemaschine

Delivery: Easy Standard

**NEW****Electric Bending machine**

Article-Nr. 19848





Dimension base: 665 x 740 mm  
 Height: 1400 mm  
 Approximate weight: 170 Kg  
 Shafts diameter: 30 mm  
 Rolls diameter: 137 mm  
 Geared motor: HP 1  
 Shafts speed: 9 RPM  
 Steel frame  
 Two forming rolls  
 Steel shafts in special steel

**Manual Bending machine**

Article-Nr. 19999



Dimension: 570 x 260 mm  
 Approximate weight: 19 Kg  
 Shafts diameter: 25 mm  
 Height: 180 mm  
 Steel frame

**To achieve the correct curvature please follow below steps:****1 |** Identify correct curve radius angle**2 |** Insert the plate into the profile**3 |** Bend assembled profile**4 |** Assemble the curved profile on the line

\*For narrower profiles, bending operation can be done directly on the line, by hand.

## 151

Rulli per macchina curvatrice / Roller for bending machine / Rollen für Biegemaschine

**Ø 25 mm** Manual bending machine  
**Ø 30 mm** Electric bending machine





Internal curve






External curve



Article-Nr.	Ø (mm)	Suitable for Part.
15101	25	119 - 120 - 121 - 152
15101E	30	119 - 120 - 121 - 152






Article-Nr.	Ø (mm)	Suitable for Part.
15102	25	122 - 123 - 124 - 142 - 140 - 146
15102E	30	122 - 123 - 124 - 142 - 140 - 146






Article-Nr.	Ø (mm)	Suitable for Part.
15103	25	141
15103E	30	141



Article-Nr.	Ø (mm)	Suitable for Part.
15104	25	144
15104E	30	144



Article-Nr.	Ø (mm)	Suitable for Part.
15105	25	Ø8 - Ø10 - Ø12
15105E	30	Ø8 - Ø10 - Ø12



**Material:**

Polyethylene UHMW-PE with molecular density 5,600,000 g/mol  
 Linear expansion coefficient:  $1.1 \times 10^{-4} \text{ }^{\circ}\text{F}^{-1}$  ( $2 \times 10^{-4} \text{ }^{\circ}\text{C}^{-1}$ )  
 Operating temperature: -40 to 176°F (-40 to +80°C)

**151**

Rulli per macchina curvatrice / Roller for bending machine / Rollen für Biegemaschine

**Ø 25 mm** Manual bending machine  
**Ø 30 mm** Electric bending machine




Internal curve




External curve

Article-Nr.	Ø (mm)	Suitable for Part.
15109	25	358
15109E	30	358




Rmin. 305




Rmin. 305

Article-Nr.	Ø (mm)	Suitable for Part.
15110	25	360
15110E	30	360





Rmin. 305




Rmin. 305

Article-Nr.	Ø (mm)	Suitable for Part.
15106	25	359
15106E	30	359





Rmin. 305




Rmin. 305

Article-Nr.	Ø (mm)	Suitable for Part.
15107	25	361
15107E	30	361




Rmin. 305




Rmin. 305

Article-Nr.	Ø (mm)	Suitable for Part.
15108	25	117
15108E	30	117



Rmin. 450





Rmin. 450


## 170

Guida collo / Neck guide / Nackenführung

Delivery: Easy Standard Fit on 2,5 mm



Article-Nr.	Material	Availability	Supply
17001B	BluLub	Stock item	3 m bars
17002B	BluLub	Stock item	6 m bars
17000B	BluLub	Stock item	30 m coils
17001	Ti-White	On request	3 m bars
17002	Ti-White	On request	6 m bars
17000	Ti-White	On request	30 m coils
17005C	Blue	On request	3 m bars
17005	Blue	On request	6 m bars
17005-30	Blue	On request	30 m coils





Example of application


## 168

Guida collo / Neck guide / Nackenführung

Delivery: Easy Standard Fit on 2,5 mm



Article-Nr.	Material	Availability	Supply
16801B	BluLub	Stock item	3 m bars
16802B	BluLub	On request	6 m bars
16800B	BluLub	Stock item	30 m coils
16801	Ti-White	On request	3 m bars
16802	Ti-White	On request	6 m bars
16800	Ti-White	On request	30 m coils
16805C	Blue	On request	3 m bars
16805	Blue	On request	6 m bars
16805-30	Blue	On request	30 m coils





Example of application


## 169

Guida collo / Neck guide / Nackenführung

Delivery: Easy Standard Fit on 2,5 mm



Article-Nr.	Material	Availability	Supply
16901B	BluLub	Stock item	3 m bars
16902B	BluLub	On request	6 m bars
16900B	BluLub	Stock item	30 m coils
16901	Ti-White	On request	3 m bars
16902	Ti-White	On request	6 m bars
16900	Ti-White	On request	30 m coils
16905C	Blue	On request	3 m bars
16905	Blue	On request	6 m bars
16905-30	Blue	On request	30 m coils





Example of application


**167**

Guida collo / Neck guide / Nackenführung

Delivery: Easy Standard Fit on 1.8 - 2 mm



Article-Nr.	Material	Availability	Supply
16700BC	BluLub	Stock item	3 m bars
16700B	BluLub	On request	6 m bars
16700B-30	BluLub	Stock item	30 m coils
16700C	Ti-White	On request	3 m bars
16700	Ti-White	On request	6 m bars
16700-30	Ti-White	On request	30 m coils
16705C	Blue	On request	3 m bars
16705	Blue	On request	6 m bars
16705-30	Blue	On request	30 m coils





Example of application


**192**

Guida collo / Neck guide / Nackenführung

Delivery: Easy Standard Fit on 1.8 - 2 mm



Article-Nr.	Material	Availability	Supply
19200B	BluLub	Stock item	30 m coils
19200	Ti-White	On request	30 m coils
19205	Blue	On request	30 m coils





Example of application


**1062**

Guida collo / Neck guide / Nackenführung

Delivery: Easy Standard Fit on 1.8 - 2 mm



Article-Nr.	Material	Availability	Supply
106200B	BluLub	Stock item	30 m coils
106200	Ti-White	On request	30 m coils
106205	Blue	On request	30 m coils





Example of application


**1072**

Guida collo / Neck guide / Nackenführung

Delivery: Easy Standard Fit on 1.8 - 2 mm



Article-Nr.	Material	Availability	Supply
107200B	BluLub	Stock item	30 m coils
107200	Ti-White	On request	30 m coils
107205	Blue	On request	30 m coils





Example of application


## 1073

Guida collo / Neck guide / Nackenführung

Delivery: Easy Standard Fit on 1.8 - 2 mm



Article-Nr.	Material	Availability	Supply
107300B	BluLub	Stock item	30 m coils
107300	Ti-White	On request	30 m coils
107305	Blue	On request	30 m coils





Example of application


## 1076

Guida collo / Neck guide / Nackenführung

Delivery: Easy Standard Fit on 1.8 - 2 mm



Article-Nr.	Material	Availability	Supply
107600B	BluLub	Stock item	30 m coils
107600	Ti-White	On request	30 m coils
107605	Blue	On request	30 m coils





Example of application


## 1037

Guida collo / Neck guide / Nackenführung

Delivery: Easy Standard Fit on 3 mm



Article-Nr.	Material	Availability	Supply
103700B	BluLub	Stock item	30 m coils
103700	Ti-White	On request	30 m coils
103705	Blue	On request	30 m coils





Example of application


## 171

Guida collo / Neck guide / Nackenführung

Delivery: Easy Standard Fit on 3 mm



Article-Nr.	Material	Availability	Supply
17100B	BluLub	Stock item	30 m coils
17100	Ti-White	On request	30 m coils
17105	Blue	On request	30 m coils





Example of application


## 172

Guida collo / Neck guide / Nackenführung

Delivery: Easy Standard Fit on 3 mm



Article-Nr.	Material	Availability	Supply
17200B	BluLub	Stock item	30 m coils
17200	Ti-White	On request	30 m coils
17205	Blue	On request	30 m coils






Example of application


**131**

Profilo guida bottiglia / Plastic rail for bottle guide / Flaschenführungs Profil

Delivery: Easy Standard






Article-Nr.	Type	Material	Availability	Supply
13101B	A	BluLub	Stock item	30 m coils
13102B	B	BluLub	Stock item	30 m coils
13106	A	Ti-White	On request	30 m coils
13107	B	Ti-White	On request	30 m coils
13108	A	Blue	On request	30 m coils
13109	B	Blue	On request	30 m coils
13101	A	Grey	Stock item	30 m coils
13102	B	Grey	Stock item	30 m coils


**130**

Profilo in alluminio / Aluminum rail / Aluminium Profil

Delivery: Easy Standard





Article-Nr.	Type	Availability	Supply
13001C	A	Stock item	3 m bars
13001	A	On request	6 m bars
13002C	B	On request	3 m bars


**188**

Profilo in alluminio / Aluminum rail / Aluminium Profil

Delivery: Easy Standard



Article-Nr.	Availability	Supply
18801C	Stock item	3 m bars
18801	Stock item	6 m bars



Used with

Part 362 Pag 493  
and Part 1097 Pag 510



## 113

Pattino guida catena, centrale / Central wear strip shoe / Zentraler Einlaufschuh

Delivery: Easy Standard Used with Part 112 Pag 373

Article-Nr. Colour Availability

11301 Black On request






Example of application

CON NERVATURA / WITH NOSE / MIT NASE

Article-Nr. Colour Availability

11302 Black On request



Example of application

Materiale / Material / Materialien:

Poliammide rinforzato

Polyamide reinforced

Verstärktes Polyamid

NEW

113



Pattino guida catena, laterale / Lateral wear strip shoe / Seitlicher Einlaufschuh

Delivery: Easy Standard


Article-Nr. Colour Availability

11351 Black On request

VERSION LEFT





VERSION RIGHT



Article-Nr. Colour Availability

11352 Black On request



114




Blocchetto fissaggio / Fixing clamp / Fixierblock

Delivery: Easy Standard Used with Part 112 Pag 373

Article-Nr. A B C Colour Availability

11401 10 6,2 4,5 Black On request

11402 13 8,2 6 Black On request



Example of application

**NEW** 116


Pattino guida catena, laterale / Side transfer guide shoe / Seitlicher Tranferschuh

Delivery: Easy Standard Used with Part 112 Pag 373




Article-Nr. Colour Availability

11651 Black On request

VERSION LEFT



VERSION RIGHT



Example of application

Materiale / Material / Materialien:  
Poliammide rinforzato  
Polyamide reinforced  
Verstärktes Polyamid

# 116-115

Guide estruse / Extruded profiles / Extrudiertes Profil



# 116

Pattino guida catena, laterale / Side transfer guide shoe / Seitlicher Tranferschuh

Delivery: Easy Standard Used with Part 112 Pag 373



Article-Nr. Colour Availability

VERSION LEFT



Example of application

VERSION RIGHT




Article-Nr.	Colour	Availability
11601	Black	On request

# 115

Bloccetto giunzione / Connecting element / Verbindungselement

Delivery: Easy Standard Used with Part 112 Pag 373

Article-Nr. A B C Colour Availability



11501	10	6,2	4,5	Black	On request
11502	13	8,2	6	Black	On request

