

GENERAL CATALOGUE 2023
















Bases



Bearing heads



Connecting joints



Guide rail brackets





Tightening eyebolts



Heads for brackets



Knobs and handles



Guide rail clamps




Connecting joints



Connection joint for round tubes

Part. 210





I	Df	D	f1	Zinc plated	Stainless steel AISI 304
Bore for	r tubes of	Bore for	tubes of	bolts and nuts	bolts and nuts
(mm)	(Inches)	(mm)	(Inches)	Code	Code
60,3	2"	48,3	1"1/2	210 / 80638	210 / 80639
60,3	2"	42,4	1″1/4	210 / 80640	210 / 80641
48,3	1″1/2	48,3	1"1/2	210 / 80642	210 / 80643
48,3	1"1/2	42,4	1" 1/4	210 / 80644	210 / 80645
42,4	1″1/4	42,4	1"1/4	210 / 80646	210 / 80647

MATERIALS: Joint made of reinforced polyamide black colour; bolts and nuts made of stainless steel AISI 304 or zinc plated steel. FEATURES: Max tightening torque 2 Kg·m.


BOX QUANTITY: 8 pieces.


ON REQUEST:

- Joints: In reinforced polypropylene, other colours.
- **Box quantity:** According to your request.
- Assembling of: Bolts and nuts.

Connection joint for square tubes

Part. 210







Df Bore for tubes of	Df1 Bore for tubes of	Zinc plated bolts and nuts	Stainless steel AISI 304 bolts and nuts
(mm)	(mm)	Code	Code
40x40	40x40	210 / 85114	210 / 85115
45x45	45x45	210 / 84132	210 / 84133

MATERIALS: Joint made of reinforced polyamide black colour; bolts and nuts made of stainless steel AISI 304 or zinc plated steel. FEATURES: Max tightening torque 2 Kg·m.


BOX QUANTITY: 8 pieces.

- Joints: In reinforced polypropylene, other colours.
- Box quantity: According to your request. Assembling of: Bolts and nuts.



Connecting joints

Part. 403 Connection joint



MATERIALS: Joint, screw and nut made of stainless steel AISI 304.


FEATURES: Supplied complete with bolts and nuts.

BOX QUANTITY: 8 pieces.

ON REQUEST:

- Box quantity: According to your request.
- Assembly of: Bolts and nuts.

Part. **404** Connection joint



MATERIALS: Joint, screw and nut made of stainless steel AISI 304.


FEATURES: Supplied complete with bolts and nuts.

BOX QUANTITY: 8 pieces.

ON REQUEST:

- Box quantity: According to your request.
- Assembly of: Bolts and nuts.

Part. **401** Connection joint




MATERIALS: Joint, screws and nuts made of stainless steel AISI 304. FEATURES: Supplied complete with bolts and nuts.

BOX QUANTITY: 8 pieces.


ON REQUEST:

- **Box quantity:** According to your request.
- Assembly of: Bolts and nuts


Example of application



Example of application




Example of application







Guide rail bracket


Part. **213**



drip tray support (see on page 29)









La (9 mm slot)				
Df Bore for pin of	With knob	With nut		
(mm)	Code	Code		
12	213 / 81176	213 / 82105		
14	213 / 82102	213 / 82107		
16	213 / 82104	213 / 82109		

La (1 I IIIII SIOL)				
Df Bore for pin of	With knob	With nut		
(mm)	Code	Code		
12	213 / 80652	213 / 80653		
14	213 / 80654	213 / 80655		
16	213 / 80656	213 / 80657		

La (11 mm slat)

MATERIALS: Bracket and knob made of reinforced polyamide black colour; hexagonal insert made of nickel plated brass; eyebolt, nut and washer made of stainless steel AISI 304. FEATURES: Max tightening torque 4 Kg·m.


BOX QUANTITY: 24 pieces.

ON REQUEST:


- Brackets: In reinforced polypropylene, other colours.
- Box quantity: According to your request.


Guide rail bracket (with adjustable head)

Part. **214**



Presetting for drip tray support (see on page 29)







Df Bore for pin of (mm)	Code
	244/22755
12	214 / 80755
14	214 / 80756
16	214 / 80757

MATERIALS: Bracket and knob made of reinforced polyamide black colour; hexagonal insert made of nickel plated brass; eyebolt, screw, nut and washers made of stainless steel AISI 304. FEATURES: Max tightening torque 4 Kg·m.

BOX QUANTITY: 24 pieces.

- Brackets: In reinforced polypropylene, other colours.
- Box quantity: According to your request.





Part. 215

Guide rail bracket

(with adjustable head)









Presetting for drip tray support (see on page 29)

Df Bore for pin of	La (9 mm slot)	La (11 mm slot)
(mm)	Code	Code
12	215 / 82106	215 / 80658
14	215 / 82108	215 / 80659
16	215 / 82110	215 / 80660

MATERIALS: Bracket and knob made of reinforced polyamide black colour; hexagonal insert made of nickel plated brass; eyebolt, screw, nut and washers made of stainless steel AISI 304. FEATURES: Max tightening torque 4 Kg·m.

BOX QUANTITY: 24 pieces.

ON REQUEST:


- Brackets: In reinforced polypropylene, other colours.Box quantity: According to your request.


Guide rail bracket Part. **243**

(reinforced type with adjustable head)











Presetting for drip tray support (see on page 29)

Df Bore for pin of (mm)	_ Code
12	243 / 81003
14	243 / 81004
16	243 / 81005

MATERIALS: Bracket and knob made of reinforced polyamide black colour; hexagonal insert made of nickel plated brass; eyebolt, screw, nut and washers made of stainless steel AISI 304. FEATURES: To be used for heavy applications, suitable in conveyors with more ways, both in accumulation and curve. Max tightening torque 4 Kg·m. BOX QUANTITY: 24 pieces.


- Brackets: In reinforced polypropylene, other colours.
- Box quantity: According to your request.




Guide rail bracket


(with adjustable high type head)

Part. **280**



Presetting for drip tray support (see on page 29)







Df Bore for pin of	La (9 mm slot)	La (11 mm slot)
(mm)	Code	Code
12	280 / 82150	280 / 82127
14	280 / 82151	280 / 82128
16	280 / 82152	280 / 82129

MATERIALS: Bracket and knob made of reinforced polyamide black colour; hexagonal insert made of nickel plated brass; eyebolt, screw, nut and washers made of stainless steel AISI 304. FEATURES: Max tightening torque 4 Kg·m.

BOX QUANTITY: 24 pieces.


ON REQUEST:

- Brackets: In reinforced polypropylene, other colours.
- Box quantity: According to your request.


Guide rail bracket

Part. 281


(reinforced type with adjustable high type head)



Presetting for drip tray support (see on page 29)



12 14





MATERIALS: Bracket and knob made of reinforced polyamide black colour; hexagonal insert made of nickel plated brass; eyebolt, screw, nut and washers made of stainless steel AISI 304. FEATURES: To be used for heavy applications, suitable in conveyors with more ways, both in accumulation and curve. Max tightening torque 4 Kg·m. BOX QUANTITY: 24 pieces. ON REQUEST:

- Brackets: In reinforced polypropylene, other colours.
- Box quantity: According to your request.





Guide rail bracket


Part. 279

(with adjustable head)









Df	
Bore for pin of	Code
(mm)	
12	279 / 82124
14	279 / 82125
16	279 / 82126

MATERIALS: Bracket and knob made of reinforced polyamide black colour; hexagonal insert made of nickel plated brass; eyebolt, screw, nut and washer made of stainless steel AISI 304. FEATURES: Max tightening torque 4 Kg·m.

BOX QUANTITY: 24 pieces.


ON REQUEST:


- Brackets: In reinforced polypropylene, other colours.
- Box quantity: According to your request.


Part. **216** Guide rail bracket

(with metal adjustable head)









Df	
Bore for pin of	Code
(mm)	
14 - 16	216 / 80759

MATERIALS: Bracket and knob made out of reinforced polyamide black colour; head made out of stainless steel AISI 304; hexagonal insert made out of nickel plated brass; screw and washer made out of stainless steel AISI 304.

FEATURES: Possibility to use pins with diameter 14 and 16 mm. Max tightening torque 4 Kg·m.

BOX QUANTITY: 24 pieces.

- Brackets: In reinforced polypropylene, other colours.
- Box quantity: According to your request.







Guide rail bracket


(with metal adjustable head)

Part. 218



Presetting for drip tray support (see on page 29)







La (9 mi	m slot)	La (11	mm slot)
Df		Df	
Bore for pin of	_ Code	Bore for pin o	<u>f</u> Co
(mm)		(mm)	
14 - 16	218 / 82113	14 - 16	218 / 8

14 - 16 218 / 82113 14 - 16 218 / 80663

MATERIALS: Bracket and knob made out of reinforced polyamide black colour; head made out of stainless steel AISI 304; hexagonal insert made out of nickel plated brass; screw and washer made out of stainless steel AISI 304.

FEATURES: Possibility to use pins with diameter 14 and 16 mm. Max tightening torque 4 Kg·m.

BOX QUANTITY: 24 pieces.


ON REQUEST:

- Brackets: In reinforced polypropylene, other colours.
- Box quantity: According to your request.


Guide rail bracket


Part. **244**

(reinforced type with metal adjustable head)



Presetting for drip tray support (see on page 29)







La (9 mm slot)		
Df		
Bore for pin of	Code	
(mm)		
14 - 16	244 / 87159	

La (11 mm slot)		
Df		
Bore for pin of	Code	
(mm)		
14 - 16	244 / 81007	

MATERIALS: Bracket and knob made out of reinforced polyamide black colour; head made out of stainless steel AISI 304; hexagonal insert made out of nickel plated brass; screw and washer made out of stainless steel AISI 304.

FEATURES: To be used for heavy applications, suitable in conveyors with more ways, both in accumulation and curve. Possibility to use pins with diameter 14 and 16 mm. Max tightening torque 4 Kg·m.

BOX QUANTITY: 24 pieces.

- Brackets: In reinforced polypropylene, other colours.
- Box quantity: According to your request.





Guide rail bracket


(reinforced type with adjustable head)

Part. 488











(see on page 29)

Df Bore for pin of	With positioning lip	Without positioning lip
(mm)	Code	Code
12	488 / 86193	488 / 86194
14	488 / 86195	488 / 86196
16	488 / 86197	488 / 86198


MATERIALS: Bracket and knob made of reinforced polyamide black colour; hexagonal insert made of nickel plated brass; eyebolt, screw, nut and washers made of stainless steel AISI 304. FEATURES: Max tightening torque 4 Kg·m.


BOX QUANTITY: 24 pieces.


ON REQUEST:

- Brackets: In reinforced polypropylene, other colours.
 Box quantity: According to your request.

Part. **489 Guide rail bracket**







Without positioning lip



drip tray support (see on page 29)

Df Bore for pin of	With positioning lip	Without positioning lip
(mm)	Code	Code
12	489 / 86199	489 / 87000
14	489 / 87001	489 / 87002
16	489 / 87003	489 / 87004

MATERIALS: Bracket and knob made of reinforced polyamide black colour; hexagonal insert made of nickel plated brass; eyebolt, screw, nut and washers made of stainless steel AISI 304. **FEATURES:** Max tightening torque 4 Kg·m.

BOX QUANTITY: 24 pieces.

- Brackets: In reinforced polypropylene, other colours.
 Box quantity: According to your request.




Guide rail bracket


(reinforced type with metal adjustable head)
















Df Bore for pin of	With positioning lip	Without positioning lip
(mm)	Code	Code
16	490 / 87005	490 / 87006

MATERIALS: Bracket and knob made of reinforced polyamide black colour; head made out of stainless steel AISI 304; hexagonal insert made of nickel plated brass; eyebolt and washer made of stainless steel AISI 304.

FÉATURES: Max tightening torque 4 Kg·m.

BOX QUANTITY: 24 pieces.


ON REQUEST:

- Brackets: In reinforced polypropylene, other colours.
- Box quantity: According to your request.


Guide rail bracket


Part. 491


(reinforced type with adjustable head)



Presetting for drip tray support (see on page 29)









Df Bore for pin of	With positioning lip	Without positioning lip
(mm)	Code	Code
12	491 / 87007	491 / 87008
14	491 / 87009	491 / 87010
16	491 / 87011	491 / 87012

MATERIALS: Bracket and knob made of reinforced polyamide black colour; hexagonal insert made of nickel plated brass; eyebolt, nut and washer made of stainless steel AISI 304. FEATURES: Max tightening torque 4 Kg·m.


BOX QUANTITY: 24 pieces.


- Brackets: In reinforced polypropylene, other colours.
 Box quantity: According to your request.



Part. **255** Guide rail bracket (reinforced type with adjustable head)









Df	
Bore for pin of	Code
(mm)	
12	255 / 81008
14	255 / 81009
16	255 / 81010

MATERIALS: Bracket and head made of reinforced polyamide black colour; eyebolt, nut and washer made of stainless steel AISI 304.


FEATURES: To be used for heavy applications, suitable in conveyors with more ways, both in accumulation and curve. Max tightening torque 4 Kg·m. **BOX QUANTITY:** 24 pieces.


ON REQUEST:


- Brackets: In reinforced polypropylene, other colours.
- Box quantity: According to your request.

Part. **219** Guide rail bracket (with adjustable head)









Df Bore for pin of	La (9 mm slot)	La (11 mm slot)
(mm)	Code	Code
12	219 / 82114	219 / 80664
14	219 / 82115	219 / 80665
16	219 / 82116	219 / 80666

MATERIALS: Bracket and head made of reinforced polyamide black colour; eyebolt, nut and washer made of stainless steel AISI 304. FEATURES: Max tightening torque 4 Kg·m.


BOX QUANTITY: 24 pieces.

- · Brackets: In reinforced polypropylene, other colours.
- Box quantity: According to your request.





Guide rail bracket (with adjustable head)

Part. **217**



Presetting for drip tray support (see on page 29)







Df	
Bore for pin of	Code
(mm)	
12	217 / 80760
14	217 / 80761
16	217 / 80762

MATERIALS: Bracket and head made of reinforced polyamide black colour; eyebolt, nut and washer made of stainless steel AISI 304.

FEATURES: Max tightening torque 4 Kg·m.


BOX QUANTITY: 24 pieces.

ON REQUEST:


- Brackets: In reinforced polypropylene, other colours.
- Box quantity: According to your request.


Guide rail bracket (for adjustable heads)

Part. **209**



Presetting for drip tray support (see on page 29)







Cor	de
209 / 8	0754

MATERIALS: Bracket made out of reinforced polyamide black colour. FEATURES: To be used with heads Part.221, 222, 223 and 266. BOX QUANTITY: 24 pieces.


- Brackets: In reinforced polypropylene, other colours.
- Box quantity: According to your request.





Part. **220**

Guide rail bracket (for adjustable heads)









La (9 mm slot)	La (11 mm slot)
Code	Code
220 / 82111	220 / 80667

MATERIALS: Bracket made out of reinforced polyamide black colour.

FEATURES: To be used with heads Part. 221, 222, 223 and 266.

BOX QUANTITY: 24 pieces.


ON REQUEST:


- Brackets: In reinforced polypropylene, other colours.Box quantity: According to your request.

Part. **242 Guide rail bracket**

(reinforced type for adjustable head)









Code 242 / 81002

MATERIALS: Bracket made of reinforced polyamide black colour.

FEATURES: To be used with heads Part.221, 222, 223 and 266 for heavy applications. Suitable in conveyors with more ways, both in accumulation and curve. BOX QUANTITY: 24 pieces.


- Brackets: In reinforced polypropylene, other colours.
- Box quantity: According to your request.



Guide rail bracket

(reinforced type for adjustable heads)

Part. **486**



With positioning lip	Without positioning lip
Code	Code
486 / 86189	486 / 86190


MATERIALS: Bracket made out of reinforced polyamide black colour. FEATURES: To be used with heads Part.221, 222, 223 and 266.

BOX QUANTITY: 24 pieces.

ON REQUEST:

- Brackets: In reinforced polypropylene, other colours. Box quantity: According to your request.

Spacer for bracket Part. 487



With positioning lip	Without positioning lip
Code	Code
487 / 86191	487 / 86192


MATERIALS: Spacer made of reinforced polyamide black colour. FEATURES: Accessory to be used with brackets Part.486, 488, 489, 490, 491. BOX QUANTITY: 24 pieces.

- Spacers: In reinforced polypropylene, other colours.
- Box quantity: According to your request.



Part. 224 **Spacer for bracket**







Code 224 / 80676

MATERIALS: Spacer made of reinforced polyamide black colour.

FEATURES: Accessory to be used with brackets Part. 215, 218, 219, 220, 242, 243, 244, 255, 280, 281.


BOX QUANTITY: 24 pieces.


ON REQUEST:

- **Spacers:** In reinforced polypropylene, other colours.
- Box quantity: According to your request.

Spacer for bracket Part. **225**







Code 225 / 80677

MATERIALS: Spacer made of reinforced polyamide black colour.

FEATURES: Accessory to be used with brackets Part.213, 214, 216, 217, 209, 279.


BOX QUANTITY: 24 pieces.


ON REQUEST:

- Spacers: In reinforced polypropylene, other colours.Box quantity: According to your request.

Spacer for bracket Part. **530**







Code 530 / 87752

MATERIALS: Spacer made of reinforced polyamide black colour.


FEATURES: Accessory to be used with brackets Part. 215, 218, 219, 220, 242, 243, 244, 255, 280, 281. BOX QUANTITY: 24 pieces.

- Spacers: In reinforced polypropylene, other colours.
- Box quantity: According to your request.



Drip tray support

Part. **236**



L	В	A	Type 1	
(mm)	(mm)	(mm)	Code	
180	35	27	236 / 80779	
180	35	17	236 / 81012	
230	35	27	236 / 82683	
310	35	18	236 / 88679	NE

(mm)

13

/ 88679	NEV
/pe 3	
- a d a	

236 / 82640

L	В	Type 2
(mm)	(mm)	Code
200	35	236 / 80780
246	35	236 / 81013

L	В	Α	Type 4
(mm)	(mm)	(mm)	Code
280	35	27	236 / 82949



MATERIALS: Support elements made of stainless steel AISI 304; body of coupling made of reinforced polyamide black colour.

FEATURES: To be used to support drip trays.

BOX QUANTITY: 24 pieces.

(mm)


35

ON REQUEST:

(mm)

250

- Drip tray supports: Supplied in different shapes and sizes.
- Box quantity: According to your request.



MATERIALS: Plate made of reinforced polyamide black colour; washer made of stainless steel AISI 304. FEATURES: For application on conveyor side to fasten drip tray support. BOX QUANTITY: 24 pieces.

ON REQUEST:

• Box quantity: According to your request.





Part. 387

Bracket 90°

(70 mm x 70 mm)







Code 387 / 84128

MATERIALS: Bracket in stainless steel AISI 304. BOX QUANTITY: 24 pieces. ON REQUEST:


• Box quantity: According to your request.


Part. **392**

Bracket 90°

(70 mm x 140 mm)







Code 392 / 84130

MATERIALS: Bracket in stainless steel AISI 304. BOX QUANTITY: 24 pieces.

ON REQUEST:


• Box quantity: According to your request.


Part. **436**

Bracket 90°

(83 mm x 98 mm)








Code 436 / 85215

MATERIALS: Bracket in stainless steel AISI 304. BOX QUANTITY: 24 pieces. ON REQUEST:

• Box quantity: According to your request.

ergo Components


Example of application



Example of application

Guide rail bracket

Part. 408



Dp Pin diameter	Н	Code
(mm)	(mm)	
12	49	408 / 84337
14	47	408 / 84338
16	46	408 / 84339
20	43	408 / 88698

MATERIALS: Bracket, eyebolt and nut made of stainless steel AISI 304.


FEATURES: Supplied complete with bolts and nuts.

BOX QUANTITY: 8 pieces.

ON REQUEST:

- Box quantity: According to your request.
- Assembly of: Eyebolts, nuts.

Guide rail bracket (standard version) Part. 408



Dp Pin diameter	Н	Code	
(mm)	(mm)		
12	49	408 / 84334	-
14	47	408 / 84335	
16	46	408 / 84336	
20	43	408 / 88700	NEW


MATERIALS: Bracket, eyebolt and nut made of stainless steel AISI 304. FEATURES: Supplied complete with bolts and nuts.

BOX QUANTITY: 8 pieces.

- Box quantity: According to your request.
- Assembly of: Eyebolts, nuts.



Part. **442** Guide rail bracket




Example of application


Code 442 / 85242

MATERIALS: Bracket made of stainless steel AISI 304. BOX QUANTITY: 24 pieces. ON REQUEST:

• Box quantity: According to your request.

Part. **441** Guide rail bracket






MATERIALS: Bracket made of stainless steel AISI 304. BOX QUANTITY: 24 pieces. ON REQUEST:

• Box quantity: According to your request.


Example of application



Tightening eyebolts




Example of application



Tightening eyebolt (with knob)

Part. **406**



Dp Pin diameter	Н	Code
(mm)	(mm)	
12	15,5	406 / 84328
14	16,5	406 / 84329
16	17,5	406 / 84330

MATERIALS: Eyebolt and washers made of stainless steel AISI 304, threaded bushing in nickel plated brass; knob in reinforced polyamide black colour. FEATURES: Supplied complete with bolts and nuts.

BOX QUANTITY: 24 pieces.


ON REQUEST:

- Assembly of: Eyebolts, washers and nuts.
- Box quantity: According to your request.

Tightening eyebolt


(with nut)

Part. **407**





Examp	e of	app	lication



Dp Pin diameter	H	Code
(mm)	(mm)	
12	15,5	407 / 84331
14	16,5	407 / 84332
16	17,5	407 / 84333

MATERIALS: Eyebolt, washers and nuts made of stainless steel AISI 304. FEATURES: Supplied complete with bolts and nuts.

BOX QUANTITY: 24 pieces.


- Assembly of: Eyebolts, washers and nuts. Box quantity: According to your request.




Heads for brackets

Part. 222 **Head for bracket**







Df	
Bore for pin of	Code
(mm)	
12	222 / 80671
14	222 / 80672
16	222 / 80673


MATERIALS: Head made of reinforced polyamide black colour; eyebolt, nut and washer made of stainless steel AISI 304. FEATURES: To be used with bracket Part.209, 220, 242, 441, 442, 486. Max tightening torque 4 Kg·m. BOX QUANTITY: 24 pieces.


ON REQUEST:

- Heads: In reinforced polypropylene, other colours.
- Box quantity: According to your request.

Head for bracket Part. **221**







Df	
Bore for pin of	Code
(mm)	
12	221 / 80668
14	221 / 80669
16	221 / 80670

MATERIALS: Head made of reinforced polyamide black colour; eyebolt, screw, nut and washers made of stainless steel AISI 304. FEATURES: To be used with bracket Part.209, 220, 242, 441, 442, 486. Max tightening torque 4 Kg·m. **BOX QUANTITY**: 24 pieces.


ON REQUEST:


- Heads: In reinforced polypropylene, other colours.Box quantity: According to your request.

Head for bracket Part. **266**

(high type)







Df	
Bore for pin of	Code
(mm)	_
12	266 / 82035
14	266 / 82036
16	266 / 82037

MATERIALS: Head made of reinforced polyamide black colour; eyebolt, nuts and washer made of stainless steel AISI 304. FEATURES: To be used with bracket Part.209, 220, 242, 441, 442, 486. Max tightening torque 4 Kg·m. BOX QUANTITY: 24 pieces.

- Heads: Made of reinforced polypropylene, other colours.
- Box quantity: According to your request.


Heads for brackets


Components

Head for bracket

(metal)

Part. **223**







MATERIALS: Head made out of stainless steel AISI 304; screw and washer made out of stainless steel AISI 304.

FEATURES: To be used with Part.209, 220, 242, 441, 442, 486. Max tightening torque 4 Kg·m. Possibility to use pins with diameter 12.7, 14, 16 mm and 1/2". BOX QUANTITY: 24 pieces.

ON REQUEST:


- Heads: In different lengths.
- Box quantity: According to your request.


Spacer for heads Part. 256 **Example of application** ø30.5 N.B.: To use the spacer, it is necessary to change the standard screw with a longer one Code 256 / 81011 MATERIALS: Spacer made of reinforced polyamide black colour. FEATURES: Accessory to be used on brackets Part.214, 215, 216, 209, 220, 242, 218, 243, 244, 279, 280, 281, 486, 488, 489, 490 to increase heads height. BOX QUANTITY: 24 pieces.

ON REQUEST:

- **Spacers:** In reinforced polypropylene, other colours.
- Box quantity: According to your request.

Part. **526** Eyebolt







MATERIALS: Eyebolt in stainless steel AISI 304.

FEATURES: To be used with Part.213, 214, 215, 217, 219, 221, 222, 227, 243, 247, 255, 266, 279, 280, 281, 312, 406, 407, 408, 488, 489, 491. Possibility to use pins with diameter 12.7, 14, 16, 20 mm and 1/2".

BOX QUANTITY: 24 pieces.


ON REQUEST:


• Box quantity: According to your request.



Part. 226 Knob for bracket







M	Code	
M8	226 / 81147	
M10	226 / 80678	
M12	226 / 81148	

MATERIALS: Knob made of reinforced polyamide black colour; threaded bushing made of nickel plated brass.

FEATURES: Accessory to be used with heads Part.221 and 266.


BOX QUANTITY: 24 pieces.


ON REQUEST:

- Knobs: In reinforced polypropylene, other colours.
- Box quantity: According to your request.

Part. 227 Knob for bracket







Code 227 / 80679

MATERIALS: Knob made of reinforced polyamide black colour; threaded bushing made of nickel plated brass.

FEATURES: Accessory to be used with heads Part 221 and 266.


BOX QUANTITY: 24 pieces.


ON REQUEST:

- Knobs: In reinforced polypropylene, other colours.
- Box quantity: According to your request.

Part. 228 Knob for bracket







Code		
228 / 80680		

MATERIALS: Knob made of reinforced polyamide black colour; threaded bushing made of nickel plated brass.

FEATURES: Accessory to be used with head Part.223.


BOX QUANTITY: 24 pieces.


- Knobs: In reinforced polypropylene, other colours.
- Box quantity: According to your request.



Knob for bracket Part.

Part. **246**







M	Code	
M8	246 / 84473	
M10	246 / 81135	
M12	246 / 84870	

MATERIALS: Knob made of reinforced polyamide black colour; threaded bushing is made of nickel plated brass.


FEATURES: Accessory to be applied to our heads Part.221 and Part.266.


BOX QUANTITY: 24 pieces.

ON REQUEST:

- Knobs: In reinforced polypropylene, other colours.
- Box quantity: According to your request.

Knob for bracket (reinforced type) Part. **247**







Code	
247 / 81137	

MATERIALS: Knob made of reinforced polyamide black colour; threaded bushing made of nickel plated brass.

FEATURES: Accessory to be applied to our heads Part.221 and Part.266.

BOX QUANTITY: 24 pieces.


ON REQUEST:

- Knobs: In reinforced polypropylene, other colours.
- Box quantity: According to your request.

Knob for bracket Part. 248

(reinforced type)







MATERIALS: Knob made of reinforced polyamide black colour; threaded insert made of nickel plated brass.

FEATURES: Accessory to be applied to our head Part 223.


BOX QUANTITY: 24 pieces.


- Knobs: In reinforced polypropylene, other colours.
- Box quantity: According to your request.



Part. **313** Knob for bracket (short type)







Code			
313 / 82848			

MATERIALS: Knob made of reinforced polyamide orange colour; threaded bushing made of nickel plated brass.

FEATURES: Accessory to be used with heads Part.221 and 266.


BOX QUANTITY: 24 pieces.


ON REQUEST:

- Knobs: In reinforced polypropylene, other colours.
- Box quantity: According to your request.

Part. **314** Knob for bracket (short type)







Code 314 / 82849

MATERIALS: Knob made of reinforced polyamide orange colour; threaded bushing made of nickel plated brass.

FEATURES: Accessory to be used with heads Part.221 and 266.


BOX QUANTITY: 24 pieces.


ON REQUEST:

- Knobs: In reinforced polypropylene, other colours.
- Box quantity: According to your request.

Part. **315** Knob for bracket (short type)







Code 315 / 82850

MATERIALS: Knob made of reinforced polyamide orange colour; threaded bushing made of nickel plated brass. FEATURES: Accessory to be used with head Part.223.

BOX QUANTITY: 24 pieces.

- Knobs: In reinforced polypropylene, other colours.
- Box quantity: According to your request.



Round handle (ø 44 mm) Part. **386**



0 44


Code 386 / 84124


MATERIALS: Handle in reinforced polypropylene, orange colour.

FEATURES: To be used as protection for the pins edges; can be used with pin Part.301 (Dp = 16 mm.). **BOX QUANTITY:** 24 pieces.

ON REQUEST:

- Handles: in reinforced polypropylene, different colours.
- Box quantity: According to your request.





Round handle (Ø 44 mm)

Part. **334**



Code 334 / 83116


MATERIALS: Handle made of reinforced polyamide black colour; threaded bushing made of nickel plated brass.


FEATURES: Accessory to be used with heads Part.221 and 266.

BOX QUANTITY: 24 pieces.

ON REQUEST:

- · Handles: In reinforced polypropylene, other colours.
- Box quantity: According to your request.





Round handle (Ø 44 mm) Part. 337



MATERIALS: Handle made of reinforced polyamide black colour; threaded bushing made of nickel plated brass.

FEATURES: Accessory to be used with heads Part.221 and 266.

BOX QUANTITY: 24 pieces.

Code 337 / 83302

ON REQUEST:

- Handles: In reinforced polypropylene, other colours.
- Box quantity: According to your request.

Round handle (Ø 44 mm) Part. 338



338 / 83303 Lili [4] 9 J

MATERIALS: Handle made of reinforced polyamide black colour; threaded bushing made of nickel plated brass.

FEATURES: Accessory to be used with head Part.223. **BOX QUANTITY**: 24 pieces.


Code


- Handles: In reinforced polypropylene, other colours.
- Box quantity: According to your request.



Ball handle Part. **382**







Code	
382 / 84119	


MATERIALS: Ball handle made of reinforced polyamide, black colour; threaded bushing in nickel plated brass. BOX QUANTITY: 24 pieces.


ON REQUEST:

- Handles: Made in reinforced polypropylene, different colours. Box quantity: According to your request.

Part. 383 Knob







Code	
383 / 84120	


MATERIALS: Knob made of reinforced polyamide, black colour; threaded bushing in nickel plated brass. BOX QUANTITY: 24 pieces.

ON REQUEST:


- Knobs: In reinforced polypropylene, other colours, with customized brand. Box quantity: According to your request.

Part. **350** Knob









MATERIALS: Knob made of reinforced polyamide black colour; threaded bushing in nickel plated brass. BOX QUANTITY: 24 pieces.


ON REQUEST:


- Knobs: In reinforced polypropylene, other colours, with customized brand.
 Box quantity: According to your request.

Knob for bracket Part. **294**

(reinforced type)







D (mm)	L (mm)	Code
	22	294 / 82805
M10	22	294 / 82588

MATERIALS: Knob made of reinforced polyamide black colour; bolt made of stainless steel AISI 304.


FEATURES: Accessory to be used with head Part.223.


BOX QUANTITY: 24 pieces.

- Knobs: Made of reinforced polypropylene, in other colours, with bolts of different length and diameter.
- Box quantity: According to your request.



"T"- handle Part. 303







Code 303 / 82806

MATERIALS: Handle is made of reinforced polyamide black colour; threaded bushing is made of nickel plated brass.


FEATURES: Accessory to be used with heads Part.221 and 266.


BOX QUANTITY: 24 pieces.

ON REQUEST:

- Handles: made of reinforced polypropylene, other colours.
- Box quantity: According to your request.

"T"- handle Part. 304







Code 304 / 82807


MATERIALS: Handle is made of reinforced polyamide black colour; threaded bushing is made of nickel plated brass. FEATURES: Accessory to be used with heads Part, 221 and 266.

BOX QUANTITY: 24 pieces.

ON REQUEST:

- Handles: made of reinforced polypropylene, other colours.
- Box quantity: According to your request.

"T"- handle Part. 305





Code 305 / 82808


MATERIALS: Handle is made of reinforced polyamide black colour; threaded bushing is made of nickel plated brass. FEATURES: Accessory to be used with heads Part.223.

BOX QUANTITY: 24 pieces.

- Handles: made of reinforced polypropylene, other colours.
- Box quantity: According to your request.



Part. **397** Ratchet handle clamping



MATERIALS: Handle made of reinforced polyamide black colour; threaded insert made of stainless steel AISI 304. BOX QUANTITY: 24 pieces.

ON REQUEST:

• Box quantity: According to your request.

Part. **400** Ratchet handle clamping




MATERIALS: Handle made of reinforced polyamide black colour with push button in orange colour; threaded insert made of stainless steel AISI 304. BOX QUANTITY: 24 pieces.

ON REQUEST:

• Box quantity: According to your request.

Part. 332 Ratchet handle clamping




MATERIALS: Handle made of reinforced polyamide black colour with push button in orange colour; threaded insert made of zinc plated steel. BOX QUANTITY: 24 pieces.

- Handles: With threaded inserts M8, M10, M12, with different lengths; also available in stainless steel AISI 304.
- Box quantity: According to your request.



Guide rail clamp (for trapezoidal rails)

Part. 230






Dp Pin diameter	With pin	Without pin
(mm)	Code	Code
12	230 / 80684	
14	230 / 80685	230 / 80611
16	230 / 80686	

MATERIALS: Clamp made of reinforced polyamide black colour; pin, nut and washer made of stainless steel AISI 304. FEATURES: Supplied with or without support pin. With this item it is possible to use thickness 1,5 and 2 mm guides, by rotating for 90° the central plate: Part.353, 354, 377, 418, 419, 420, 446, 469, 485, 514. BOX QUANTITY: 24 pieces.

ON REQUEST:

- Clamps: In reinforced polypropylene, other colours.
- Box quantity: According to your request.



Guide rail clamp Part. 289 (for rectangular rails)




	Dp Pin diameter	With pin	Without pin
Ī	(mm)	Code	Code
	12	289 / 82569	
	14	289 / 82570	289 / 82572
	16	289 / 82571	

MATERIALS: Clamp made of reinforced polyamide black colour; pin, nut and washer made of stainless steel AISI 304. **FEATURES:** Supplied with or without support pin. To be used for the support of the product guide rail Part.373. BOX QUANTITY: 24 pieces.

ON REQUEST:

- Clamps: In reinforced polypropylene, other colours.
- Box quantity: According to your request.



Part. **229** (for round rails)

Guide rail clamp

Dp Pin diameter	With pin	Without pin
(mm)	Code	Code
12	229 / 80681	
14	229 / 80682	229 / 80609
16	229 / 80683	

MATERIALS: Clamp made of reinforced polyamide black colour; pin, nut and washer made of stainless steel AISI 304. FEATURES: Supplied with or without support pin.


BOX QUANTITY: 24 pieces.


- Clamps: In reinforced polypropylene, other colours.
- Box quantity: According to your request.




Part. **231**

Guide rail clamp (for round rails)









Dg Rail diameter	1	Code
(mm)	(mm)	
8	16	231 / 80749
10	15	231 / 80788
12	15	231 / 80687
14	15	231 / 80787


MATERIALS: Clamp made of reinforced polyamide black colour; bolts and nuts made of stainless steel AISI 304. FEATURES: Supplied assembled. To be used with flat support with sizes 25x8 mm. BOX QUANTITY: 24 pieces. ON REQUEST:


- Clamps: In reinforced polypropylene, other colours. Box quantity: According to your request.

Guide rail clamp Part. **232** (for trapezoidal rails)









232 / 80688

MATERIALS: Clamp made of reinforced polyamide black colour; bolts and nuts made of stainless steel AISI 304. FEATURES: Supplied assembled. To be used with flat support with sizes 25x8 mm. With this item it is possible to use thickness 1,5 and 2 mm guides: Part. 353, 354, 377, 418, 419, 420, 446, 469, 485, 514. BOX QUANTITY: 24 pieces.

ON REQUEST:

Code

- Clamps: In reinforced polypropylene, other colours.
- Box quantity: According to your request.


Part. **291 Guide rail clamp Example of application** (for rectangular rails) Rail for this type of clamp 26 25x8 Code 291 / 82578


MATERIALS: Clamp made of reinforced polyamide black colour; bolts and nuts made of stainless steel AISI 304. FEATURES: Supplied assembled. To be used with flat profile with sizes 25x8 mm. To be used for the support of the product guide rail Part.373. BOX QUANTITY: 24 pieces.


- Clamps: In reinforced polypropylene, other colours.
- Box quantity: According to your request.















With pin with bolts and nuts

Without pin with bolts and nuts

Without pin, bolts and nuts

Dp	Dg	With pin with bolts and nuts
Pin diameter (mm)	Rai l diameter (mm)	Code
	8	483 / 87024
12	10	483 / 87025
12	12	483 / 87026
	14	483 / 87027
	8	483 / 87028
14	10	483 / 87029
14	12	483 / 87030
	14	483 / 87031
	8	483 / 87032
16	10	483 / 87033
10	12	483 / 87034
	14	483 / 87035

ıts	Dg	Without pin with bolts and nuts		
	Rail diameter (mm)	Code		
	8	483 / 86156		
	10	483 / 86151		
	12	483 / 86152		
	14	483 / 86153		
	Da			
	Dg	Without pin, bolts and nuts		
	Rail diameter (mm)	Without pin, bolts and nuts Code		
	Rail diameter			
	Rail diameter (mm)	Code		
	Rail diameter (mm) 8	Code 483 / 87036		
	Rail diameter (mm) 8 10	Code 483 / 87036 483 / 87037		

MATERIALS: Clamp made of reinforced polyamide black colour; pin, bolts and nuts made of stainless steel AISI 304. FEATURES: Supplied with or without support pin and

with or without bolts and nuts.

BOX QUANTITY: 24 pieces.


ON REQUEST:


- Clamps: In reinforced polypropylene, other colours.
- Box quantity: According to your request.

Guide rail clamp


Part. 484

(for trapezoidal rails)










Without pin with bolts and nuts Without pin, bolts and nuts





MATERIALS: Clamp made of reinforced polyamide black colour; pin, bolts and nuts made of stainless steel AISI 304.

FEATURES: Supplied with or without support pin and with or without bolts and nuts. With this item it is possible to use thickness 1,5 and 2 mm guides: Part 353, 354 377, 418, 419, 420, 446, 469, 485, 514.

BOX QUANTITY: 24 pieces.


ON REQUEST:


- Clamps: In reinforced polypropylene, other colours.
- Box quantity: According to your request.


Dp	With pin with bolts and nuts	Without pin with bolts and nuts	Without pin, bolts and nuts
Pin diameter (mm)	Code	Code	Code
12	484 / 87040		
14	484 / 87041	484 / 86154	484 / 87043
16	484 / 87042		

Guide rail clamp (for rectangular rail)

Part. 290









Rail for this type of clamp



Dp	With pin with bolts and nuts	Without pin with bolts and nuts	Without pin, bolts and nuts
Pin diameter (mm)	Code	Code	Code
12	290 / 82573		
14	290 / 82574	290 / 82576	290 / 82577
16	290 / 82575		

MATERIALS: Clamp made of reinforced polyamide black colour; pin, bolts and nuts made of stainless steel AISI 304. FEATURES: Supplied with or without support pin. To be used for the support of the product guide rail Part.373. **BOX QUANTITY**: 24 pieces.


- Clamps: In reinforced polypropylene, other colours.
- Box quantity: According to your request.



Guide rail clamp

Part. 346

(for round rails)



MATERIALS: Clamp made of reinforced polyamide black colour; threaded insert in nickel plated brass; bolts and nuts in stainless steel AISI 304.


FEATURES: Designed appositely to be assembled directly on the pneumatic cylinder for the rails regulation. Supplied assembled.

BOX QUANTITY: 24 pieces.

ON REQUEST:

- Clamps: In reinforced polypropylene, other colours.
 Box quantity: According to your request.

Part. 347 **Guide rail clamp** (for trapezoidal rails)





MATERIALS: Clamp made of reinforced polyamide black colour; threaded insert in nickel plated brass; bolts and nuts in stainless steel AISI 304.

FEATURES: Designed appositely to be assembled directly on the pneumatic cylinder for the rails regulation. With this item it is possible to use thickness 1,5 and 2 mm guides: Part.353, 354, 377, 418, 419, 420, 446, 469, 485, 514. Supplied assembled.


BOX QUANTITY: 24 pieces.

- Clamps: In reinforced polypropylene, other colours.
- Box quantity: According to your request.










Example of application

Guide rail clamp (for round rails)

Part. 348





MATERIALS: Clamp made of reinforced polyamide black colour; threaded insert in nickel plated brass; bolts and nuts in stainless steel AISI 304.


FEATURES: Designed appositely to be assembled directly on the pneumatic cylinder for the rails regulation. Supplied assembled.

BOX QUANTITY: 24 pieces.

ON REQUEST:

- Clamps: In reinforced polypropylene, other colours.
- Box quantity: According to your request.

Guide rail clamp Part. 349 (for rectangular rails)




MATERIALS: Clamp made of reinforced polyamide black colour; threaded insert in nickel plated brass; bolts and nuts in stainless steel AISI 304. FEATURES: Designed appositely to be assembled directly on the pneumatic

cylinder for the rails regulation. To be used for the support of the product guide rail Part.373. Supplied assembled.


BOX QUANTITY: 24 pieces.

- Clamps: In reinforced polypropylene, other colours.
- Box quantity: According to your request.





Part. **301 Threaded pin**



Dp	L	М	Type 1
(mm)	(mm)	(mm)	Code
12	100	M8	301 / 86707
14	100	M8	301 / 82751
16	100	M8	301 / 86708

Dp	L	М	Type 2
(mm)	(mm)	(mm)	Code
12	117	M10	301 / 83304
12	150	M8	301 / 85381
12	167	M10	301 / 84869
12	217	M10	301 / 83871
14	117	M10	301 / 83305
16	117	M10	301 / 83306
16	121	M10	301 / 84109

MATERIALS: Pin made of stainless steel AISI 304.

- Type 1: Can be mounted both on guide rail clamps or on side guides;
- Type 2: Used for the mounting of Part. 289, 229, 230, 290, 204, 205.


BOX QUANTITY: 24 pieces.

ON REQUEST:

- Pins: In various lengths.
- Box quantity: According to your request.


Threaded pin for guide rail clamp Part. **460**






Screw M6

	Example	of	applicatio
\sim			





Dр Μ Code (mm) (mm) 460 / 85470 12 M10 460 / 85566 M10

MATERIALS: Pin made of stainless steel AISI 304. FEATURES: Supplied complete with bolts and nuts. BOX QUANTITY: 24 pieces.

ON REQUEST:


- Pins: In various lengths.
- Box quantity: According to your request.

Part. 398 Cap for pins









Dp	Н	L	- Code
(mm)	(mm)	(mm)	Code
12	17	21	398 / 84258
14	18	23	398 / 84259
16	20	25	398 / 85592

MATERIALS: Cap made of thermoplastic rubber. FEATURES: To be applied at the ends of the pins. BOX QUANTITY: 24 pieces.


ON REQUEST:

• Box quantity: According to your request.



Guide rail clamp

Part. **204**



Dp	Dg	With pin with bolts and nuts
Pin diameter (mm)	Rail diameter (mm)	Code
	8	204 / 80798
12	10	204 / 80799
12	12	204 / 80800
	14	204 / 80801
	8	204 / 80802
14	10	204 / 80803
14	12	204 / 80804
	14	204 / 80805
	8	204 / 80806
16	10	204 / 80807
16	12	204 / 80808
	14	204 / 80809

Dg	Without pin with bolts and nuts	
Rail diameter (mm)	Code	
8	204 / 80810	
10	204 / 80811	
12	204 / 80812	
14	204 / 80813	

Dg	Without pin, bolts and nuts
Rail diameter (mm)	Code
8	204 / 80978
10	204 / 80979
12	204 / 80980
14	204 / 80981

MATERIALS: Clamp made of reinforced polyamide black colour; pin, bolts and nuts made of stainless steel AISI 304.


FEATURES: Supplied with or without support pin and with or without bolts and nuts.

BOX QUANTITY: 24 pieces.

ON REQUEST:

- Clamps: In reinforced polypropylene, other colours.
- Box quantity: According to your request.

Guide rail clamp (for trapezoidal rails) Part. **205**



Dp	With pin with bolts and nuts	Without pin with bolts and nuts	Without pin, bolts and nuts
Pin diameter (mm)	Code	Code	Code
12	205 / 80814		
14	205 / 80815	205 / 80817	205 / 80982
16	205 / 80816		

MATERIALS: Clamp made of reinforced polyamide black colour; pin, bolts and nuts made of stainless steel AISI 304.

FEATURES: Supplied with or without support pin and with or without bolts and nuts. With this item it is possible to use thickness 1,5 and 2 mm guides: Part.353, 354, 377, 418, 419, 420, 446, 469, 485, 514.

BOX QUANTITY: 24 pieces.


- Clamps: In reinforced polypropylene, other colours.
- **Box quantity:** According to your request.





Part. 412 Guide rail clamp







Н	Code	
15	412 / 84487	
20	412 / 87351	

MATERIALS: Clamp, bolts and nuts made of stainless steel AISI 304.

FEATURES: With this item it is possible to use thickness 1,5 and 2 mm guides: Part.353, 354, 377, 418, 419, 420, 446, 469, 485, 514.

BOX QUANTITY: 24 pieces.


ON REQUEST:


- Box quantity: According to your request.
- Assembly of: Bolts and nuts.

Part. 413 Guide rail clamp

(for connection)







Н	Code	
15	413 / 84488	
20	413 / 87361	

MATERIALS: Clamp, bolts and nuts made of stainless steel AISI 304.

FEATURES: With this item it is possible to use thickness 1,5 and 2 mm guides: Part.353, 354, 377, 418, 419, 420, 446, 469, 485, 514.

BOX QUANTITY: 24 pieces.


ON REQUEST:

- Box quantity: According to your request.
- Assembly of: Bolts and nuts.

Part. **521** Guide rail clamp

(for Part.501, 502)





Material	Code
Zinc plated steel	521 / 87310
Stainless steel AISI 304	521 / 87311


MATERIALS: Clamp made in zinc plated steel or in stainless steel AISI 304.


FEATURES: To be used with Part.501, 502. If mounted on double, triple or quadruple type side guides, use a suitable spacer (see drawing opposite).

BOX QUANTITY: 24 pieces.


ON REQUEST:

• Box quantity: According to your request.






Example of application




Example of applications


Double type side guide




Triple type side guide




Quadruple type side guide






Example of application




Example of application



Guide rail clamp

Components (double) Part. 410



MATERIALS: Clamp made of stainless steel AISI 304.

FEATURES: With this item it is possible to use thickness 1,5 and 2 mm guides: Part.353, 354, 377, 418, 419, 420, 446, 469, 485, 514.


BOX QUANTITY: 24 pieces.

Code 410 / 84485

ON REQUEST:

• Box quantity: According to your request.

Part. **411 Guide rail clamp**





MATERIALS: Clamp made of stainless steel AISI 304.

FEATURES: With this item it is possible to use thickness 1,5 and 2 mm guides: Part.353, 354, 377, 418, 419, 420, 446, 469, 485, 514.

BOX QUANTITY: 24 pieces.

ON REQUEST:

Code 411 / 84486

Box quantity: According to your request.

Guide rail clamp Part. 405 (for round rails) 100 Wrench 17

	With pin			
Dp Pin diameter	With pin	Without pin		
(mm)	Code	Code		
12	405 / 84327			
14	405 / 84442	405 / 85101		
16	405 / 84443			

MATERIALS: Clamp, mounting plate, nut and threaded pin made of stainless steel AISI 304. **FEATURES:** Supplied with or without pin.

BOX QUANTITY: 24 pieces.

ON REQUEST:

- Box quantity: According to your request.
- Assembly of: Bolts and nuts.




Without pin



Guide rail clamp Part. **424**





Code 424 / 84961


MATERIALS: Clamp, bolts and nuts in stainless steel AISI 304. BOX QUANTITY: 24 pieces.

ON REQUEST:

- Box quantity: According to your request.Assembly of: Bolts and nuts.

Guide rail clamp Part. 443






Dg Rail diameter		ØA	В	C
(mm)	Code	(mm)	(mm)	(mm)
10	443 / 87657	21	17.5	20
12	443 / 85275	21	18.5	22
14	443 / 87658	21	19.5	24


MATERIALS: Clamp made of stainless steel AISI 304. BOX QUANTITY: 24 pieces. ON REQUEST:

• Box quantity: According to your request.

Example of application




Example of application






Example of application




Example of application



Guide rail clamp (for round rails)

Part. **440**





Dg	
Rail diameter	
(mm)	Code
12	440 / 85240

MATERIALS: Clamp, bolts and nuts in stainless steel AISI 304.

FEATURES: Supplied with bolts and nuts.


BOX QUANTITY: 24 pieces.

ON REQUEST:

Box quantity: According to your request.

Guide rail clamp (for trapezoidal rails)

Part. 439





439 / 85239

MATERIALS: Clamp, bolts and nuts in stainless steel AISI 304.

FEATURES: With this item it is possible to use thickness 1,5 and 2 mm guides: Part.353, 354, 377, 418, 419, 420, 446, 469, 485, 514. Supplied with bolts and nuts.

BOX QUANTITY: 24 pieces.


Code

ON REQUEST:

• Box quantity: According to your request.



Cross clamp Part. **470**




Bore for pin of		- Version with	Version without	
Df1	Df2		bolts and nuts	
round	round	טטונג מווע ווענג	טטונג מווע ווענג	
(mm)	(mm)	Code	Code	
16	16	470 / 85598	470 / 86710	
16	20	470 / 85599	470 / 86711	
20	20	470 / 85600	470 / 86712	

MATERIALS: Clamp, bolts and nuts in stainless steel AISI 304. BOX QUANTITY: 24 pieces.

ON REQUEST:

• Box quantity: According to your request.

Guide rail clamp Part. **531**




Dp Pin diameter	With pin	Without pin
(mm)	Code	Code
12	531 / 87758	
14	531 / 87759	531 / 87761
16	531 / 87760	

MATERIALS: Clamp, threaded pin, washer and nut in stainless steel AISI 304. FEATURES: Supplied with or without pin. To be used with side guide Part. 528. BOX QUANTITY: 24 pieces.


ON REQUEST:


- Assembling of: Pins, washers and nuts. Box quantity: According to your request.

Example of application




Example of application






Example of application



Guide rail clamp






	· · · · · · · · · · · · · · · · · · ·	
Dp Pin diameter	With pin	Without pin
(mm)	Code	Code
12	427 / 85097	
14	427 / 85098	427 / 85009
16	427 / 85099	

MATERIALS: Clamp, threaded pin, washer and nut in stainless steel AISI 304. **FEATURES:** Supplied with or without pin. To be used with side guides Part. 425, 426, 463. BOX QUANTITY: 24 pieces.

ON REQUEST:

- Assembling of: Pins, washers and nuts.
- Box quantity: According to your request.



	p	
Dp Pin diameter	With pin	Without pin
(mm)	Code	Code
12	434 / 85093	
14	434 / 85094	434 / 85100
16	434 / 85095	

MATERIALS: Clamp is made of reinforced polyamide; threaded pin, washer and nut in stainless steel AISI 304. FEATURES: Supplied with or without pin. To be used with side guides Part. 425, 426, 463. BOX QUANTITY: 8 pieces.

- Assembling of: Pins, washers and nuts.
- Box quantity: According to your request.





Part. **206**

Clamp support for photocells

(for photocells and reflectors)







Df Bore for pin of (mm)	Code
12	206 / 82010 (can be used also with square pins 10x10)
14	206 / 80818
15	206 / 80819
16	206 / 80820
18	206 / 80821
20	206 / 80822

MATERIALS: Clamp made of reinforced polyamide black colour; bolts and nuts made of stainless steel AISI 304. FEATURES: Possibility of assembly in various positions.

BOX QUANTITY: 24 pieces.


- Clamps: In reinforced polypropylene, other colours. Box quantity: According to your request.






Part. **237**

With blocking pin




Without blocking pin (Suitable to support guide)

Example of application



Clamp (to support rails and photocells)







Bore fo	r pin of		
Df	Qf	Without blocking pin	With blocking pin
round	square		
(mm)	(mm)	Code	Code
10	8	237 / 80958	237 / 80961
12	10	237 / 80959	237 / 80962
14	12	237 / 80960	237 / 80963

Clamp support for photocells

Part. **240**





Type 1 (For photocells)

Type 2 (For reflectors)

Bore for pin of		- Tupo 1	Tuno 2	
Df	Qf	- Type 1 (for photocells)	Type 2 (for reflectors)	
round	square	(for priotocells)	(101 Tellectors)	
(mm)	(mm)	Code	Code	
10	8	240 / 80996	240 / 80997	
12	10	240 / 80998	240 / 80999	
14	12	240 / 81000	240 / 81001	

MATERIALS: Clamp made of reinforced polyamide black colour; screw and nuts made of stainless steel AISI 304.

FEATURES: This part can be used with round and square pins either.

BOX QUANTITY: 24 pieces.


- Clamps: In reinforced polypropylene, other colours.
- Box quantity: According to your request.



Part. **238**

"T" clamp

(to support rails and photocells)



Bore for	pin of	
Df	Qf	Code
round	square	Code
(mm)	(mm)	
10	8	238 / 80985
12	10	238 / 80986
14	12	238 / 80987

MATERIALS: Clamp made of reinforced polyamide black colour; screw and nuts made of stainless steel AISI 304.

FEATURES: This part can be used with round and square pins either.

BOX QUANTITY: 24 pieces.


ON REQUEST:


- Clamps: With different bores sizes, in reinforced polypropylene, other colours.
- Box quantity: According to your request.

Part. 324 Spacer for clamp

(for "T" clamp Part. 238)








Code 324 / 82971

MATERIALS: Spacer made of reinforced polyamide black colour. FEATURES: Accessory to be applied to "T" clamp Part.238. BOX QUANTITY: 24 pieces.


ON REQUEST:

- Spacers: In reinforced polypropylene, other colours.
- Box quantity: According to your request.

Example of applications




To support photocells



To support guide


Example of application





Part. 239

Example of application



Example of application

23 Φ Df1 Φ Qf1 Φ Qf2 Φ Df2

Cross clamp


Bore fo	or pin of	Bore fo	r pin of	
Df1	Qf1	Df2	Qf2	Code
round	square	round	square	Code
(mm)	(mm)	(mm)	(mm)	
10	8	10	8	239 / 80993
12	10	12	10	239 / 80994
14	12	14	12	239 / 80995

MATERIALS: Clamp made of reinforced polyamide black colour; bolts and nuts made of stainless steel AISI 304. FEATURES: This part can be used with round and square pins either.

BOX QUANTITY: 24 pieces.

ON REQUEST:

- Clamps: With different bores sizes, in reinforced polypropylene, other colours.
- Box quantity: According to your request.



Bore fo	r pin of	Bore fo	r pin of	
Df1	Qf1	Df2	Qf2	Code
round	square	round	square	Code
(mm)	(mm)	(mm)	(mm)	
14	12	14	12	241 / 80988
15	-	15	-	241 / 80989
16	-	16	-	241 / 80990
18	-	18	-	241 / 80991
20	-	20	-	241 / 80992

MATERIALS: Clamp made of reinforced polyamide black colour; bolts and nuts made of stainless steel AISI 304. FEATURES: This part can be used with round and square pins either, only in the version Df1 14. BOX QUANTITY: 24 pieces.

- Clamps: With different bores sizes, in reinforced polypropylene, other colours.
- Box quantity: According to your request.