


GENERAL CATALOGUE 2023



teCom
Technology Components


The company



It has got a 30 years experience in the development and production of chains and components for movement and transport.

The articles in the present catalogue are designed, produced and tested in accordance with the best quality standards. Materials and productive process high technology permits to Tecom products at the world top in this field.

The technology




A sophisticated cad/cam system, very modern manufacturing facilities and an efficient storekeeping for finished goods enable us to match very high technology products and maximum reliability.

The flexibility, the high capacity of the productive resources and the warehouse dynamism enable us to guarantee an immediate availability of the products.



Conveyor components



Conveyor components designed for bottling and food industry, support bases, heads, brackets, guide rail clamps produced in engineering resin and available with stainless steel or zinc plated bolts and nuts.



Special products



Special products on request: chains and accessories, roller chains, cardanic chains, sprockets for chains, corner and straight tracks, etc.



Self-aligning bearing supports



Self-aligning bearing supports made out of engineering resin, resistant to corrosion, ideal for food and pharmaceutical industry.



Supporting and levelling components



Supporting elements made out of engineering resin, zinc plated steel and stainless steel, threaded bushings for round and square tubes, suitable to any kind of application.



Conveyor components

Part.	Pag.	Part.	Pag.	Part.	Pag.	Part.	Pag.	Part.	Pag.	Part.	Pag.
200	10	245	73	291	44	340	114	388	124	434	55
201	10	246	37	293	74	341	114	389	138	435	61
202	11	247	37	294	40	342	115	390	139	436	30
203	11	248	37	296	71	343	115	391	139	437	111
204	49	249	73	297	60	344	118	392	30	438	133
205	49	250	70	299	145	345	116	393	124	439	53
206	56	251	71	300	84	346	46	394	124	440	53
207	13	252	72	301	48	347	46	395	124	441	32
208	12	253	72	302	70	348	47	397	42	442	32
209	25	254	75	303	41	349	47	398	48	443	52
210	15	255	24	304	41	350	40	399	73	444	138
211	13	256	35	305	41	352	147	400	42	446	133
212	12	257	90	306	96	353	131	401	16	448	119
213	17	258	91	307	96	354	129	402	14	449	120
214	17	259	91	308	97	355	104	403	16	450	121
215	18	260	93	310	77	356	104	404	16	451	119
216	20	261	94	311	76	357	105	405	51	452	120
217	25	262	94	312	60	358	105	406	33	453	121
218	21	263	84	313	38	359	63	407	33	454	78
219	24	264	85	314	38	360	143	408	31	455	78
220	26	265	85	315	38	361	150	409	14	456	79
221	34	266	34	316	144	362	150	410	51	457	79
222	34	267	63	317	84	363	150	411	51	458	82
223	35	268	77	318	110	364	150	412	50	459	83
224	28	269	77	319	97	365	151	413	50	460	48
225	28	270	66	320	108	366	151	414	87	461	140
226	36	271	66	321	108	367	151	415	112	462	148
227	36	272	69	322	108	368	151	416	93	463	109
228	36	273	67	323	108	369	151	417	90	464	106
229	43	274	68	324	58	370	149	418	130	465	107
230	43	275	69	325	100	371	149	419	130	466	107
231	44	276	74	326	100	373	128	420	131	467	102
232	44	277	64	327	101	374	148	421	118	468	98
233	88	278	64	328	101	375	125	422	117	469	132
234	88	279	20	329	109	376	89	423	116	470	54
235	29	280	19	330	125	377	137	424	52	471	142
236	29	281	19	331	146	379	65	425	126	472	80
237	57	282	75	332	42	380	65	426	126	473	80
238	58	283	87	333	61	381	134	427	55	474	98
239	59	285	76	334	39	382	40	428	62	475	99
240	57	286	67	335	86	383	40	429	144	476	99
241	59	287	68	336	86	384	134	430	92	477	102
242	26	288	89	337	39	385	135	431	92	478	103
243	18	289	43	338	39	386	39	432	95	479	103
244	21	290	45	339	117	387	30	433	95	480	106

Bases

	Part. 200	pag. 10		Part. 201	pag. 10		Part. 202	pag. 11		Part. 203	pag. 11
---	-----------	---------	---	-----------	---------	--	-----------	---------	---	-----------	---------

Bearing heads

	Part. 212	pag. 12		Part. 208	pag. 12		Part. 211	pag. 13		Part. 207	pag. 13		Part. 409	pag. 14		Part. 402	pag. 14
---	-----------	---------	---	-----------	---------	---	-----------	---------	---	-----------	---------	---	-----------	---------	---	-----------	---------



Connecting joints

	Part. 210	pag. 15		Part. 210	pag. 15		Part. 403	pag. 16		Part. 404	pag. 16		Part. 401	pag. 16
---	-----------	---------	---	-----------	---------	---	-----------	---------	---	-----------	---------	---	-----------	---------

Guide rail brackets

	Part. 213	pag. 17		Part. 214	pag. 17		Part. 215	pag. 18		Part. 243	pag. 18		Part. 280	pag. 19		Part. 281	pag. 19		Part. 279	pag. 20
	Part. 216	pag. 20		Part. 218	pag. 21		Part. 244	pag. 21		Part. 488	pag. 22		Part. 489	pag. 22		Part. 490	pag. 23		Part. 491	pag. 23
	Part. 255	pag. 24		Part. 219	pag. 24		Part. 217	pag. 25		Part. 209	pag. 25		Part. 220	pag. 26		Part. 242	pag. 26		Part. 486	pag. 27
	Part. 487	pag. 27		Part. 224	pag. 28		Part. 225	pag. 28		Part. 530	pag. 28		Part. 236	pag. 29		Part. 235	pag. 29		Part. 387	pag. 30
	Part. 392	pag. 30		Part. 436	pag. 30		Part. 408	pag. 31		Part. 408	pag. 31		Part. 442	pag. 32		Part. 441	pag. 32			
























Tightening eyebolts

	
Part. 406 pag. 33	Part. 407 pag. 33

Heads for brackets

					
Part. 222 pag. 34	Part. 221 pag. 34	Part. 266 pag. 34	Part. 223 pag. 35	Part. 256 pag. 35	Part. 526 pag. 35

Knobs and handles

							
Part. 226 pag. 36	Part. 227 pag. 36	Part. 228 pag. 36	Part. 246 pag. 37	Part. 247 pag. 37	Part. 248 pag. 37	Part. 313 pag. 38	Part. 314 pag. 38
							
Part. 315 pag. 38	Part. 386 pag. 39	Part. 334 pag. 39	Part. 337 pag. 39	Part. 338 pag. 39	Part. 382 pag. 40	Part. 383 pag. 40	Part. 350 pag. 40
							
Part. 294 pag. 40	Part. 303 pag. 41	Part. 304 pag. 41	Part. 305 pag. 41	Part. 397 pag. 42	Part. 400 pag. 42	Part. 332 pag. 42	

Guide rail clamps

							
Part. 230 pag. 43	Part. 289 pag. 43	Part. 229 pag. 43	Part. 231 pag. 44	Part. 232 pag. 44	Part. 291 pag. 44	Part. 483 pag. 45	Part. 484 pag. 45
							
Part. 290 pag. 45	Part. 346 pag. 46	Part. 347 pag. 46	Part. 348 pag. 47	Part. 349 pag. 47	Part. 301 pag. 48	Part. 460 pag. 48	Part. 398 pag. 48
							
Part. 204 pag. 49	Part. 205 pag. 49	Part. 412 pag. 50	Part. 413 pag. 50	Part. 521 pag. 50	Part. 410 pag. 51	Part. 411 pag. 51	Part. 405 pag. 51
							
Part. 424 pag. 52	Part. 443 pag. 52	Part. 440 pag. 53	Part. 439 pag. 53	Part. 470 pag. 54	Part. 531 pag. 54	Part. 427 pag. 55	Part. 434 pag. 55

Clamps

					
Part. 206 pag. 56	Part. 237 pag. 57	Part. 240 pag. 57	Part. 238 pag. 58	Part. 324 pag. 58	Part. 239 pag. 59
					
Part. 241 pag. 59	Part. 297 pag. 60	Part. 312 pag. 60	Part. 435 pag. 61	Part. 333 pag. 61	

Shoes

		
Part. 428 pag. 62	Part. 267 pag. 63	Part. 359 pag. 63

Chain tensioners

	
Part. 277 pag. 64	Part. 278 pag. 64

Return rollers

						
Part. 379 pag. 65	Part. 380 pag. 65	Part. 270 pag. 66	Part. 271 pag. 66	Part. 273 pag. 67	Part. 286 pag. 67	Part. 287 pag. 68
						
Part. 274 pag. 68	Part. 275 pag. 69	Part. 272 pag. 69	Part. 520 pag. 69	Part. 302 pag. 70	Part. 250 pag. 70	Part. 251 pag. 71
						
Part. 296 pag. 71	Part. 252 pag. 72	Part. 253 pag. 72	Part. 249 pag. 73	Part. 245 pag. 73	Part. 399 pag. 73	Part. 293 pag. 74
						
Part. 525 pag. 74	Part. 276 pag. 74	Part. 254 pag. 75	Part. 524 pag. 75	Part. 282 pag. 75		

Idler wheels

							
Part. 311	pag. 76	Part. 529	pag. 76	Part. 285	pag. 76	Part. 310	pag. 77
							
Part. 268	pag. 77	Part. 269	pag. 77	Part. 455	pag. 78	Part. 454	pag. 78
							
Part. 457	pag. 79	Part. 456	pag. 79	Part. 472	pag. 80	Part. 473	pag. 80
							
Part. 535	pag. 81	Part. 523	pag. 81	Part. 458	pag. 82	Part. 459	pag. 83

Bearing supports

				
Part. 300	pag. 84	Part. 317	pag. 84	Part. 263
				
Part. 263	pag. 84	Part. 264	pag. 85	Part. 265

Bushings

			
Part. 336	pag. 86	Part. 335	pag. 86
			
Part. 335	pag. 86	Part. 414	pag. 87

Hinges

		
Part. 233	pag. 88	Part. 234
		
Part. 234	pag. 88	Part. 527






















































































Split shaft collars

	
Part. 288	pag. 89
	
Part. 376	pag. 89

Modular transfer plates

					
Part. 257	pag. 90	Part. 417	pag. 90	Part. 258	pag. 91
					
Part. 257	pag. 90	Part. 417	pag. 90	Part. 258	pag. 91
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					
Part. 260	pag. 93	Part. 416	pag. 93	Part. 432	pag. 95
					

Product guides and accessories

 Part. 306 pag. 96	 Part. 307 pag. 96	 Part. 308 pag. 97	 Part. 319 pag. 97	 Part. 468 pag. 98	 Part. 474 pag. 98
 Part. 475 pag. 99	 Part. 476 pag. 99	 Part. 325 pag. 100	 Part. 326 pag. 100	 Part. 327 pag. 101	 Part. 328 pag. 101
 Part. 467 pag. 102	 Part. 477 pag. 102	 Part. 478 pag. 103	 Part. 479 pag. 103	 Part. 355 pag. 104	 Part. 356 pag. 104
 Part. 357 pag. 105	 Part. 358 pag. 105	 Part. 464 pag. 106	 Part. 480 pag. 106	 Part. 482 pag. 107	 Part. 466 pag. 107
 Part. 465 pag. 107	 Part. 320 pag. 108	 Part. 321 pag. 108	 Part. 322 pag. 108	 Part. 323 pag. 108	 Part. 329 pag. 109
 Part. 463 pag. 109	 Part. 528 pag. 109	 Part. 511 pag. 110	 Part. 318 pag. 110	 Part. 437 pag. 111	 Part. 522 pag. 111
 Part. 415 pag. 112	 Part. 481 pag. 112	 Part. 493 pag. 113	 Part. 494 pag. 113	 Part. 340 pag. 114	 Part. 341 pag. 114
 Part. 342 pag. 115	 Part. 343 pag. 115	 Part. 345 pag. 116	 Part. 423 pag. 116	 Part. 339 pag. 117	 Part. 422 pag. 117
 Part. 344 pag. 118	 Part. 421 pag. 118	 Part. 448 pag. 119	 Part. 451 pag. 119	 Part. 449 pag. 120	 Part. 452 pag. 120
 Part. 450 pag. 121	 Part. 453 pag. 121	 Part. 502 pag. 122	 Part. 501 pag. 122	 Part. 501 pag. 122	 Part. 501 pag. 123
 Part. 501 pag. 123	 Part. 388 pag. 124	 Part. 393 pag. 124	 Part. 394 pag. 124	 Part. 395 pag. 124	 Part. 500 pag. 124
 Part. 330 pag. 125	 Part. 375 pag. 125	 Part. 426 pag. 126	 Part. 425 pag. 126	 Part. 536 pag. 126	 Part. 515 pag. 127
 Part. 534 pag. 127	 Part. 373 pag. 128	 Part. 354 pag. 129	 Part. 418 pag. 130	 Part. 419 pag. 130	 Part. 420 pag. 131
 Part. 353 pag. 131	 Part. 469 pag. 132	 Part. 514 pag. 132	 Part. 485 pag. 132	 Part. 438 pag. 133	 Part. 370 pag. 149
 Part. 371 pag. 149					

Chain guides and accessories

 Part. 446 pag. 133	 Part. 381 pag. 134	 Part. 384 pag. 134	 Part. 385 pag. 135	 Part. 513 pag. 135	 Part. 512 pag. 136
 Part. 517 pag. 136	 Part. 377 pag. 137	 Part. 444 pag. 138	 Part. 389 pag. 138	 Part. 519 pag. 139	 Part. 390 pag. 139
 Part. 391 pag. 139	 Part. 461 pag. 140	 Part. 492 pag. 140	 Part. 496 pag. 141	 Part. 495 pag. 141	 Part. 497 pag. 141
 Part. 471 pag. 142	 Part. 498 pag. 142	 Part. 499 pag. 142	 Part. 361 pag. 150	 Part. 362 pag. 150	 Part. 363 pag. 150
 Part. 364 pag. 150	 Part. 365 pag. 151	 Part. 366 pag. 151	 Part. 367 pag. 151	 Part. 368 pag. 151	 Part. 369 pag. 151

Accessories for the cross adjustment of the side guides

 Part. 429 pag. 144	 Part. 316 pag. 144	 Part. 299 pag. 145	 Part. 331 pag. 146
 Part. 352 pag. 147	 Part. 462 pag. 148	 Part. 374 pag. 148	

Process control





 Part. 360 pag. 143
--

Modular transfer plates


Part. **257**

Modular transfer plates with lip

(width 115 mm 5 rows of rollers)



With bearing



With bushing

Rollers made of stainless steel AISI 304		Rollers made of polyethylene
With bearings	With bushings	
Code	Code	Code
257 / 85004	257 / 85802	257 / 82005

MATERIALS: Modular transfer plate with external module made of grey colour acetal; rollers made of grey colour polyethylene or stainless steel AISI 304; bearings made of chrome steel; bushings made of auto-lubricating polyamide; pins and fixing nuts made of stainless steel AISI 304.

FEATURES: To be assembled at the end of your conveyor to help the products transfer. Low friction coefficient, minimum noise level, extremely cleanable. The versions with rollers made in stainless steel, are available both with bearings made of chrome steel or with bushings made of auto-lubricating polyamide which are suitable for applications in contact with water.

BOX QUANTITY: 8 pieces.





ON REQUEST:

- External module and rollers: Can be produced in other colours.
- Box quantity: According to your request.


Part. **417**

Modular transfer plates with lip

(width 115 mm 4 rows of rollers)



With bearing



With bushing

Rollers made of stainless steel AISI 304		Rollers made of polyethylene
With bearings	With bushings	
Code	Code	Code
417 / 85031	417 / 85803	417 / 84576

MATERIALS: Modular transfer plate with external module made of grey colour acetal; rollers made of grey colour polyethylene or stainless steel AISI 304; bearings made of chrome steel; bushings made of auto-lubricating polyamide; pins and fixing nuts made of stainless steel AISI 304.

FEATURES: To be assembled at the end of your conveyor to help the products transfer. Low friction coefficient, minimum noise level, extremely cleanable. The versions with rollers made in stainless steel, are available both with bearings made of chrome steel or with bushings made of auto-lubricating polyamide which are suitable for applications in contact with water.

BOX QUANTITY: 8 pieces.

ON REQUEST:

- External module and rollers: Can be produced in other colours.
- Box quantity: According to your request.




Suitable for applications which require maximum smoothness.



Suitable for applications in contact with water.

Modular transfer plates

Modular transfer plates with lip (width 115 mm 3 rows of rollers)

Part. **258**

Rollers made of stainless steel AISI 304		Rollers made of polyethylene
With bearings	With bushings	
Code	Code	Code
258 / 85003	258 / 85804	258 / 82004

MATERIALS: Modular transfer plate with external module made of grey colour acetal; rollers made of grey colour polyethylene or stainless steel AISI 304; bearings made of chrome steel; bushings made of auto-lubricating polyamide; pins and fixing nuts made of stainless steel AISI 304.


FEATURES: To be assembled at the end of your conveyor to help the products transfer. Low friction coefficient, minimum noise level, extremely cleanable. The versions with rollers made in stainless steel, are available both with bearings made of chrome steel or with bushings made of auto-lubricating polyamide which are suitable for applications in contact with water.

BOX QUANTITY: 8 pieces.

ON REQUEST:

- External module and rollers: Can be produced in other colours.
- Box quantity: According to your request.

Modular transfer plates with lip (width 115 mm 2 rows of rollers)

Part. **259**

Rollers made of stainless steel AISI 304		Rollers made of polyethylene
With bearings	With bushings	
Code	Code	Code
259 / 85002	259 / 85805	259 / 82003

MATERIALS: Modular transfer plate with external module made of grey colour acetal; rollers made of grey colour polyethylene or stainless steel AISI 304; bearings made of chrome steel; bushings made of auto-lubricating polyamide; pins and fixing nuts made of stainless steel AISI 304.

FEATURES: To be assembled at the end of your conveyor to help the products transfer. Low friction coefficient, minimum noise level, extremely cleanable. The versions with rollers made in stainless steel, are available both with bearings made of chrome steel or with bushings made of auto-lubricating polyamide which are suitable for applications in contact with water.

BOX QUANTITY: 8 pieces.

ON REQUEST:

- External module and rollers: Can be produced in other colours.
- Box quantity: According to your request.



Suitable for applications which require maximum smoothness.




Suitable for applications in contact with water.


Modular transfer plates

Modular transfer plates without lip



(width 115 mm 3 rows of rollers)

Part. **430**


Rollers made of stainless steel AISI 304



Rollers made of polyethylene



With bearing

With bushing

Rollers made of stainless steel AISI 304		Rollers made of polyethylene
With bearings	With bushings	
Code	Code	Code
430 / 85080	430 / 85806	430 / 85084

MATERIALS: Modular transfer plate with external module made of grey colour acetal; rollers made of grey colour polyethylene or stainless steel AISI 304; bearings made of chrome steel; bushings made of auto-lubricating polyamide; pins and fixing nuts made of stainless steel AISI 304.

FEATURES: To be assembled at the end of your conveyor to help the products transfer. Low friction coefficient, minimum noise level, extremely cleanable. The versions with rollers made in stainless steel, are available both with bearings made of chrome steel or with bushings made of auto-lubricating polyamide which are suitable for applications in contact with water.


BOX QUANTITY: 8 pieces.

ON REQUEST:


- External module and rollers: Can be produced in other colours.
- Box quantity: According to your request.

Part. **431** Modular transfer plates without lip



(width 115 mm 2 rows of rollers)



Rollers made of stainless steel AISI 304



Rollers made of polyethylene



With bearing

With bushing

Rollers made of stainless steel AISI 304		Rollers made of polyethylene
With bearings	With bushings	
Code	Code	Code
431 / 85081	431 / 85807	431 / 85085

MATERIALS: Modular transfer plate with external module made of grey colour acetal; rollers made of grey colour polyethylene or stainless steel AISI 304; bearings made of chrome steel; bushings made of auto-lubricating polyamide; pins and fixing nuts made of stainless steel AISI 304.

FEATURES: To be assembled at the end of your conveyor to help the products transfer. Low friction coefficient, minimum noise level, extremely cleanable. The versions with rollers made in stainless steel, are available both with bearings made of chrome steel or with bushings made of auto-lubricating polyamide which are suitable for applications in contact with water.

BOX QUANTITY: 8 pieces.

ON REQUEST:

- External module and rollers: Can be produced in other colours.
- Box quantity: According to your request.




Suitable for applications which require maximum smoothness.



Suitable for applications in contact with water.

Modular transfer plates

Modular transfer plates with lip (width 85 mm 5 rows of rollers)

Part. **260**

Rollers made of stainless steel AISI 304		Rollers made of polyethylene
With bearings	With bushings	
Code	Code	Code
260 / 85007	260 / 85808	260 / 82002

MATERIALS: Modular transfer plate with external module made of grey colour acetal; rollers made of grey colour polyethylene or stainless steel AISI 304; bearings made of chrome steel; bushings made of auto-lubricating polyamide; pins and fixing nuts made of stainless steel AISI 304.


FEATURES: To be assembled at the end of your conveyor to help the products transfer. Low friction coefficient, minimum noise level, extremely cleanable. The versions with rollers made in stainless steel, are available both with bearings made of chrome steel or with bushings made of auto-lubricating polyamide which are suitable for applications in contact with water.

BOX QUANTITY: 8 pieces.

ON REQUEST:

- External module and rollers: Can be produced in other colours.
- Box quantity: According to your request.

Modular transfer plates with lip (width 85 mm 4 rows of rollers)

Part. **416**

Rollers made of stainless steel AISI 304		Rollers made of polyethylene
With bearings	With bushings	
Code	Code	Code
416 / 85032	416 / 85809	416 / 84575

MATERIALS: Modular transfer plate with external module made of grey colour acetal; rollers made of grey colour polyethylene or stainless steel AISI 304; bearings made of chrome steel; bushings made of auto-lubricating polyamide; pins and fixing nuts made of stainless steel AISI 304.

FEATURES: To be assembled at the end of your conveyor to help the products transfer. Low friction coefficient, minimum noise level, extremely cleanable. The versions with rollers made in stainless steel, are available both with bearings made of chrome steel or with bushings made of auto-lubricating polyamide which are suitable for applications in contact with water.

BOX QUANTITY: 8 pieces.

ON REQUEST:

- External module and rollers: Can be produced in other colours.
- Box quantity: According to your request.




Suitable for applications which require maximum smoothness.




Suitable for applications in contact with water.

Modular transfer plates



Modular transfer plates with lip (width 85 mm 3 rows of rollers)

Part. **261**


Rollers made of stainless steel AISI 304



Rollers made of polyethylene



With bearing

With bushing

Rollers made of stainless steel AISI 304		Rollers made of polyethylene
With bearings	With bushings	
Code	Code	Code
261 / 85006	261 / 85810	261 / 82001

MATERIALS: Modular transfer plate with external module made of grey colour acetal; rollers made of grey colour polyethylene or stainless steel AISI 304; bearings made of chrome steel; bushings made of auto-lubricating polyamide; pins and fixing nuts made of stainless steel AISI 304.


FEATURES: To be assembled at the end of your conveyor to help the products transfer. Low friction coefficient, minimum noise level, extremely cleanable. The versions with rollers made in stainless steel, are available both with bearings made of chrome steel or with bushings made of auto-lubricating polyamide which are suitable for applications in contact with water.

BOX QUANTITY: 8 pieces.


ON REQUEST:

- External module and rollers: Can be produced in other colours.
- Box quantity: According to your request.



Part. **262** Modular transfer plates with lip (width 85 mm 2 rows of rollers)



Rollers made of stainless steel AISI 304



Rollers made of polyethylene



With bearing

With bushing

Rollers made of stainless steel AISI 304		Rollers made of polyethylene
With bearings	With bushings	
Code	Code	Code
262 / 85005	262 / 85811	262 / 82000

MATERIALS: Modular transfer plate with external module made of grey colour acetal; rollers made of grey colour polyethylene or stainless steel AISI 304; bearings made of chrome steel; bushings made of auto-lubricating polyamide; pins and fixing nuts made of stainless steel AISI 304.

FEATURES: To be assembled at the end of your conveyor to help the products transfer. Low friction coefficient, minimum noise level, extremely cleanable. The versions with rollers made in stainless steel, are available both with bearings made of chrome steel or with bushings made of auto-lubricating polyamide which are suitable for applications in contact with water.

BOX QUANTITY: 8 pieces.

ON REQUEST:

- External module and rollers: Can be produced in other colours.
- Box quantity: According to your request.





Suitable for applications which require maximum smoothness.



Suitable for applications in contact with water.

Modular transfer plates

Modular transfer plates without lip (width 85 mm 3 rows of rollers)

Part. **432**

Rollers made of stainless steel AISI 304	Rollers made of polyethylene
With bearings	With bushings
Code	Code
432 / 85082	432 / 85812
	432 / 85086

MATERIALS: Modular transfer plate with external module made of grey colour acetal; rollers made of grey colour polyethylene or stainless steel AISI 304; bearings made of chrome steel; bushings made of auto-lubricating polyamide; pins and fixing nuts made of stainless steel AISI 304.



FEATURES: To be assembled at the end of your conveyor to help the products transfer. Low friction coefficient, minimum noise level, extremely cleanable. The versions with rollers made in stainless steel, are available both with bearings made of chrome steel or with bushings made of auto-lubricating polyamide which are suitable for applications in contact with water.

BOX QUANTITY: 8 pieces.

ON REQUEST:

- External module and rollers: Can be produced in other colours.
- Box quantity: According to your request.

Modular transfer plates without lip (width 85 mm 2 rows of rollers)

Part. **433**

Rollers made of stainless steel AISI 304	Rollers made of polyethylene
With bearings	With bushings
Code	Code
433 / 85083	433 / 85813
	433 / 85087

MATERIALS: Modular transfer plate with external module made of grey colour acetal; rollers made of grey colour polyethylene or stainless steel AISI 304; bearings made of chrome steel; bushings made of auto-lubricating polyamide; pins and fixing nuts made of stainless steel AISI 304.

FEATURES: To be assembled at the end of your conveyor to help the products transfer. Low friction coefficient, minimum noise level, extremely cleanable. The versions with rollers made in stainless steel, are available both with bearings made of chrome steel or with bushings made of auto-lubricating polyamide which are suitable for applications in contact with water.

BOX QUANTITY: 8 pieces.

ON REQUEST:

- External module and rollers: Can be produced in other colours.
- Box quantity: According to your request.



Suitable for applications which require maximum smoothness.




Suitable for applications in contact with water.

Product guides and accessories

Part. 306

Roller side guide with pearls (single type, pitch of the rollers: 12 mm.)



Pins made of acetal	Pins made of stainless steel AISI 304
Code	Code
306 / 82809	306 / 84548

MATERIALS: Metal profile in anodized aluminium; rollers in grey polyethylene; support pins in white acetal or in stainless steel AISI 304.


FEATURES: Supplied already assembled, in bars of 3 meters length.
Min. curvature radius: 250 mm.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).


ON REQUEST:

- Roller side guide: Other colours.

Example of application



Part. 307 Roller side guide with pearls (double type, pitch of the rollers: 12 mm.)



Pins made of acetal	Pins made of stainless steel AISI 304
Code	Code
307 / 82810	307 / 84549

MATERIALS: Metal profile in anodized aluminium; rollers in grey polyethylene; support pins in white acetal or in stainless steel AISI 304.


FEATURES: Supplied already assembled, in bars of 3 meters length.
Min. curvature radius: 500 mm.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

ON REQUEST:

- Roller side guide: Other colours.


Example of application



Suitable for applications which require maximum robustness.


Product guides and accessories

Example of application



Roller central guide with pearls (single type, pitch of the rollers: 12 mm.)

Part. **308**



Pins made of acetal Pins made of stainless steel AISI 304

Code	Code
308 / 82811	308 / 84550

MATERIALS: Metal profile in anodized aluminium; rollers in grey polyethylene; support pins in white acetal or in stainless steel AISI 304.


FEATURES: Supplied already assembled, in bars of 3 meters length.
Min. curvature radius: 500 mm.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

ON REQUEST:


- Roller central guide: Other colours.

Example of application



Roller central guide with pearls (double type, pitch of the rollers: 12 mm.)

Part. **319**



Pins made of acetal Pins made of stainless steel AISI 304

Code	Code
319 / 82916	319 / 84551

MATERIALS: Metal profile in anodized aluminium; rollers in grey polyethylene; support pins in white acetal or in stainless steel AISI 304.

FEATURES: Supplied already assembled, in bars of 3 meters length.
Min. curvature radius: 750 mm.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

ON REQUEST:

- Roller central guide: Other colours.




Suitable for applications which require maximum robustness.

Product guides and accessories

Part. 468

Roller side guide with pearls
(single type, pitch of the rollers: 9.3 mm.)



Code

468 / 85585

MATERIALS: Metal profile in anodized aluminium; rollers in grey polyethylene; support pins in stainless steel AISI 304.


FEATURES: The reduced pitch of the rollers guarantees the maximum smoothness of the product. Supplied already assembled, in bars of 3 meters length. Min. curvature radius: 250 mm.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).


ON REQUEST:

- Roller side guide: Other colours.

Example of application



Part. 474 **Roller side guide with pearls** (double type, pitch of the rollers: 9.3 mm.)



Code

474 / 85978

MATERIALS: Metal profile in anodized aluminium; rollers in grey polyethylene; support pins in stainless steel AISI 304.


FEATURES: The reduced pitch of the rollers guarantees the maximum smoothness of the product. Supplied already assembled, in bars of 3 meters length. Min. curvature radius: 500 mm.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

ON REQUEST:

- Roller side guide: Other colours.


Example of application



Suitable for applications which require maximum smoothness.


Product guides and accessories

Example of application



Roller central guide with pearls (single type, pitch of the rollers: 9.3 mm.)

Part. **475**



Code

475 / 85979

MATERIALS: Metal profile in anodized aluminium; rollers in grey polyethylene; support pins in stainless steel AISI 304.


FEATURES: The reduced pitch of the rollers guarantees the maximum smoothness of the product. Supplied already assembled, in bars of 3 meters length. Min. curvature radius: 500 mm.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

ON REQUEST:


- Roller central guide: Other colours.

Example of application



Roller central guide with pearls (double type, pitch of the rollers: 9.3 mm.)

Part. **476**



Code

476 / 85980

MATERIALS: Metal profile in anodized aluminium; rollers in grey polyethylene; support pins in stainless steel AISI 304.

FEATURES: The reduced pitch of the rollers guarantees the maximum smoothness of the product. Supplied already assembled, in bars of 3 meters length. Min. curvature radius: 750 mm.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

ON REQUEST:

- Roller central guide: Other colours.




Suitable for applications which require maximum smoothness.

Product guides and accessories

Part. 325

Roller side guide with cylinders (single type, pitch of the rollers: 12 mm.)



Pins made of acetal	Pins made of stainless steel AISI 304
Code	Code
325 / 83003	325 / 84552

MATERIALS: Metal profile in anodized aluminium; rollers in grey polyethylene; support pins in white acetal or in stainless steel AISI 304.


FEATURES: Supplied already assembled, in bars of 3 meters length.
Min. curvature radius: 250 mm.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

ON REQUEST:


- Roller side guide: Other colours.

Example of application



Part. 326

Roller side guide with cylinders (double type, pitch of the rollers: 12 mm.)



Pins made of acetal	Pins made of stainless steel AISI 304
Code	Code
326 / 83004	326 / 84553

MATERIALS: Metal profile in anodized aluminium; rollers in grey polyethylene; support pins in white acetal or in stainless steel AISI 304.


FEATURES: Supplied already assembled, in bars of 3 meters length.
Min. curvature radius: 500 mm.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

ON REQUEST:

- Roller side guide: Other colours.


Example of application



Suitable for applications which require maximum robustness.


Product guides and accessories

Example of application



Roller central guide with cylinders (single type, pitch of the rollers: 12 mm.)

Part. **327**



Pins made of acetal	Pins made of stainless steel AISI 304
Code	Code
327 / 83005	327 / 84555

MATERIALS: Metal profile in anodized aluminium; rollers in grey polyethylene; support pins in white acetal or in stainless steel AISI 304.


FEATURES: Supplied already assembled, in bars of 3 meters length.
Min. curvature radius: 500 mm.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

ON REQUEST:


- Roller central guide: Other colours.

Example of application



Roller central guide with cylinders (double type, pitch of the rollers: 12 mm.)

Part. **328**



Pins made of acetal	Pins made of stainless steel AISI 304
Code	Code
328 / 83006	328 / 84556

MATERIALS: Metal profile in anodized aluminium; rollers in grey polyethylene; support pins in white acetal or in stainless steel AISI 304.

FEATURES: Supplied already assembled, in bars of 3 meters length.
Min. curvature radius: 750 mm.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

ON REQUEST:

- Roller central guide: Other colours.




Suitable for applications which require maximum robustness.

Product guides and accessories

Roller side guide with rubberised cylinders (single type, pitch of the rollers: 9.3 mm.)

Part. **467**



Code

467 / 85584

MATERIALS: Metal profile in anodized aluminium; rollers in polyethylene and grey colour rubber; support pins in stainless steel AISI 304.


FEATURES: The rubberised surface of the rollers guarantees a lower noise level. Supplied already assembled, in bars of 3 meters length. Min. curvature radius: 250 mm.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).


ON REQUEST:

- Roller side guide: Other colours.

Example of application



Part. **477** Roller side guide with rubberised cylinders (double type, pitch of the rollers: 9.3 mm.)



Code

477 / 85981

MATERIALS: Metal profile in anodized aluminium; rollers in polyethylene and grey colour rubber; support pins in stainless steel AISI 304.


FEATURES: The rubberised surface of the rollers guarantees a lower noise level. Supplied already assembled, in bars of 3 meters length. Min. curvature radius: 500 mm.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

ON REQUEST:

- Roller side guide: Other colours.


Example of application



Suitable for applications which require low noise levels.


Product guides and accessories

Example of application



Roller central guide with rubberised cylinders (single type, pitch of the rollers: 9.3 mm.)

Part. **478**



Code

478 / 85982

MATERIALS: Metal profile in anodized aluminium; rollers in polyethylene and grey colour rubber; support pins in stainless steel AISI 304.


FEATURES: The rubberised surface of the rollers guarantees a lower noise level. Supplied already assembled, in bars of 3 meters length. Min. curvature radius: 500 mm.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

ON REQUEST:


- Roller central guide: Other colours.

Example of application



Roller central guide with rubberised cylinders (double type, pitch of the rollers: 9.3 mm.)

Part. **479**



Code

479 / 85983

MATERIALS: Metal profile in anodized aluminium; rollers in polyethylene and grey colour rubber; support pins in stainless steel AISI 304.

FEATURES: The rubberised surface of the rollers guarantees a lower noise level. Supplied already assembled, in bars of 3 meters length. Min. curvature radius: 750 mm.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

ON REQUEST:


- Roller central guide: Other colours.



Suitable for applications which require low noise levels.

Product guides and accessories

Part. 355 Roller side guide with round rollers (single type, pitch of the rollers: 12 mm.)



Pins made of acetal	Pins made of stainless steel AISI 304
Code	Code
355 / 83473	355 / 84557

MATERIALS: Metal profile in anodized aluminium; rollers in grey polyethylene; support pins in white acetal or in stainless steel AISI 304.


FEATURES: Supplied already assembled, in bars of 3 meters length.
Min. curvature radius: 250 mm.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).


ON REQUEST:

- Roller side guide: Other colours.

Example of application



Part. 356 Roller side guide with round rollers (double type, pitch of the rollers: 12 mm.)



Pins made of acetal	Pins made of stainless steel AISI 304
Code	Code
356 / 83474	356 / 84558

MATERIALS: Metal profile in anodized aluminium; rollers in grey polyethylene; support pins in white acetal or in stainless steel AISI 304.


FEATURES: Supplied already assembled, in bars of 3 meters length.
Min. curvature radius: 500 mm.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

ON REQUEST:

- Roller side guide: Other colours.

Example of application





Suitable for applications which require maximum robustness.

Product guides and accessories

Roller central guide with round rollers (single type, pitch of the rollers: 12 mm.)

Part. **357**

Example of application



Pins made of acetal	Pins made of stainless steel AISI 304
Code	Code
357 / 83475	357 / 84559

MATERIALS: Metal profile in anodized aluminium; rollers in grey polyethylene; support pins in white acetal or in stainless steel AISI 304.

FEATURES: Supplied already assembled, in bars of 3 meters length.
Min. curvature radius: 500 mm.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).



ON REQUEST:

- Roller central guide: Other colours.

Roller central guide with round rollers (double type, pitch of the rollers: 12 mm.)

Part. **358**

Example of application



Pins made of acetal	Pins made of stainless steel AISI 304
Code	Code
358 / 83476	358 / 84560

MATERIALS: Metal profile in anodized aluminium; rollers in grey polyethylene; support pins in white acetal or in stainless steel AISI 304.

FEATURES: Supplied already assembled, in bars of 3 meters length.
Min. curvature radius: 750 mm.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

ON REQUEST:

- Roller central guide: Other colours.





Suitable for applications which require maximum robustness.

Product guides and accessories

Part. 464 Side guide (single type)



PATENT PENDING



Code
464 / 85561

MATERIALS: Metal profile in anodized aluminium; guide profile in stainless steel AISI 304 covered with peek.



FEATURES: Suitable for use with bundles covered with shrink-wrapped polyethylene film. The coating with peek guarantees maximum smoothness of the product. Suitable for high temperatures applications. Peek covering thickness: min. 40 µ, max 50 µ. Supplied already assembled, in bars of 3 meters length.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

Part. 480 Central guide (single type)



PATENT PENDING





Code
480 / 86696

MATERIALS: Metal profile in anodized aluminium; guide profile in stainless steel AISI 304 covered with peek.


FEATURES: Suitable for use with bundles covered with shrink-wrapped polyethylene film. The coating with peek guarantees maximum smoothness of the product. Suitable for high temperatures applications. Peek covering thickness: min. 40 µ, max 50 µ. Supplied already assembled, in bars of 3 meters length.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

Example of application



Example of application



Suitable for applications which require maximum smoothness.




Suitable for use with bundles covered with shrink-wrapped polyethylene film.




Suitable for high temperatures applications.

Product guides and accessories



Example of application




Example of application



Example of application


Guide profile
(metallic profile)
Part. **482**
Code
482 / 86695


MATERIALS: Guide profile in stainless steel AISI 304 covered with peek.
FEATURES: Suitable for use with bundles covered with shrink-wrapped polyethylene film. The coating with peek guarantees maximum smoothness of the product. Suitable for high temperatures applications. Peek covering thickness: min. 40 µ, max 50 µ. Supplied in bars of 2.99 meters length. Snap-on assembly on profiles: Part.320, 322.
BOX QUANTITY: 2 bars of 2.99 meters (total 5.98 meters).

Connecting element
(for Part.464, 480)
Part. **466**
Code
466 / 85563

MATERIALS: Connecting element in grey colour polyamide and auto-lubricating additive.
FEATURES: To be used as a connecting element between the guides: Part.464, 480. The self-lubricating additive guarantees maximum smoothness of the product.
BOX QUANTITY: 8 pieces.

ON REQUEST:

- Box quantity: According to your request.

Closing cap
(for Part.464, 480)
Part. **465**
Code
465 / 85562

MATERIALS: Cap in grey colour polyamide and auto-lubricating additive.
FEATURES: To be used as a closure cap at the extremities of the guides: Part.464, 480. The self-lubricating additive guarantees maximum smoothness of the product.
BOX QUANTITY: 8 pieces.

ON REQUEST:

- Box quantity: According to your request.



Suitable for applications which require maximum smoothness.



Suitable for use with bundles covered with shrink-wrapped polyethylene film.




Suitable for high temperatures applications.

Product guides and accessories

Part. 320

Profile for side guides



Type	Version	Code	Length
Side	Single	320 / 82917	3 Mt.


MATERIALS: Metal profile in anodized aluminium.

FEATURES: Supplied in bars of 3 meters length. To be used with guides Part.306, 325, 355, 467, 468, 464.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

Part. 321

Profile for side guides



Type	Version	Code	Length
Side	Double	321 / 82918	3 Mt.


MATERIALS: Metal profile in anodized aluminium.

FEATURES: Supplied in bars of 3 meters length. To be used with guides Part.307, 326, 356, 474, 477.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

Part. 322

Profile for central guides



Type	Version	Code	Length
Central	Single	322 / 82919	3 Mt.


MATERIALS: Metal profile in anodized aluminium.

FEATURES: Supplied in bars of 3 meters length. To be used with guides Part.308, 327, 357, 475, 478, 480.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

Part. 323

Profile for central guides



Type	Version	Code	Length
Central	Double	323 / 82920	3 Mt.


MATERIALS: Metal profile in anodized aluminium.

FEATURES: Supplied in bars of 3 meters length. To be used with guides Part.319, 328, 358, 476, 479.


BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

Product guides and accessories

Example of application



Guide profile for products Part. 329



Code

329 / 83007

MATERIALS: Profile made of natural polyethylene white colour.

FEATURES: Supplied in bars of 3 meters length.


To be used with guides Part.320, 321, 322, 323.

BOX QUANTITY: 6 bars of 3 meters (total 18 meters).


ON REQUEST:

- Box quantity: According to your request.

Example of application



Guide profile Part. 463



Code	Colour	L
463 / 85552	Black	3 Mt.
463 / 87562	Black	6 Mt.
463 / 87563	Blue Ral 5005	3 Mt.
463 / 87564	Blue Ral 5005	6 Mt.

MATERIALS: Profile made of HD polyethylene black or blue Ral 5005 colour.

FEATURES: Supplied in bars of 3 or 6 meters length. To be mounted with rail clamps: Part.427, 434 and with the connecting joint Part.511. Min. curvature radius: 200 mm.


BOX QUANTITY:

- 3 Mt. lengths version: This item is sold in Mt. - Min. 6 Mt. (2 lengths);
- 6 Mt. lengths version: This item is sold in Mt. - Min. 12 Mt. (2 lengths).


ON REQUEST:

- Box quantity: According to your request.

Example of application



Guide profile Part. 528



Code	Colour	L
528 / 87565	Black	3 Mt.
528 / 87566	Black	6 Mt.
528 / 87567	Blue Ral 5005	3 Mt.
528 / 87568	Blue Ral 5005	6 Mt.

MATERIALS: Profile made of HD polyethylene black or blue Ral 5005 colour.

FEATURES: Supplied in bars of 3 or 6 meters length. To be mounted with rail clamp Part.531. Min. curvature radius: 200 mm.

BOX QUANTITY:


- 3 Mt. lengths version: This item is sold in Mt. - Min. 6 Mt. (2 lengths);
- 6 Mt. lengths version: This item is sold in Mt. - Min. 12 Mt. (2 lengths).

ON REQUEST:

- Box quantity: According to your request.

Product guides and accessories

Part. 511 Connecting joint (for Part.463)



Code
511 / 87044

MATERIALS: Joint and screws made of stainless steel AISI 304.


FEATURES: To be used for connecting the profiles Part.463.

BOX QUANTITY: 8 pieces.


ON REQUEST:

- Box quantity: According to your request.

Example of application



Part. 318 Connecting bar for guides



Code
318 / 82913

MATERIALS: Bar is made of zinc plated steel supplied with 4 zinc plated steel screws M8x10.


FEATURES: To be used for connecting the metal profiles of Part. 306, 307, 308, 319, 468, 474, 475, 476, 325, 326, 327, 328, 467, 477, 478, 479, 355, 356, 357, 358, 464, 480, 320, 321, 322, 323, 381 (Type 2), 384 (Type 2).

BOX QUANTITY: 8 pieces.


ON REQUEST:

- Box quantity: According to your request.

Example of application




Example of application




Product guides and accessories


Example of application




Example of application



Example of application



Screw with shaped head (hammer head)

Part. **437**

Code
437 / 85235

MATERIALS: Screw in zinc-plated steel.


FEATURES: To be used with guides Part.306, 307, 308, 319, 468, 474, 475, 476, 325, 326, 327, 328, 467, 477, 478, 479, 355, 356, 357, 358, 464, 480, 320, 321, 322, 323, 381, 384.

BOX QUANTITY: 24 pieces.

ON REQUEST:

- Box quantity: According to your request.

Slot closing profile Part. **522**



Code
522 / 87355

MATERIALS: Profile made of soft PVC grey colour.

FEATURES: To be used with guides Part.306, 307, 308, 319, 468, 474, 475, 476, 325, 326, 327, 328, 467, 477, 478, 479, 355, 356, 357, 358, 464, 480, 320, 321, 322, 323, 381, 384. Pressure mounting.

BOX QUANTITY: This item is sold in Mt. - Min. 20 Mt.

ON REQUEST:


- Box quantity: According to your request.

Product guides and accessories

Part. 415

Closing cap

(for side guides, single type)



Code
415 / 84547

MATERIALS: Cap in reinforced polyamide grey colour; nut and grub screw in stainless steel AISI 304.

FEATURES: To be used as a closure cap at the extremities of the side guides: Part.306, 468, 325, 467, 355, 464.

BOX QUANTITY: 24 pieces.


ON REQUEST:

- Assembling of: Nuts and grub screws.
- Box quantity: According to your request.

Part. 481

Closing cap

(for central guides, single type)



Code
481 / 86002

MATERIALS: Cap in reinforced polyamide grey colour; nut and grub screw in stainless steel AISI 304.


FEATURES: To be used as a closure cap at the extremities of the central guides: Part.308, 475, 327, 478, 357, 480.

BOX QUANTITY: 24 pieces.


ON REQUEST:

- Assembling of: Nuts and grub screws.
- Box quantity: According to your request.


Example of application




Example of application




Example of application



Example of application




Product guides and accessories



Closing cap (for side guides, double type)

Part. **493**



Code

493 / 87014

MATERIALS: Cap in reinforced polyamide grey colour; nut and grub screw in stainless steel AISI 304.

FEATURES: To be used as a closure cap at the extremities of the side guides: Part.307, 474, 326, 477, 356.



BOX QUANTITY: 24 pieces.

ON REQUEST:

- Assembling of: Nuts and grub screws.
- Box quantity: According to your request.

Closing cap (for central guides, double type)

Part. **494**



Code

494 / 87015

MATERIALS: Cap in reinforced polyamide grey colour; nut and grub screw in stainless steel AISI 304.

FEATURES: To be used as a closure cap at the extremities of the central guides: Part.319, 476, 328, 479, 358.


BOX QUANTITY: 24 pieces.

ON REQUEST:

- Assembling of: Nuts and grub screws.
- Box quantity: According to your request.

Product guides and accessories

Part. 340 Separation Block for roller side guide (single type)



Code	Material
340 / 83357	Polyethylene
340 / 85826	PA + auto-lubricating additive



MATERIALS: Separation block in polyethylene or in polyamide with auto-lubricating additive; bolts and nuts in stainless steel AISI 304.


FEATURES: To be used at the end of the side guides (Part.306, 468, 325, 467, 355, 464), to help the arrival of the products. The version with auto-lubricating additive guarantees maximum smoothness of the product. Supplied complete with bolts and nuts.

BOX QUANTITY: 8 pieces.

ON REQUEST:

- Separation blocks: Other colours.
- Box quantity: According to your request.

Part. 341 Separation Block for roller central guide (single type)



Code	Material
341 / 83359	Polyethylene
341 / 85828	PA + auto-lubricating additive



MATERIALS: Separation block in polyethylene or in polyamide with auto-lubricating additive; bolts and nuts in stainless steel AISI 304.



FEATURES: To be used at the end of the central guides (Part.308, 475, 327, 478, 357, 480), to help the arrival of the products. The version with auto-lubricating additive guarantees maximum smoothness of the product. Supplied complete with bolts and nuts.

BOX QUANTITY: 8 pieces.

ON REQUEST:



- Separation blocks: Other colours.
- Box quantity: According to your request.

Example of application



Example of application

Example of application





Example of application



Suitable for applications which require maximum smoothness.



Product guides and accessories

Example of application




Example of application

Example of application



Example of application

Separation Block for roller side guide (double type)

Part. **342**

Code	Material
342 / 83361	Polyethylene
342 / 85984	PA + auto-lubricating additive



MATERIALS: Separation block in polyethylene or in polyamide with auto-lubricating additive; bolts and nuts in stainless steel AISI 304.


FEATURES: To be used at the end of the side guides (Part.307, 474, 326, 477, 356), to help the arrival of the products. The version with auto-lubricating additive guarantees maximum smoothness of the product. Supplied complete with bolts and nuts.

BOX QUANTITY: 8 pieces.

ON REQUEST:

- Separation blocks: Other colours.
- Box quantity: According to your request.

Separation Block for roller central guide (double type)

Part. **343**

Code	Material
343 / 83363	Polyethylene
343 / 85985	PA + auto-lubricating additive



MATERIALS: Separation block in polyethylene or in polyamide with auto-lubricating additive; bolts and nuts in stainless steel AISI 304.

FEATURES: To be used at the end of the central guides (Part.319, 476, 328, 479, 358), to help the arrival of the products. The version with auto-lubricating additive guarantees maximum smoothness of the product. Supplied complete with bolts and nuts.

BOX QUANTITY: 8 pieces.

ON REQUEST:


- Separation blocks: Other colours.
- Box quantity: According to your request.



Suitable for applications which require maximum smoothness.

Product guides and accessories

Part. 345 Roller side guide with pearls (single type, 375 mm modules)



Pins made of acetal	Pins made of stainless steel AISI 304
Code	Code
345 / 83380	345 / 86717

MATERIALS: Rollers in polyethylene grey colour; modules in acetal resin black colour; support pins in black acetal or in stainless steel AISI 304.


FEATURES: Supplied already assembled, in modules of 375 mm length, for 40x8 mm plate. Min. curvature radius: ext = 500 mm; int. = 350 mm.

BOX QUANTITY: 12 pieces.


ON REQUEST:

- **Module and rollers:** Can be produced in other colours.
- **Box quantity:** According to your request.

Example of application



Part. 423 Roller side guide with pearls (double type, 375 mm modules)



Pins made of acetal	Pins made of stainless steel AISI 304
Code	Code
423 / 84818	423 / 85272

MATERIALS: Rollers in polyethylene grey colour; modules in acetal resin black colour; support pins in black acetal or in stainless steel AISI 304.


FEATURES: Supplied already assembled, in modules of 375 mm length, for 40x8 mm plate. Min. curvature radius: ext = 500 mm; int. = 350 mm.

BOX QUANTITY: 12 pieces.

ON REQUEST:


- **Module and rollers:** Can be produced in other colours.
- **Box quantity:** According to your request.

Example of application




Product guides and accessories

Example of application



Roller side guide with cylinders (single type, 375 mm modules)

Part. **339**



Pins made of acetal	Pins made of stainless steel AISI 304
Code	Code
339 / 83319	339 / 86718

MATERIALS: Rollers in polyethylene grey colour; modules in acetal resin black colour; support pins in black acetal or in stainless steel AISI 304.


FEATURES: Supplied already assembled, in modules of 375 mm length, for 40x8 mm plate. Min. curvature radius: ext = 500 mm; int. = 350 mm.

BOX QUANTITY: 12 pieces.

ON REQUEST:


- Module and rollers: can be produced in other colours.
- Box quantity: According to your request.

Example of application



Roller side guide with cylinders (double type, 375 mm modules)

Part. **422**



Pins made of acetal	Pins made of stainless steel AISI 304
Code	Code
422 / 84817	422 / 85273

MATERIALS: Rollers in polyethylene grey colour; modules in acetal resin black colour; support pins in black acetal or in stainless steel AISI 304.

FEATURES: Supplied already assembled, in modules of 375 mm length, for 40x8 mm plate. Min. curvature radius: ext = 500 mm; int. = 350 mm.


BOX QUANTITY: 12 pieces.

ON REQUEST:

- Module and rollers: Can be produced in other colours.
- Box quantity: According to your request.

Product guides and accessories

Part. 344 Roller side guide with round rollers (single type, 375 mm modules)



Pins made of acetal

Code

344 / 83372

Pins made of stainless steel AISI 304

Code

344 / 86719

MATERIALS: Rollers in polyethylene grey colour; modules in acetal resin black colour; support pins in black acetal or in stainless steel AISI 304.


FEATURES: Supplied already assembled, in modules of 375 mm length, for 40x8 mm plate. Min. curvature radius: ext = 500 mm; int. = 350 mm.

BOX QUANTITY: 12 pieces.


ON REQUEST:

- Module and rollers: can be produced in other colours.
- Box quantity: According to your request.

Example of application



Part. 421 Roller side guide with round rollers (double type, 375 mm modules)



Pins made of acetal

Code

421 / 84816

Pins made of stainless steel AISI 304

Code

421 / 85274

MATERIALS: Rollers in polyethylene grey colour; modules in acetal resin black colour; support pins in black acetal or in stainless steel AISI 304.


FEATURES: Supplied already assembled, in modules of 375 mm length, for 40x8 mm plate. Min. curvature radius: ext = 500 mm; int. = 350 mm.

BOX QUANTITY: 12 pieces.

ON REQUEST:


- Module and rollers: Can be produced in other colours.
- Box quantity: According to your request.

Example of application




Product guides and accessories

Example of application




Example of application

Fixing with plate




Fixing with metal profile



Separation Block with pearls (for Part.451)

Part. **448**



Pins made of acetal	Pins made of stainless steel AISI 304
Code	Code
448 / 85374	448 / 85459

MATERIALS: Rollers in polyethylene grey colour; module in acetal resin black colour; shoe in acetal resin grey colour; support pins in black acetal or in stainless steel AISI 304.

FEATURES: Supplied already assembled (1 module + 1 shoe); for 40x8 mm plate.


BOX QUANTITY: 2 pieces.

ON REQUEST:

- Module and rollers: Can be produced in other colours.
- Box quantity: According to your request.

Roller central guide with pearls (500 mm modules)

Part. **451**



Pins made of acetal	Pins made of stainless steel AISI 304
Code	Code
451 / 85377	451 / 85467

MATERIALS: Rollers in polyethylene grey colour; modules in acetal resin black colour; support pins in black acetal or in stainless steel AISI 304.

FEATURES: Supplied already assembled, in modules of 500 mm length, for 40x8 mm plate. Min. curvature radius: 335 mm.

BOX QUANTITY: 12 pieces.


ON REQUEST:

- Module and rollers: Can be produced in other colours.
- Box quantity: According to your request.

Product guides and accessories

Part. 449

Separation Block with cylinders (for Part.452)



Pins made of acetal	Pins made of stainless steel AISI 304
Code	Code
449 / 85375	449 / 85460

MATERIALS: Rollers in polyethylene grey colour; module in acetal resin black colour; shoe in acetal resin grey colour; support pins in black acetal or in stainless steel AISI 304.



FEATURES: Supplied already assembled (1 module + 1 shoe); for 40x8 mm plate.

BOX QUANTITY: 2 pieces.

ON REQUEST:


- Module and rollers: Can be produced in other colours.
- Box quantity: According to your request.

Example of application



Example of application

Part. 452 Roller central guide with cylinders (500 mm modules)



Pins made of acetal	Pins made of stainless steel AISI 304
Code	Code
452 / 85378	452 / 85468

MATERIALS: Rollers in polyethylene grey colour; modules in acetal resin black colour; support pins in black acetal or in stainless steel AISI 304.


FEATURES: Supplied already assembled, in modules of 500 mm length, for 40x8 mm plate. Min. curvature radius: 335 mm.

BOX QUANTITY: 12 pieces.


ON REQUEST:

- Module and rollers: Can be produced in other colours.
- Box quantity: According to your request.

Fixing with plate





Fixing with metal profile




Product guides and accessories

Example of application




Example of application

Fixing with plate




Fixing with metal profile



Separation Block with round rollers (for Part.453)

Part. **450**



Pins made of acetal	Pins made of stainless steel AISI 304
Code	Code
450 / 85376	450 / 85461

MATERIALS: Rollers in polyethylene grey colour; module in acetal resin black colour; shoe in acetal resin grey colour; support pins in black acetal or in stainless steel AISI 304.

FEATURES: Supplied already assembled (1 module + 1 shoe); for 40x8 mm plate.


BOX QUANTITY: 2 pieces.

ON REQUEST:

- Module and rollers: Can be produced in other colours.
- Box quantity: According to your request.

Roller central guide with round rollers (500 mm modules)

Part. **453**



Pins made of acetal	Pins made of stainless steel AISI 304
Code	Code
453 / 85379	453 / 85469

MATERIALS: Rollers in polyethylene grey colour; modules in acetal resin black colour; support pins in black acetal or in stainless steel AISI 304.

FEATURES: Supplied already assembled, in modules of 500 mm length, for 40x8 mm plate. Min. curvature radius: 335 mm.

BOX QUANTITY: 12 pieces.


ON REQUEST:

- Module and rollers: Can be produced in other colours.
- Box quantity: According to your request.

Product guides and accessories

Example of application

Part. 502 Roller side guide with round rollers (single type, curvilinear)



L (mm)	Metal profile in zinc plated steel Code	Metal profile in stainless steel AISI 304 Code
3129	502 / 86998	502 / 86999


MATERIALS: Rollers in acetal white colour; modules in reinforced polyamide black colour; support pins in stainless steel; metal profile in zinc plated steel or stainless steel AISI 304.

FEATURES: Supplied already assembled. To be used with the guide rail clamp Part.521. Min. curvature radius: ext = 800 mm; int. = 500 mm.

BOX QUANTITY: 2 pieces.


ON REQUEST:

- Module and rollers: can be produced in other colours.



Example of application

Part. 501 Roller side guide with round rollers (single type, rectilinear)



L (mm)	Metal profile in zinc plated steel Code	Metal profile in stainless steel AISI 304 Code
1041	501 / 86984	501 / 86985
2085	501 / 86982	501 / 86983
3129	501 / 86980	501 / 86981


MATERIALS: Rollers in acetal white colour; modules in reinforced polyamide black colour; support pins in stainless steel; metal profile in zinc plated steel or stainless steel AISI 304.

FEATURES: Supplied already assembled. To be used with the guide rail clamp Part.521.

BOX QUANTITY: 2 pieces.


ON REQUEST:

- Module and rollers: can be produced in other colours.



Example of application

Part. 501 Roller side guide with round rollers (double type, rectilinear)



L (mm)	Metal profile in zinc plated steel Code	Metal profile in stainless steel AISI 304 Code
1041	501 / 86990	501 / 86991
2085	501 / 86988	501 / 86989
3129	501 / 86986	501 / 86987


MATERIALS: Rollers in acetal white colour; modules in reinforced polyamide black colour; support pins in stainless steel; metal profile in zinc plated steel or stainless steel AISI 304.

FEATURES: Supplied already assembled. To be used with the guide rail clamp Part.521.

BOX QUANTITY: 2 pieces.


ON REQUEST:

- Module and rollers: can be produced in other colours.




Product guides and accessories

Example of application



Roller side guide with round rollers (triple type, rectilinear)

Part. **501**

L (mm)	Metal profile in zinc plated steel Code	Metal profile in stainless steel AISI 304 Code
1041	501 / 86996	501 / 86997
2085	501 / 86994	501 / 86995
3129	501 / 86992	501 / 86993

MATERIALS: Rollers in acetal white colour; modules in reinforced polyamide black colour; support pins in stainless steel; metal profile in zinc plated steel or stainless steel AISI 304.


FEATURES: Supplied already assembled. To be used with the guide rail clamp Part.521.

BOX QUANTITY: 2 pieces.


ON REQUEST:

- Module and rollers: can be produced in other colours.

Example of application



Roller side guide with round rollers (quadruple type, rectilinear)

Part. **501**

L (mm)	Metal profile in zinc plated steel Code	Metal profile in stainless steel AISI 304 Code
1041	501 / 87828	501 / 87827
2085	501 / 87830	501 / 87829
3129	501 / 87414	501 / 87415

MATERIALS: Rollers in acetal white colour; modules in reinforced polyamide black colour; support pins in stainless steel; metal profile in zinc plated steel or stainless steel AISI 304.

FEATURES: Supplied already assembled. To be used with the guide rail clamp Part.521.

BOX QUANTITY: 2 pieces.

ON REQUEST:


- Module and rollers: can be produced in other colours.

Product guides and accessories

Part. 388

Roller for transfer plates

(for Part. 257, 258, 259, 260, 261, 262, 416, 417, 430, 431, 432, 433)



Code

388 / 84131


MATERIALS: Roller made of polyethylene, grey colour.

BOX QUANTITY: 480 pieces.

ON REQUEST:

- Rollers: In different colours.
- Box quantity: According to your request.


Example of application



Part. 393

Roller for roller guides

(for Part. 306, 307, 308, 319, 345, 423, 448, 451)



Code

393 / 84182


MATERIALS: Roller made of polyethylene, grey colour.

BOX QUANTITY: 480 pieces.

ON REQUEST:

- Rollers: In different colours.
- Box quantity: According to your request.


Example of application



Part. 394

Roller for roller guides

(for Part. 344, 355, 356, 357, 358, 421, 450, 453)



Code

394 / 84183


MATERIALS: Roller made of polyethylene, grey colour.

BOX QUANTITY: 480 pieces.

ON REQUEST:

- Rollers: In different colours.
- Box quantity: According to your request.


Example of application



Part. 395

Roller for roller guides

(for Part. 325, 326, 327, 328, 339, 422, 449, 452)



Code

395 / 84185


MATERIALS: Roller made of polyethylene, grey colour.

BOX QUANTITY: 480 pieces.

ON REQUEST:

- Rollers: In different colours.
- Box quantity: According to your request.


Example of application



Part. 500

Roller for roller guides

(for Part. 501, 502)



Code

500 / 86215


MATERIALS: Roller made of acetal, white colour.

BOX QUANTITY: 480 pieces.

ON REQUEST:



- Rollers: In different colours.
- Box quantity: According to your request.

Example of application





Product guides and accessories

Example of application




Example of application

Example of application



Example of application

Profiles for side guides Part. 330



Stainless steel AISI 304	Stainless steel AISI 430
Code	Code
330 / 83089	330 / 83021

MATERIALS: Profiles in stainless steel AISI 430 or AISI 304.


FEATURES: Supplied in bars of 3 meters length. Min. curvature radius: 500 mm.
To be used with side guide Part.345, 423, 339, 422, 344, 421.

BOX QUANTITY: 2 bars of 3 meters (total 6 meters).

ON REQUEST:

- Box quantity: According to your request.

Profile for side guides Part. 375



Code
375 / 83890

MATERIALS: Profiles in stainless steel AISI 304.

FEATURES: Supplied in lengths of 3 meters. To be used with side guide Part.345, 423, 339, 422, 344, 421.

BOX QUANTITY: 2 lengths of 3 meters each (total 6 meters).

ON REQUEST:


- Box quantity: According to your request.

Product guides and accessories

Part. 426

Profile

(for the product side guide)



Code	Colour	L
426 / 84994	Black	3 Mt.
426 / 84995	Black	6 Mt.
426 / 84996	Blue Ral 5005	3 Mt.
426 / 84997	Blue Ral 5005	6 Mt.

MATERIALS: Profile in HMWPE black or blue Ral 5005 colour.

FEATURES: Supplied in lengths of 3 or 6 Mt. Min. curvature radius: 200 mm. To be assembled with clamps Part. 427, 434.


BOX QUANTITY:

- 3 Mt. lengths version: This item is sold in Mt. - Min. 6 Mt. (2 lengths);
- 6 Mt. lengths version: This item is sold in Mt. - Min. 12 Mt. (2 lengths).

ON REQUEST:

- Profiles: In different colours and sizes.
- Box quantity: According to your request.


Example of application



Part. 425

Profile

(for the product side guide)



Code	Colour	L
425 / 84998	Black	3 Mt.
425 / 84999	Black	6 Mt.
425 / 85000	Blue RAL 5005	3 Mt.
425 / 85001	Blue RAL 5005	6 Mt.

MATERIALS: Profile in HMWPE black or blue Ral 5005 colour.

FEATURES: Supplied in lengths of 3 or 6 Mt. Min. curvature radius: 200 mm. To be assembled with clamps Part. 427, 434.


BOX QUANTITY:

- 3 Mt. lengths version: This item is sold in Mt. - Min. 6 Mt. (2 lengths);
- 6 Mt. lengths version: This item is sold in Mt. - Min. 12 Mt. (2 lengths).

ON REQUEST:

- Profiles: In different colours and sizes.
- Box quantity: According to your request.


Example of application



Part. 536

Profile

(for the product side guide)



Code
536 / 88699

MATERIALS: Profile in HMWPE black colour.


FEATURES: Supplied in lengths of 3 Mt. To be assembled with profiles Part. 330, 375.

BOX QUANTITY: This item is sold in Mt. - min. 6 Mt (2 pieces)

ON REQUEST:


- Profiles: In different colours and sizes.
- Box quantity: According to your request.

Example of application




Product guides and accessories

Example of application




Example of application



Profile (for the product side guide)

Part. **515**



Code
515 / 87156

MATERIALS: Profile in HMWPE black colour.

FEATURES: Supplied in lengths of 3 Mt. Min. curvature radius: 200 mm. To be assembled with clamps Part. 427, 434.


BOX QUANTITY: This item is sold in Mt. - min. 6 Mt (2 pieces)

ON REQUEST:

- Profiles: In different colours and sizes.
- Box quantity: According to your request.

Profile (for the product side guide)

Part. **534**



Code
534 / 88678

MATERIALS: Profile in HMWPE black colour.

FEATURES: Supplied in lengths of 3 Mt. To be assembled with clamps Part. 427, 434.


BOX QUANTITY: This item is sold in Mt. - min. 6 Mt (2 pieces)

ON REQUEST:


- Profiles: In different colours and sizes.
- Box quantity: According to your request.

Product guides and accessories


Part. **373** Guide rail (round) (with metal profile)



With profile and guide



Only profile



Only guide

Length	With profile and guide Code
3 Mt.	373 / 83733
6 Mt.	373 / 83735

Length	Only profile Code
3 Mt.	373 / 84303

Length	Only guide Code
3 Mt.	373 / 83882


MATERIALS: Extruded HMWPE green colour, metal profile in stainless steel AISI 304.

FEATURES: Min. curvature radius: 145 mm.

BOX QUANTITY:


- 3 Mt. lengths version: This item is sold in Mt. - Min. 6 Mt. (2 lengths);
- 6 Mt. lengths version: This item is sold in Mt. - Min. 12 Mt. (2 lengths).

Example of application





Product guides and accessories

Example of application



Guide rail (round) (with metal profile)

Part. **354**



Code	Colour	S	L
354 / 84198	Polyethylene natural	1,5	6 Mt.
354 / 84199	Polyethylene natural	1,5	3 Mt.
354 / 83442	Polyethylene natural	2	6 Mt.
354 / 83626	Polyethylene natural	2	3 Mt.
354 / 85484	Blue RAL 5005	1,5	6 Mt.
354 / 86726	Blue RAL 5005	1,5	3 Mt.
354 / 85488	Blue RAL 5005	2	6 Mt.
354 / 85486	Blue RAL 5005	2	3 Mt.

MATERIALS: Plastic profile in polyethylene natural or blue Ral 5005 colour; metal profile in stainless steel AISI 304.

FEATURES: Supplied already assembled in lengths of 3 or 6 meters.

Min. curvature radius: 145 mm.

BOX QUANTITY:


- 3 Mt. lengths version: This item is sold in Mt. - Min. 6 Mt. (2 lengths);
- 6 Mt. lengths version: This item is sold in Mt. - Min. 12 Mt. (2 lengths).

ON REQUEST:

- Box quantity: According to your request.

Product guides and accessories

Part. 418 Product guide rail (with metal profile)



Code	S	L
418 / 84800	1,5	6 Mt.
418 / 84802	1,5	3 Mt.
418 / 84801	2	6 Mt.
418 / 84803	2	3 Mt.

MATERIALS: Guide profile in natural polyethylene; metal profile in stainless steel AISI 304.
FEATURES: Supplied in lengths of 3 or 6 Mt. Min. curvature radius: 145 mm.


BOX QUANTITY:

- 3 Mt. lengths version: This item is sold in Mt. - Min. 6 Mt. (2 lengths);
- 6 Mt. lengths version: This item is sold in Mt. - Min. 12 Mt. (2 lengths).


ON REQUEST:

- Box quantity: According to your request.


Example of application



Example of application



Part. 419 Product guide rail (with metal profile)



Code	S	L
419 / 84804	1,5	6 Mt.
419 / 84806	1,5	3 Mt.
419 / 84805	2	6 Mt.
419 / 84807	2	3 Mt.

MATERIALS: Guide profile in natural polyethylene; metal profile in stainless steel AISI 304.
FEATURES: Supplied in lengths of 3 or 6 Mt. Min. curvature radius: 145 mm.


BOX QUANTITY:

- 3 Mt. lengths version: This item is sold in Mt. - Min. 6 Mt. (2 lengths);
- 6 Mt. lengths version: This item is sold in Mt. - Min. 12 Mt. (2 lengths).

ON REQUEST:


- Box quantity: According to your request.

Example of application




Product guides and accessories


Example of application




Example of application



Example of application



Side guide rail, flat type (with metal profile) Part. 420



Code	S	L
420 / 84808	1,5	6 Mt.
420 / 84810	1,5	3 Mt.
420 / 84809	2	6 Mt.
420 / 84811	2	3 Mt.

MATERIALS: Guide profile in natural polyethylene; metal profile in stainless steel AISI 304.
FEATURES: Supplied in lengths of 3 or 6 Mt. Min. curvature radius: 160 mm.


BOX QUANTITY:

- 3 Mt. lengths version: This item is sold in Mt. - Min. 6 Mt. (2 lengths);
- 6 Mt. lengths version: This item is sold in Mt. - Min. 12 Mt. (2 lengths).

ON REQUEST:

- Box quantity: According to your request.

Guide rail (with metal profile) Part. 353



Code	S	L
353 / 84196	1,5	6 Mt.
353 / 84197	1,5	3 Mt.
353 / 83441	2	6 Mt.
353 / 83881	2	3 Mt.

MATERIALS: Guide profile in natural polyethylene; metal profile in stainless steel AISI 304.
FEATURES: Supplied in lengths of 3 or 6 Mt. Min. curvature radius: 200 mm.

BOX QUANTITY:

- 3 Mt. lengths version: This item is sold in Mt. - Min. 6 Mt. (2 lengths);
- 6 Mt. lengths version: This item is sold in Mt. - Min. 12 Mt. (2 lengths).

ON REQUEST:

- Box quantity: According to your request.


Product guides and accessories

Part. 469

Side guide rail, flat type (with metal profile)



Code	S	L
469 / 85588	1,5	6 Mt.
469 / 85589	1,5	3 Mt.
469 / 85590	2	6 Mt.
469 / 85591	2	3 Mt.



MATERIALS: Guide profile made of HD polyethylene natural; metal profile in stainless steel AISI 304.
FEATURES: Supplied in lengths of 3 or 6 Mt. Min. curvature radius: 160 mm.


BOX QUANTITY:

- 3 Mt. lengths version: This item is sold in Mt. - Min. 6 Mt. (2 lengths);
- 6 Mt. lengths version: This item is sold in Mt. - Min. 12 Mt. (2 lengths).

ON REQUEST:

- Box quantity: According to your request.


Example of application



Part. 514 Side guide rail, flat type (with metal profile)



Code	S	L
514 / 87119	1,5	6 Mt.
514 / 87118	1,5	3 Mt.
514 / 87121	2	6 Mt.
514 / 87120	2	3 Mt.



MATERIALS: Guide profile made of HD polyethylene natural; metal profile in stainless steel AISI 304.
FEATURES: Supplied in lengths of 3 or 6 Mt. Min. curvature radius: 200 mm.


BOX QUANTITY:

- 3 Mt. lengths version: This item is sold in Mt. - Min. 6 Mt. (2 lengths);
- 6 Mt. lengths version: This item is sold in Mt. - Min. 12 Mt. (2 lengths).

ON REQUEST:

- Box quantity: According to your request.


Example of application



Part. 485 Side guide rail, flat type (with metal profile)



Code	S	L
485 / 86163	1,5	6 Mt.
485 / 86164	1,5	3 Mt.
485 / 86165	2	6 Mt.
485 / 86166	2	3 Mt.



MATERIALS: Guide profile made of HD polyethylene natural; metal profile in stainless steel AISI 304.
FEATURES: Supplied in lengths of 3 or 6 Mt. Min. curvature radius: 200 mm.

BOX QUANTITY:


- 3 Mt. lengths version: This item is sold in Mt. - Min. 6 Mt. (2 lengths);
- 6 Mt. lengths version: This item is sold in Mt. - Min. 12 Mt. (2 lengths).

ON REQUEST:

- Box quantity: According to your request.


Product guides and accessories

Example of application



Guide rail
(semicircular)

Part. **438**



Code	L
438 / 85237	3 Mt.
438 / 85238	6 Mt.

MATERIALS: Guide profile in UHMWPE white colour, metal profile in anodized aluminium.
FEATURES: Min. curvature radius: 110 mm.

BOX QUANTITY:


- 3 Mt. lengths version: This item is sold in Mt. - Min. 6 Mt. (2 lengths);
- 6 Mt. lengths version: This item is sold in Mt. - Min. 12 Mt. (2 lengths).

ON REQUEST:


- Box quantity: According to your request.

Chain guides and accessories

Example of application




Example of application



Chain guide rail
(with metal profile)

Part. **446**



Code	S	L
446 / 85355	1,5	6 Mt.
446 / 85356	1,5	3 Mt.
446 / 85358	2	6 Mt.
446 / 85357	2	3 Mt.

MATERIALS: Plastic profile in polyethylene natural colour; metal profile in stainless steel AISI 304.
FEATURES: Supplied already assembled in lengths of 3 or 6 meters. Min. curvature radius: 200 mm.

BOX QUANTITY:

- 3 Mt. lengths version: This item is sold in Mt. - Min. 6 Mt. (2 lengths);
- 6 Mt. lengths version: This item is sold in Mt. - Min. 12 Mt. (2 lengths).

ON REQUEST:

- Box quantity: According to your request.